

Lecture Capture

Last Modified on 12/14/2025 11:51 pm IST



☒ [Click here to see the list of release notes](#)

Lecture Capture release notes - v5.2.2 December 14, 2025

Version: 5.2.2

Date released: December 14, 2025

What's new

- Fixed an issue where, in some cases, Microsoft PowerPoint prevented users from signing out of Windows 11 when Kaltura Lecture Capture was installed.
- Improved audio quality for audio input devices.

Manual update link - You can update your app using this link

PC https://cdnapisec.kaltura.com/content/static/classroom/v5.2.2/KalturaClassroom_5.2.2.msi

Lecture Capture Version 5.1.5 - October 28, 2024

Kaltura Lecture Capture Version:5.1.5

Date Released: October 28, 2024

What's New

- Added support for recording indication and pause/resume toggle using the Delcom USB light device (Delcom USB HID Visual Signal Indicator RGB with switch).
- Updated application UI to new Kaltura brand.
- Added support for privacy mode where autocomplete is disabled and personal info fields content is hidden.
- Fixed an issue where resuming a paused recording would fail when running on Windows 11.

Resolved Issues

ID	Description
SUP-29494	Fixed an issue where in some cases every new recording would create an empty VOD entry

You can manually update your application using the following link

PC https://cdnapisec.kaltura.com/content/static/classroom/v5.1.5/KalturaClassroom_5.1.5.msi

Lecture Capture Version 4.3.32 - March 14, 2023

Kaltura Capture Version: 4.3.32

Date Released: March 14, 2023

Resolved Issues

ID	Description
SUP	Hide username and block password autocomplete for users with strict privacy settings.

You can manually update your app using these links

PC https://cdnapisec.kaltura.com/content/static/classroom/v4.3.32/KalturaClassroom_4.3.32.msi

Lecture Capture version 4.3.25 - November 21, 2022

Version: 4.3.25

Date Released: November 21, 2022

Overview

These release notes pertain to Kaltura Lecture Capture version 4.3.25, released on November 21, 2022.

Component	Version	
Kaltura Lecture Capture Application (Windows)	4.3.25	
Kaltura MediaSpace	5.108.494	

What's New

The current release of Kaltura Lecture Capture includes:

- Bug fixes for issues on Windows 11

Lecture Capture version 4.3.1 - December 21, 2021

Version: 4.3.1

Date Released: December 21, 2021

Overview

These release notes pertain to Kaltura Lecture Capture version 4.3.1, released on December 21, 2021.

Component	Version	
Kaltura Lecture Capture Application (Windows)	4.3.1	
Kaltura MediaSpace	5.103.03	
Player V2	2.85	

What's New

The current release of Kaltura Lecture Capture includes the following:

- Updated the UI to the new Kaltura branding. The new icon for Lecture Capture is :



- All screens have been updated with the latest Kaltura logo and splash screens.

Lecture Capture Version 4.2.122 - December 28, 2020

Version: 4.2.122

Date Released: December 28, 2020

Overview

These release notes pertain to Kaltura Lecture Capture version 4.2.122, released on December 28, 2020.

Component	Version	
Kaltura Lecture Capture Application (Windows)	4.2.122	
Kaltura MediaSpace	5.103.03	
Player V2	2.85	

What's New

The current release of Kaltura Lecture Capture includes the following:

- **Client Name Settings** - The Client name setting can only be changed by the PC admin.
- **KALTURA_AUTHENTICATION_MODE** has been added to the command line. See [Deploying Kaltura Lecture Capture for your Organization](#) for more information.

Resolved Issues

ID#	Description
SUP-24039	Classroom - The issue where the 2 files that were created in addition to the MP4 file, ".mp4.mediatypes" and ".mp4.metadata" were not removed when a Classroom recording failed, or if an error occurred before the recording began, has been fixed. When the Classroom recording is successful, these files are cleaned up and only the source MP4 file and the .json file remain.
SUP-23477	SSO/SAML is now located in the localsettings.json after installing the app using the command script.
SUP-22718	The error that was caused during installation by Validation has been fixed.

Known Issues

ID#	Description
KMS 5.103.03	SSO/SAML logged in users cannot create Live/Scheduled Lecture capture events. We are working on fixing this issue.

Lecture Capture Version 4.2.89 - June 22, 2020

Version: 4.2.89

Date Released: June 22, 2020

Overview

These release notes pertain to Kaltura Lecture Capture version 4.2.89 , released June 22, 2020.

Component	Version	
Kaltura Lecture Capture Application (Windows)	4.2.89	
Kaltura MediaSpace	5.99.85	
Player	2.82.5	

What's New

The current release of Kaltura Lecture Capture includes the following:

Resolved Issues

ID#	Description
LEC-1948	Admins will no longer have to edit the LocalSetting file to enable live broadcasting with Lecture Capture as it will be enabled by default
SUP-22165	The issue causing authentication to fail and displaying a blank box has been resolved.

Known Issues

ID#	Description
LEC-205	When minimizing and maximizing the setup wizard, it appears on the edge of the screen.
LEC-202	The Temp icon file is not deleted.
LEC-194	Not all folders are deleted after uninstalling the application.
LEC-1723	There may be an issue in canceling a recording after audio disconnection
LEC-1716	There is an issue when using Datapath capture cards with RGB32 colorspace setting
LEC-1713	There may be an issue with running the app when running a clean install from the command line
SUP-18595	The Huddly Go camera is not supported.
SUP-18386	Changing orientation on a Surface laptop is not supported during recording.

Limitations

ID#	Description
	Live events are not supported on win7
SUP-20108	Changing Windows display configuration during recording is not supported and may fail the recording.
LEC-190, LEC-191	Capture card Osprey 260e, 210e are currently not supported due to missing WMF support.
LEC-193	When using an Inogeni capture device, it is important to have the capture resolution match the aspect ratio of the input device. Mismatched aspect ratios may lead to flickering.
LEC-281	When the Recordings directory is changed to a network folder, the upload will not work.
LEC-502	Nvidia encoder is not supported on Windows 7.
LEC-529	In consecutive scheduled events, 5 seconds will be missing from the end of the first event.
LEC-630	PowerPoint slides will not be recorded when a presentation is in Protected View.
LEC-660	Resources will only show in the Monitoring Dashboard once the first beacon is reported.

Lecture Capture Version 4.2.32 - February 2, 2020

Version: 4.2.32

Date Released: February 2, 2020

Overview

These release notes pertain to Kaltura Lecture Capture version 4.2.32 , released February 2, 2020.

Component	Version	
Kaltura Lecture Capture Application (Windows)	4.2.32	
Kaltura MediaSpace	5.96.27	
Player	2.80	

What's New

The current release of Kaltura Lecture Capture includes the following:

- Bug fixes

Resolved Issues

ID#	Description	
LEC-1709	User will no longer have access to the remove input option after the recording has started	
LEC-1773	The drawings made with the annotation tools are now shown below the app window during the recording	
LEC-1909	User will no longer be able to control the re-enabling of the audio during the recording	

Known Issues

ID#	Description
LEC-205	When minimizing and maximizing the setup wizard, it appears on the edge of the screen.
LEC-202	The Temp icon file is not deleted.
LEC-194	Not all folders are deleted after uninstalling the application.
LEC-1723	There may be an issue in canceling a recording after audio disconnection
LEC-1716	There is an issue when using Datapath capture cards with RGB32 colorspace setting
LEC-1713	There may be an issue with running the app when running a clean install from the command line
SUP-18595	The Huddly Go camera is not supported.
SUP-18386	Changing orientation on a Surface laptop is not supported during recording.

Limitations

ID#	Description
	Live events are not supported on win7
SUP-20108	Changing Windows display configuration during recording is not supported and may fail the recording.
LEC-190, LEC-191	Capture card Osprey 260e, 210e are currently not supported due to missing WMF support.
LEC-193	When using an Inogeni capture device, it is important to have the capture resolution match the aspect ratio of the input device. Mismatched aspect ratios may lead to flickering.
LEC-281	When the Recordings directory is changed to a network folder, the upload will not work.
LEC-502	Nvidia encoder is not supported on Windows 7.
LEC-529	In consecutive scheduled events, 5 seconds will be missing from the end of the first event.
LEC-630	PowerPoint slides will not be recorded when a presentation is in Protected View.
LEC-660	Resources will only show in the Monitoring Dashboard once the first beacon is reported.

Lecture Capture Version 4.0.318 - September 12, 2019

Version: 4.0.318

Date Released: September 12, 2019

Overview

These release notes pertain to Kaltura Lecture Capture version 4.0.318 , released September 12, 2019.

Component	Version	
Kaltura Lecture Capture Application (Windows)	4.0.318	
Kaltura MediaSpace	5.90.19	
Player	2.78.2	

What's New

The current release of Kaltura Lecture Capture includes the following:

- Bug fixes

Resolved Issues

ID#	Description	
SUP-18794	In some cases, when authentication was enabled, the user name was editable. Fix this.	
SUP-17683	Resolved issue with audio sync occurring in some cases when system audio was enabled.	
LEC-1733	Create recording folder automatically if does not exist, upon application launch.	

Known Issues

ID#	Description
LEC-205	When minimizing and maximizing the setup wizard, it appears on the edge of the screen.
LEC-202	The Temp icon file is not deleted.
LEC-194	Not all folders are deleted after uninstalling the application.
LEC-1197	When the audio disconnects during a scheduled recording, there may be an issue to resume the recording.
LEC-1708	In windows 7, recordings longer than 2.5 hours may cause an increase of memory usage
LEC-1723	There may be an issue in canceling a recording after audio disconnection
LEC-1716	There is an issue when using Datapath capture cards with RGB32 colorspace setting
LEC-1713	There may be an issue with running the app when running a clean install from the command line
LEC-1718	If the logs pop up screen is up and a scheduled recording begins, user won't be able to dismiss the message.
LEC-1717	When using Microsoft Lifecam HD-3000 on Win 7, there may be an issue with a longer recording length than was actually recorded
LEC-1712	The option to extend a scheduled recording cannot be accessed using the TAB key
LEC-1670	When using two Logitech C310 cameras, the preview of one of them won't show but the recording will record as expected
SUP-18595	The Huddly Go camera is not supported.
SUP-18386	Changing orientation on a Surface laptop is not supported during recording.

Limitations

ID#	Description
SUP-20108	Changing Windows display configuration during recording is not supported and may fail the recording.
LEC-190, LEC-191	Capture card Osprey 260e, 210e are currently not supported due to missing WMF support.
LEC-193	When using an Inogeni capture device, it is important to have the capture resolution match the aspect ratio of the input device. Mismatched aspect ratios may lead to flickering.
LEC-281	When the Recordings directory is changed to a network folder, the upload will not work.
LEC-502	Nvidia encoder is not supported on Windows 7.
LEC-529	In consecutive scheduled events, 5 seconds will be missing from the end of the first event.
LEC-630	PowerPoint slides will not be recorded when a presentation is in Protected View.
LEC-660	Resources will only show in the Monitoring Dashboard once the first beacon is reported.

Lecture Capture Version 4.0.273 - June 10, 2019

Version: 4.0.273

Date Released: June 10, 2019

Overview

These release notes pertain to Kaltura Lecture Capture, released June 10, 2019.

Component	Version	
Kaltura Lecture Capture Application (Windows)	4.0.273	
Kaltura MediaSpace	5.86.11	
Player	2.76	

What's New

The current release of Kaltura Lecture Capture includes the following:

- Support of up to 4 inputs - you can now record up to 4 separate inputs of cameras or screens
- Infrastructure update to Electron 4

- Bug fixes

Resolved Issues

ID#	Description
SUP-17946	The issue causing transcoding errors due to mismatch in entry duration has been resolved
SUP-17937	
SUP-17897	
SUP-17789	
SUP-17861	
SUP-18351	The issue causing the inputs previews to appear before the app when the silent start configuration is set to true, has been resolved
SUP-17683	The issue causing audio sync issues on Chrome, Firefox and IE has been resolved
SUP-17328	The issue causing errors when trying to record when using AMD cards has been resolved
LEC-1197	The issue causing scheduled recording to fail to resume after audio disconnection has been resolved

Known Issues

ID#	Description
LEC-205	When minimizing and maximizing the setup wizard, it appears on the edge of the screen.
LEC-202	The Temp icon file is not deleted.
LEC-194	Not all folders are deleted after uninstalling the application.
LEC-1197	When the audio disconnects during a scheduled recording, there may be an issue to resume the recording.
LEC-1708	In windows 7, recordings longer than 2.5 hours may cause an increase of memory usage
LEC-1723	There may be an issue in canceling a recording after audio disconnection
LEC-1716	There is an issue when using Datapath capture cards with RGB32 colorspace setting
LEC-1713	There may be an issue with running the app when running a clean install from the command line
LEC-1718	If the logs pop up screen is up and a scheduled recording begins, user won't be able to dismiss the message.
LEC-1717	When using Microsoft Lifecam HD-3000 on Win 7, there may be an issue with a longer recording length than was actually recorded
LEC-1712	The option to extend a scheduled recording cannot be accessed using the TAB key
LEC-1670	When using two Logitech C310 cameras, the preview of one of them won't show but the recording will record as expected

Limitations

ID#	Description
LEC-190, LEC-191	Capture card Osprey 260e, 210e are currently not supported due to missing WMF support.
LEC-193	When using an Inogeni capture device, it is important to have the capture resolution match the aspect ratio of the input device. Mismatched aspect ratios may lead to flickering.
LEC-281	When the Recordings directory is changed to a network folder, the upload will not work.
LEC-502	Nvidia encoder is not supported on Windows 7.
LEC-529	In consecutive scheduled events, 5 seconds will be missing from the end of the first event.
LEC-630	PowerPoint slides will not be recorded when a presentation is in Protected View.
LEC-660	Resources will only show in the Monitoring Dashboard once the first beacon is reported.

Lecture Capture Version 3.3.174 - January 30, 2019

Version: 3.3.174

Date Released: January 30, 2019

Overview

These release notes pertain to Kaltura Lecture Capture version 3.3.174 , released January 30, 2019.

Component	Version
Kaltura Lecture Capture Application (Windows)	3.3.174
Kaltura MediaSpace	5.81.08
Player	2.73.2

Resolved Issues

ID#	Description
SUP-17015	The issue preventing from editing the username in a new recording has been resolved
SUP-16825	The issue causing the playback issues occasionally has been resolved
SUP-16969	
SUP-16428	
SUP-16614	
SUP-16341	The issue causing slide navigation to not work with the keyboard during recording has been resolved
SUP-16876	
SUP-16899	The issue causing the Letcure Capture transcoding profile to not work as expected has been resolved

Known Issues

ID#	Description
LEC-205	When minimizing and maximizing the setup wizard, it appears on the edge of the screen.
LEC-202	The Temp icon file is not deleted.
LEC-194	Not all folders are deleted after uninstalling the application.
LEC-1197	When the audio disconnects during a scheduled recording, there may be an issue to resume the recording.

Limitations

ID#	Description
LEC-190, LEC-191	Capture card Osprey 260e, 210e are currently not supported due to missing WMF support.
LEC-193	When using an Inogeni capture device, it is important to have the capture resolution match the aspect ratio of the input device. Mismatched aspect ratios may lead to flickering.
LEC-281	When the Recordings directory is changed to a network folder, the upload will not work.
LEC-502	Nvidia encoder is not supported on Windows 7.
LEC-529	In consecutive scheduled events, 5 seconds will be missing from the end of the first event.
LEC-630	PowerPoint slides will not be recorded when a presentation is in Protected View.
LEC-660	Resources will only show in the Monitoring Dashboard once the first beacon is reported.

Lecture Capture Version 3.3.128 - November 19, 2018

Version: 3.3.128

Date Released: November 19, 2018

Overview

These release notes pertain to Kaltura Lecture Capture version 3.3.128 , released November 19, 2019.

Component	Version	
Kaltura Lecture Capture Application (Windows)	3.3.128	
Kaltura MediaSpace	5.79.16	
Player	2.72	

What's New

The current release of Kaltura Lecture Capture includes the following:

- Authentication for ad hoc recordings - an optional configuration that requires users to authenticate before recording
- Automatic log collection - in the application settings, users can automatically upload logs to Kaltura
- Default settings - admins can set default settings for the input devices

Resolved Issues

ID#	Description
SUP-15388	The issue causing recordings not to upload in specific scenarios has been resolved.
LEC-1408	The issue causing inputs not to refresh after the screen display settings were changed has been resolved
LEC-680	The issue causing previews not to load when starting a scheduled event earlier while an ad hoc recording is running, has been resolved
LEC-461	When the scheduled event end time is changed mid recording, it will now update in the application
LEC-1199	The issue causing slides not be captured when recording two screens, has been resolved

Known Issues

ID#	Description
LEC-205	When minimizing and maximizing the setup wizard, it appears on the edge of the screen.
LEC-202	The Temp icon file is not deleted.
LEC-194	Not all folders are deleted after uninstalling the application.
LEC-1197	When the audio disconnects during a scheduled recording, there may be an issue to resume the recording.

Limitations

ID#	Description
LEC-190, LEC-191	Capture card Osprey 260e, 210e are currently not supported due to missing WMF support.
LEC-193	When using an Inogeni capture device, it is important to have the capture resolution match the aspect ratio of the input device. Mismatched aspect ratios may lead to flickering.
LEC-281	When the Recordings directory is changed to a network folder, the upload will not work.
LEC-502	Nvidia encoder is not supported on Windows 7.
LEC-529	In consecutive scheduled events, 5 seconds will be missing from the end of the first event.
LEC-630	PowerPoint slides will not be recorded when a presentation is in Protected View.
LEC-660	Resources will only show in the Monitoring Dashboard once the first beacon is reported.

Lecture Capture Version 3.2.74 - August 19, 2018

Version: 3.2.74

Date Released: August 19, 2018

Overview

These release notes pertain to Kaltura Lecture Capture version 3.2.74 , released August 19, 2018.

Component	Version	
Kaltura Lecture Capture Application (Windows)	3.2.74	
Kaltura MediaSpace	5.75.19	
Player	2.70.1	

Resolved Issues

ID#	Description
SUP-13921	The issue causing audio to drop off when using SD cameras on windows 7 has been resolved
SUP-14557	The issue causing the audio to not sync with the video has been resolved
SUP-13698	We have taken additional steps to secure our system against abuse from 3rd party malicious software

Known Issues

ID#	Description
LEC-680	Previews are not loaded when starting a scheduled event earlier and an adhoc recording is running.
LEC-205	When minimizing and maximizing the setup wizard, it appears on the edge of the screen.
LEC-202	The Temp icon file is not deleted.
LEC-194	Not all folders are deleted after uninstalling the application.a
LEC-461	When the scheduled event end time is changed mid recording, it does not affect the actual end time.
LEC-528	When recording with Logitech camera 922 and selecting color space NV12, the CPU may reach 100%.
LEC-1414	When audio is disabled and the application is restored mid recording, there may be an issue to resume recording
LEC-1404	When audio is disabled, the input previews are disabled but can be manually enabled
LEC-1226	Audio devices are not highlighted in the audio input drop down list

Limitations

ID#	Description
LEC-190, LEC-191	Capture card Osprey 260e, 210e are currently not supported due to missing WMF support.
LEC-193	When using an Inogeni capture device, it is important to have the capture resolution match the aspect ratio of the input device. Mismatched aspect ratios may lead to flickering.
LEC-281	When the Recordings directory is changed to a network folder, the upload will not work.
LEC-502	Nvidia encoder is not supported on Windows 7.
LEC-529	In consecutive scheduled events, 5 seconds will be missing from the end of the first event.
LEC-630	PowerPoint slides will not be recorded when presentation is in Protected View.
LEC-660	Resources will only show in the Monitoring Dashboard once the first beacon is reported.
LEC-284	Camera preview is not available when selecting v410 color space.

Kaltura Lecture Capture - June 25, 2018 Release

Component	Version	
Kaltura Lecture Capture Application (Windows)	3.0.999	
Kaltura MediaSpace	5.73.26	
Player	2.69.5	

Resolved Issues

ID#	Description
LEC-1196	The issue causing slides not to be automatically detected when capturing a screen and camera has been resolved
SUP-14775	The issue causing the "silent start" setting not to work has been resolved

Known Issues

ID#	Description
LEC-680	Previews are not loaded when starting a scheduled event earlier and an adhoc recording is running.
LEC-205	When minimizing and maximizing the setup wizard, it appears on the edge of the screen.
LEC-202	The Temp icon file is not deleted.
LEC-194	Not all folders are deleted after uninstalling the application.a
LEC-461	When the scheduled event end time is changed mid recording, it does not affect the actual end time.
LEC-284	Camera preview is not available when selecting v410 color space.
LEC-528	When recording with Logitech camera 922 and selecting color space NV12, the CPU may reach 100%.
LEC-1199	Slides are not captured automatically when recording two screens
LEC-1197	When audio disconnects during a scheduled recording, there may be an issue to resume

Limitations

ID#	Description
LEC-190, LEC-191	Capture card Osprey 260e, 210e are currently not supported due to missing WMF support.
LEC-193	When using an Inogeni capture device, it is important to have the capture resolution match the aspect ratio of the input device. Mismatched aspect ratios may lead to flickering.
LEC-281	When the Recordings directory is changed to a network folder, the upload will not work.
LEC-502	Nvidia encoder is not supported on Windows 7.
LEC-529	In consecutive scheduled events, 5 seconds will be missing from the end of the first event.
LEC-630	PowerPoint slides will not be recorded when presentation is in Protected View.
LEC-660	Resources will only show in the Monitoring Dashboard once the first beacon is reported.

Lecture Capture Version 3.0.970 - June 7, 2018

Version: 3.0.970

Date Released: June 7, 2018

Overview

These release notes pertain to Kaltura Lecture Capture version 3.0.970 , released June 7, 2018.

Component	Version
Kaltura Lecture Capture Application (Windows)	3.0.970
Kaltura MediaSpace	5.73.26
Player	2.69.5

Resolved Issues

ID#	Description
SUP-14037	The issue causing a recording to fail to upload when logging off before the end of a scheduled recording has been resolved.
SUP-14449	The issue causing Mjpeg inputs to not be detected has been resolved
LEC-14604	The issue causing empty recording files has been resolved
LEC-14229	The issue causing scheduled recordings to start when no devices are connected has been resolved

Known Issues

ID#	Description
LEC-680	Previews are not loaded when starting a scheduled event earlier and an adhoc recording is running.
LEC-205	When minimizing and maximizing the setup wizard, it appears on the edge of the screen.
LEC-202	The Temp icon file is not deleted.
LEC-194	Not all folders are deleted after uninstalling the application.a
LEC-461	When the scheduled event end time is changed mid recording, it does not affect the actual end time.
LEC-284	Camera preview is not available when selecting v410 color space.
LEC-528	When recording with Logitech camera 922 and selecting color space NV12, the CPU may reach 100%.

Limitations

ID#	Description
LEC-190, LEC-191	Capture card Osprey 260e, 210e are currently not supported due to missing WMF support.
LEC-193	When using an Inogeni capture device, it is important to have the capture resolution match the aspect ratio of the input device. Mismatched aspect ratios may lead to flickering.
LEC-281	When the Recordings directory is changed to a network folder, the upload will not work.
LEC-502	Nvidia encoder is not supported on Windows 7.
LEC-529	In consecutive scheduled events, 5 seconds will be missing from the end of the first event.
LEC-630	PowerPoint slides will not be recorded when presentation is in Protected View.
LEC-660	Resources will only show in the Monitoring Dashboard once the first beacon is reported.

Lecture Capture Version 3.0.923 - May 10, 2018

Version: 3.0.923

Date Released: May 10, 2018

Overview

These release notes pertain to Kaltura Lecture Capture version 3.0.923 , released May 10, 2018.

What's New

The current release of Kaltura Lecture Capture includes the following:

- Infrastructure improvements
- Notifications UI updates
- Additional support for Avermedia capture card
- Performance improvements.

Component	Version
Kaltura Lecture Capture Application (Windows)	3.0.923
Kaltura MediaSpace	5.72.12
Player	2.69

Resolved Issues

ID#	Description
SUP-13077	The issue causing a recording to fail when logging off before the end of a scheduled recording has been resolved.
SUP-12001	The issue causing 3 letter user IDs not to save has been resolved.
LEC-1065	The issue causing the Magewell pro capture card to fail audio has been resolved.
LEC-1016	The issue causing files not to save when the resource name includes special characters has been resolved.
LEC-897	The issue causing the screen preview to remain when minimizing the recording menu has been resolved.
LEC-770	Notifications UI improvement - will appear above the recording menu when recording.
SUP-13414	The issue causing the audio to be static when the system audio is on has been resolved.

Known Issues

ID#	Description
LEC-680	Previews are not loaded when starting a scheduled event earlier and an adhoc recording is running.
LEC-205	When minimizing and maximizing the setup wizard, it appears on the edge of the screen.
LEC-202	The Temp icon file is not deleted.
LEC-194	Not all folders are deleted after uninstalling the application.a
LEC-461	When the scheduled event end time is changed mid recording, it does not affect the actual end time.
LEC-284	Camera preview is not available when selecting v410 color space.
LEC-528	When recording with Logitech camera 922 and selecting color space NV12, the CPU may reach 100%.

Limitations

ID#	Description
LEC-190, LEC-191	Capture card Osprey 260e, 210e are currently not supported due to missing WMF support.
LEC-193	When using an Inogeni capture device, it is important to have the capture resolution match the aspect ratio of the input device. Mismatched aspect ratios may lead to flickering.
LEC-281	When the Recordings directory is changed to a network folder, the upload will not work.
LEC-502	Nvidia encoder is not supported on Windows 7.
LEC-529	In consecutive scheduled events, 5 seconds will be missing from the end of the first event.
LEC-630	PowerPoint slides will not be recorded when presentation is in Protected View.
LEC-660	Resources will only show in the Monitoring Dashboard once the first beacon is reported.

Lecture Capture Version 2.1.743 - November 1, 2017

Overview

These release notes pertain to Kaltura Lecture Capture version 2.1.743 , released November 1, 2017.

What's New

The current release of Kaltura Lecture Capture includes the following:

- Improved CPU notifications - CPU notifications are optimized to appear only when CPU utilization may affect recording quality.
- Improvements to handling of hardware device disconnections or changes in inputs.
- Performance improvements.

Component	Version
Kaltura Lecture Capture Application (Windows)	2.1.743
Kaltura MediaSpace	5.65.12
Player	2.62

Resolved Issues

ID#	Description
LEC-618	Changing the aspect ratio of the screen resolution during the recording causes the application to pause the recording and does not resume.
LEC-658	Forcing the computer to sleep during recording may cause issues with the recording.
LEC-474	When an input device is disconnected while recording, the previous input settings may not be available. The recording will be paused and a notification will be shown to the user, however the user will not be able to resume recording and will need to start a new recording.

Known Issues

ID#	Description
LEC-680	Previews are not loaded when starting a scheduled event earlier and an adhoc recording is running.
LEC-205	When minimizing and maximizing the setup wizard, it appears on the edge of the screen.
LEC-202	The Temp icon file is not deleted.
LEC-194	Not all folders are deleted after uninstalling the application.
LEC-461	When the scheduled event end time is changed mid recording, it does not affect the actual end time.
LEC-284	Camera preview is not available when selecting v410 color space.
LEC-528	When recording with Logitech camera 922 and selecting color space NV12, CPU may reach 100%.

Limitations

ID#	Description
LEC-190, LEC-191	Capture card Osprey 260e, 210e are currently not supported due to missing WMF support.
LEC-193	When using an Inogeni capture device, it is important to have the capture resolution match the aspect ratio of the input device. Mismatched aspect ratios may lead to flickering.
LEC-281	When the recordings directory is changed to a network folder, the upload will not work.
LEC-502	Nvidia encoder is not supported on Windows 7.
LEC-529	In consecutive scheduled events, 5 seconds will be missing from the end of the first event.
LEC-630	PowerPoint slides will not be recorded when presentation is in Protected View.
LEC-660	Resources will only show in the Monitoring Dashboard once the first beacon is reported.

Lecture Capture Version 2.0.682 - September 24, 2017

Version: 2.0.682

Date Released: September 24, 2017

Overview

These release notes pertain to Kaltura Lecture Capture version 2.0.682 , released September 24, 2017.

What's New

The current release of Kaltura Lecture Capture includes the following:

- Monitoring Dashboard - Admins can now monitor each installation of Kaltura Lecture Capture with the ability to track recordings and uploads. See [Kaltura Lecture Capture - Administrator's Guide](#) for more details.
- Slides Capture - Kaltura Lecture Capture now captures PowerPoint slides automatically as part of the recording. For more information see [Recording PowerPoint Slides](#).

- Support for Bring Your Own Device use cases - Kaltura Lecture Capture can now record any two inputs, camera and screen, two screens, or two cameras. This enables users to connect their own laptop to the recording computer and record the laptop's screen.
- Extend a scheduled recording - enables users to extend their scheduled recording in case a session runs over time. See [Extending a Scheduled Recording](#).
- Silent start setting - See [Kaltura Lecture Capture Settings](#) for details.
- Performance improvements.

Component	Version
Kaltura Lecture Capture Application (Windows)	2.0.682
Kaltura MediaSpace	5.64.08
Player	2.61.1

Resolved Issues

ID#	Description
LEC-615	Notifications and 5-second countdown do not appear on Windows 10 Creators Edition.
LEC-629	Default service URL and recording path are not applied when installing via command line and need to be specified.
LEC-453	The screen reader may not work properly when trying to read drop down lists.

Known Issues

ID#	Description
LEC-618	Changing the aspect ratio of the screen resolution during the recording causes the application to pause the recording and does not resume.
LEC-658	Forcing the computer to sleep during recording may cause issues with the recording.
LEC-680	Previews are not loaded when starting a scheduled event earlier and an adhoc recording is running.
LEC-205	When minimizing and maximizing the setup wizard, it appears on the edge of the screen.
LEC-202	The Temp icon file is not deleted.
LEC-194	Not all folders are deleted after uninstalling the application.
LEC-461	When the scheduled event end time is changed mid recording, it does not affect the actual end time.
LEC-474	When an input device is disconnected while recording, the previous input settings may not be available. The recording will be paused and a notification will be shown to the user, however the user will not be able to resume recording and will need to start a new recording.
LEC-284	Camera preview is not available when selecting v410 color space.
LEC-528	When recording with Logitech camera 922 and selecting color space NV12, CPU may reach 100%.

Limitations

ID#	Description
LEC-190, LEC-191	Capture card Osprey 260e, 210e are currently not supported due to missing WMF support.
LEC-193	When using an Inogeni capture device, it is important to have the capture resolution match the aspect ratio of the input device. Mismatched aspect ratios may lead to flickering.
LEC-281	When the recordings directory is changed to a network folder, the upload will not work.
LEC-502	Nvidia encoder is not supported on Windows 7.
LEC-529	In consecutive scheduled events, 5 seconds will be missing from the end of the first event.
LEC-630	PowerPoint slides will not be recorded when presentation is in Protected View.
LEC-660	Resources will only show in the Monitoring Dashboard once the first beacon is reported.

Lecture Capture Version 1.2.653 - August 27, 2017

Version: 1.2.653

Date Released: August 27, 2017

Overview

These release notes pertain to Kaltura Lecture Capture version 1.2.653 , released August 27, 2017.

What's New

The current release of Kaltura Lecture Capture includes the following:

- Fix - In some cases starting recording failed when using a Logitech webcam. This release fixes the error.

Component	Version
Kaltura Lecture Capture Application (Windows)	1.2.653
Player	2.53.3

Resolved Issues

ID#	Description
NA	In some cases starting recording failed when using a Logitech webcam. This release fixes the error.

Known Issues

ID#	Description
LEC-453	The screen reader may not work properly when trying to read drop down lists.
LEC-205	When minimizing and maximizing the setup wizard, it will appear on the edge of the screen.
LEC-202	The Temp icon file is not deleted.
LEC-194	Not all folders are deleted after uninstalling the application.
LEC-461	When the scheduled event end time is changed mid recording, it does not affect the actual end time.
LEC-474	When an input device is disconnected while recording, the previous input settings may not be available. The recording will be paused and a notification will be shown to the user, however the user will not be able to resume recording and will need to start a new recording.
LEC-284	Camera preview is not available when selecting v410 color space.
LEC-528	When recording with Logitech camera 922 and selecting color space NV12, CPU may reach 100%.

Limitations

ID#	Description
LEC-190, LEC-191	Capture card Osprey 260e, 210e are currently not supported due to missing WMF support.
LEC-193	When using an Inogeni capture device, it is important to have the capture resolution match the aspect ratio of the input device. Mismatched aspect ratios may lead to flickering.
LEC-281	When the recordings directory is changed to a network folder, the upload will not work.
LEC-502	Nvidia encoder is not supported on Windows 7.
LEC-529	In consecutive scheduled events, 5 seconds will be missing from the end of the first event.

Lecture Capture Version 1.2.603 - July 30, 2017

Version: 1.2.603

Date Released: July 30, 2017

Overview

These release notes pertain to Kaltura Lecture Capture version 1.2.603, released July 30, 2017.

What's New

The current release of Kaltura Lecture Capture includes the following:

- 5-second countdown before recording starts
- Recording of system audio is now supported.
- Improved notifications with updated text and easier readability
- Camera is released when application is minimized and not recording

Component	Version
Kaltura Lecture Capture Application (Windows)	1.2.603
Player	2.53.3

Resolved Issues

ID#	Description
LEC-534	Notifications text and UI have been improved.
LEC-535	Notifications will appear even when the application is minimized.
LEC-533	Hostname is now configurable through the MSI (relevant for on-premise installations).
LEC-464	When viewing recording information of a scheduled recording, the Cancel button has been removed.
LEC-362	Settings files have been updated, all updates should be done in local settings folder.
LEC-333	For scheduled events, the recording timer now counts backwards showing how much time is left for the event.
LEC-136	A new configuration was added to define how long after the recording starts the application will minimize: minimizeRecordingDelaySec.
LEC-104	A 5-second countdown before recording starts has been added.
LEC-88	A user can now easily identify the selected monitor.
LEC-86	Recording of system audio has been added.

Known Issues

ID#	Description
LEC-453	The screen reader may not work properly when trying to read drop down lists.
LEC-205	When minimizing and maximizing the setup wizard, it will appear on the edge of the screen.
LEC-202	The Temp icon file is not deleted.
LEC-194	Not all folders are deleted after uninstalling the application.
LEC-461	When the scheduled event end time is changed mid recording, it does not affect the actual end time.
LEC-474	When an input device is disconnected while recording, the previous input settings may not be available. The recording will be paused and a notification will be shown to the user, however the user will not be able to resume recording and will need to start a new recording.
LEC-284	Camera preview is not available when selecting v410 color space.
LEC-528	When recording with Logitech camera 922 and selecting color space NV12, CPU may reach 100%.

Limitations

ID#	Description
LEC-190, LEC-191	Capture card Osprey 260e is currently not supported due to missing WMF support.
LEC-193	When using an Inogeni capture device, it is important to have the capture resolution match the aspect ratio of the input device. Mismatched aspect ratios may lead to flickering.
LEC-281	When the recordings directory is changed to a network folder, the upload will not work.
LEC-502	Nvidia encoder is not supported on Windows 7.
LEC-529	In consecutive scheduled events, 5 seconds will be missing from the end of the first event.

Lecture Capture Version 1.1.523 - June 19, 2017

Version: 1.1.523

Date Released: June 19, 2017

Overview

These release notes pertain to Kaltura Lecture Capture version **1.1.523** , released June 19, 2017.

The current release of Kaltura Lecture Capture includes the following:

- Improved workflow for HW disconnections, including better notifications and recovery options
- Auto launch on login – application will launch automatically when user logs into the computer
- Bug fixes (See below.)

Component	Version
Kaltura Lecture Capture Application (Windows)	1.1.523
Player	2.53.2
KMS	5.60.12

Resolved Issues

ID#	Description
LEC-492	When disk space is less than 500MB, the recording will stop and notify the user. The disk space threshold is configurable.
LEC-319	The application will now auto launch when the user logs in to the computer. This can be configured by the admin.
LEC-138	The application can now be configured to be minimized automatically once a recording starts. This is turned off by default.
LEC-140	Users will receive notification when audio is disconnected.
LEC-58	Users will receive notification when the camera is disconnected.
LEC-57	When an input is disconnected and re-connected, the recording will recover and the user will be able to resume.
LEC-507	The issue causing a 15-second delay in consecutive scheduled events has been resolved.
LEC-503	The issue causing the application to fail to load after the computer went into sleep mode during a recording has been resolved.
LEC-501	The issue causing the following capture cards: Magewell Pro or Inogeni USB to fail with latest Windows 10 update has been resolved.

Known Issues

ID#	Description
LEC-488	When a user is in the Scheduling tab, the scheduled recording may fail to start. A notification is displayed that the recording did not start.
LEC-453	The screen reader may not work properly when trying to read drop down lists.
LEC-428	When there are multiple notifications displayed at the same time, some may be hidden behind the screen preview.
LEC-205	When minimizing and maximizing the setup wizard, it will appear on the edge of the screen.
LEC-202	The Temp icon file is not deleted.
LEC-397	When using capture card Magewell USB2HDM and the screen frame rate is 59HZ, some resolutions are not available.
LEC-473	The tool tip in the Scheduling tab may freeze at times.
LEC-194	Not all folders are deleted after uninstalling the application.
LEC-497	Audio with low sample rates are not supported.
LEC-461	When the scheduled event end time is changed mid recording, it does not affect the actual end time.

Limitations

ID#	Description
LEC-190, LEC-191	Capture card Osprey 260e is currently not supported due to missing WMF support.
LEC-193	When using an Inogeni capture device, it is important to have the capture resolution match the aspect ratio of the input device. Mismatched aspect ratios may lead to flickering.
LEC-281	When the recordings directory is changed to a network folder, the upload will not work.
LEC-502	Nvidia encoder is not supported on Windows 7.
LEC-529	In consecutive scheduled events, 5 seconds will be missing from the end of the first event.

Lecture Capture Version 1.0.492 - June 4, 2017

Version: 1.0.492

Date Released: June 4, 2017

Overview

These release notes pertain to Kaltura Lecture Capture version 1.0.492 , released June 4, 2017.

Kaltura Lecture Capture enables you to create high quality recordings in every classroom. From

managing your automated schedule to background upload, Kaltura Lecture Capture provides a simple, user-centric interface with an easy to use workflow. Kaltura's robust platform allows you to manage your captured content and share it within your LMS or video portal.

Kaltura Lecture Capture includes:

- HD recording of screen and camera
- Support for software management install
- Automated recording schedule
- Ad-hoc recordings
- Background upload
- Automated publishing to KMS and KAF

Component	Version
Kaltura Lecture Capture Application (Windows)	1.0.492
Player	2.53.2
KMS	5.60.12

Known Issues

ID#	Description
LEC-488	When a user is in the Scheduling tab, the scheduled recording may fail to start. A notification is displayed that the recording did not start.
LEC-501	When using the following capture cards in the camera preview: Magewell Pro or Inogeni USB, with the latest Windows 10 update, some unexpected issues may occur. Workaround: Revert to an earlier Windows 10 version to resolve the issue.
LEC-453	The screen reader may not work properly when trying to read drop down lists.
LEC-428	When there are multiple notifications displayed at the same time, some may be hidden behind the screen preview.
LEC-205	When minimizing and maximizing the setup wizard, it will appear on the edge of the screen.
LEC-202	The Temp icon file is not deleted.
LEC-397	When using capture card Magewell USB2HDM and the screen frame rate is 59HZ, some resolutions are not available.
LEC-473	The tool tip in the Scheduling tab may freeze at times.
LEC-194	Not all folders are deleted after uninstalling the application.
LEC-497	Audio with low sample rates are not supported.
LEC-507	When a recording is scheduled immediately after another recording, there is a 15 second delay.

Limitations

ID#	Description
LEC-190 LEC-191	Capture card Osprey 260e is currently not supported due to missing WMF support.
LEC-193	When using an Inogeni capture device, it is important to have the capture resolution match the aspect ratio of the input device. Mismatched aspect ratios may lead to flickering.
LEC-281	When the recordingsDIR is changed to a network folder, the upload will not work.
LEC-502	Nvidia encoder is not supported on Windows 7.