

# Global Settings

## Application

Field	Description
instanceId	Unique string to identify that installation of the KMS/LMS. This value can be set during installation only.
privacyContext	String used to be set as privacy context on root category. This value can be set during installation only.
userRoleProfile	Metadata Profile ID for user's role per KAF installation instance
title	What is your MediaSpace website title? The website title is displayed in the browser's title bar and usually is displayed in search engine results. Page titles consist of the name of the currently loaded media and the website title. For example, if a page has a video called 'My Video' and 'MediaSpace' is the website title, the page title is: 'My Video - MediaSpace'
footer	What is your MediaSpace footer text? default is: MediaSpace video portal by Kaltura
forceIECompatibilityMode	Should MediaSpace force IE to use the latest engine when Compatibility Mode is enabled? By default, if compatibility mode is enabled, Internet Explorer renders the page with IE7's engine. Turning on this option forces Internet Explorer to use the latest rendering engine. For more details, please visit <a href="#">this link</a> .
theme	What is the name of your custom MediaSpace theme?
languageConfiguration	Choose your instance configuration. See <a href="#">Localization for KMS/KAF Administrators - How to Change Your Kaltura</a>

Field	Description
languageSelection	<p> <input checked="" type="checkbox"/> English - en  <input type="checkbox"/> Chinese (simplified) - zh-Hans - 简体中文  <input type="checkbox"/> Japanese - ja - 日本語  <input type="checkbox"/> Catalan - ca - català  <input type="checkbox"/> Korean - ko - 한국어  <input checked="" type="checkbox"/> Spanish - es - Español  <input checked="" type="checkbox"/> French - fr - Français  <input type="checkbox"/> Swedish - sv - svenska  <input type="checkbox"/> Italian - it - italiano  <input type="checkbox"/> Finnish - fi - Suomi  <input type="checkbox"/> German - de - Deutsch  <input type="checkbox"/> Dutch - nl - Nederlands  <input type="checkbox"/> Danish - da - Dansk  <input type="checkbox"/> Portuguese (Brazilian) - pt-br - Português  <input type="checkbox"/> Serbian - sr - српски  <input type="checkbox"/> Russian - ru - русский  <input type="checkbox"/> Arabic - ar - العربية  <input type="checkbox"/> Chinese (traditional) - zh-Hant - 繁體中文  <input type="checkbox"/> French (Canada) - fr-ca - Français         </p> <p>Choose the languages you want to enable for your users. You can edit existing languages and add custom languages using the <a href="#">Languages</a> module.</p>
showLanguageFlag	Select 'Yes' to show the available languages with the flag. Select 'No' to show the first 2 letters representing the language.
language	Choose the default language for a new user. In KMS when your is changing the language from the drop down list on the UI, The language will be saved on a persistent cookie. In KAF based LMS, the language on the Kaltura elements

Field	will be set according to the local language set by the user in the CMS settings.
enableLike	Enable the 'Like' feature for entries. Please note that entries may only be 'liked' from their corresponding media page.
enableWebcam	This is the legacy Webcam configuration. Please use the <a href="#">Recorder</a> module to use the new Webcam capabilities.
enableEntryTitles	Include the media title in the URL of the media page when browsing the site and sharing a link to the media.
allowEditPublished	Enable editing of published entries.
allowDeletePublished	Enable deletion of published entries.
enableEntryDelete	Enable deleting the media.
enableViews	Enable showing number of views per entry.
showPageTitles	Show page titles.
enableUnlisted	Enable setting entries as unlisted. An unlisted entry can be viewed by anyone with the link to the entry page. Unlisted media can be accessed by anyone with a direct link to the media page and will not be displayed in search results. This is not relevant for KAF applications.
timezone	Which <a href="#">timezone</a> should KMS/KAF use to present times and dates?
useUserTimezone	Set to 'Yes' to show webcast and scheduling time in the user's time zone.
assetConsolidationEnabled	Enable assets (js/css) consolidation and minification.
enableAdditionalUserFields	Enable the Custom Metadata Profile for the user.

entryAdditionalInfoPromiseField	Enter the Custom Metadata Promise Id for the entry's Description.
showEmailInUserSuggestions	Show the user's email address in the user suggestions box?
enableLoadButton	When enabling this configuration a 'Load More' button will appear in galleries and channels to allow loading additional entries. This option replaces the endless scrolling mechanism.
extraUserInfoRow	Choose what column to show on the user management table.

## Auth

The Auth module controls the way users login to KMS. The default login is set to Kaltura Authentication. To enable SAML authentication, please refer to the [SAML](#) module. To enable the multiple types of authentication methods, use the '[enableMultiAuth](#)' field. To assist end users that have checked "Remember My Selection" and would like to change their login method, ask them to navigate to the following URL: <https://<partnerId>.mediaspace.kaltura.com/user/clear-login-selection> or have them clear their browser's cookies.

Field	Description
demoMode	Enable the demo login mode? After entering any user or password combination, the user has an admin role.
showLogin	Show login / logout menu on site header.
phUser	user ID alternate field placeholder
phPwd	password alternate field placeholder
phLoginInstruction	login instructions
<b>enableMultiAuth</b>	Enable Multi-Authentication Methods configuration. When set to Yes, the multiAuthWelcome and multiAuthselect Fields are displayed and a section for each authentication method you choose to configure.
multiAuthWelcome	Enter the welcome text to show on the login selection page.
multiAuthSelect	Enter the text to show on login selection page.
authMethods	

Field	Description
authMethod	Select an authentication method from the drop-down menu.
friendlyName	Enter the text to show the user on the login selection page, leave empty to use default.
helpText	Enter the text to show when hovering over the question mark on the login selection page, leave empty to use default.
authSlug	Fill in the URL ending to allow a direct link for users to login via this auth method. The new URL will be <code>https://&lt;my_mediaspace_instance&gt;.kaltura.com/auth/SLUG</code> . Note: Only alphanumeric characters are allowed.
authNAdapter is displayed when enableMultiauth is set to NO>	What is the name of the PHP class for handling authentication? KalturaAuth enables the built-in User Management system (located at /admin/users). LdapAuth lets you use your organizational LDAP/AD server to authenticate users. To use your own custom class, click 'Add custom value' and enter the custom class name.
authZAdapter is displayed when enableMultiauth is set to NO>	What is the name of the PHP class for handling authorization? Authorization determines the user's role. KalturaAuth enables the built-in User Management system (located at /admin/users). LdapAuth lets you use your organizational LDAP/AD server to determine roles. To use your own custom class, click 'Add custom value' and enter the custom class name.
allowAnonymous	Can users access MediaSpace without logging in? If you select 'yes,' anonymousRole users can browse the galleries and view videos. For anonymousRole users, links/buttons for actions that require more advanced roles are displayed. When an anonymousRole user clicks a link/button that requires a more advanced role, a login screen is displayed.
anonymousGreeting	What text should be used in the header instead of an actual user name?
sessionLifetime	How long can a MediaSpace user session last? The value must be greater than 100 sec in sessionLifetime field.
sslSettings	Select your option for a secure login page (via https).

Field	Description
refreshDetailsOnLogin	Select 'Yes' to update the user's details on Kaltura upon login (recommended).
refreshRoleOnLogin	Select 'Yes' to update the user's role on Kaltura upon login. Select 'No' to allow KMS admin to override the user's role through Kaltura user management.
<b>LdapServer</b>	
host	What is the address of your LDAP Server?
port	What is the port of your LDAP Server?
protocol	What protocol does your LDAP server use? (ldap or ldaps)
Protocolversion	What is the protocol version of your LDAP server? (V2 or V3)
baseDn	What is the base DN of your LDAP server?
bindMethod	Which mode of operation is used for authenticating with LDAP? 'Search before bind' means that the user's DN is discovered by searching the LDAP/ad server. Direct bind means that the user's DN is constructed automatically according to the format that you specify under userDnFormat (displayed below when you select Direct Bind) and no search is performed.
directBind	
userDnFormat	Enter the DN format of the username. Place the @@USERNAME@@ token where the username should be in the string. For example: 'cn=@@USERNAME@@,ou=somegroup,dc=example,dc=com')
emailAttribute	What is the name of the attribute on the user record that contains the user ID? If you do not want to sync email with Kaltura, do not enter an emailAttribute.

Field	Description
firstNameAttribute	What is the name of the attribute on the user record that contains the user's first name? If you do not want to sync the first name with Kaltura, do not enter a firstNameAttribute.
lastNameAttribute	What is the name of the attribute on the user record that contains the user's last name? If you do not want to sync the last name with Kaltura, do not enter a lastNameAttribute.
tlsCipherSuite	Advanced: control the value of LDAPTLS_CIPHER_SUITE environment variable. use with extra care!
<b>LdapOptions</b> - Configure the LDAP options for group searches.	
groupSearch	
<b>byUser</b>	
memberOfAttribute	Enter the memberOfattribute to use the memberof search filter to map groups to users. Note: The member of search filter is not enabled by default on all LDAP servers.
userSearchQueryPattern	Enter the pattern for querying the LDAP server to find a user. The @@USERNAME@@ token will be replaced with the actual user name provided in the login window.
primaryGroupIdAttribute	(Optional) Enter the attribute name for the primary group ID (usually primaryGroupId). Use this field only to authorize by primary group ID when you are using AD.
groupsMatchingOrder	Enter the order in which to match MediaSpace roles to LDAP groups. For example, if a user belongs to a group that is mapped to the admin role, enter adminRole before other roles ('adminRole,viewerRole') to find the admin role first and log in the user with the adminRole.
<b>LdapGroups</b> -Map your LDAP server groups to MediaSpace roles. The group value should be the value of the CN part - i.e. 'faculty', not 'CN=faculty'	

<b>Field</b>	<b>Description</b>
adminRole	Enter LDAP group names that match the MediaSpace adminRole.
viewerRole	Enter LDAP group names that match the MediaSpace viewerRole.
privateOnlyRole	Enter LDAP group names that match the MediaSpace privateOnlyRole.
unmoderatedAdminRole	Enter LDAP group names that match the MediaSpace unmoderatedAdminRole.
matchByPrimaryGroupId	
<b>SSO</b>	
secret	Enter a custom secret, or enter 'default' to use the Kaltura Admin Secret associated with your Kaltura account.
loginUrl	What is the URL for the SSO gateway login page? Note: The 'ref' parameter is added automatically.
logoutUrl	What is the URL to which a user is redirected after logging out of MediaSpace? Usually, you enter your organization's login page.
hashAlgorithm	Choose the hash algorithm used to generate the session key - either SHA1 or SHA256.
<b>headerAuth</b> - To configure KMS login through Header Authentication fill in the relevant fields in this section.	
headerName	Set the name of the HTTP header that contains the user ID of the authenticated user.
logoutURL	If 'allowAnonymous' value is set to 'No', you can specify a URL (instead of an 'unauthorized' page) to which the user is redirected when logged out.



Field forgotPassword	Description
link	The 'link' options are: [1] Empty the value if you do not want a 'Forgot Password' link to be displayed. [2] Enter an email address preceded by 'mailto:' (without quotes). The user's local email client opens an email with the subject and body populated with the texts defined in the 'emailSubject' and 'emailBody' fields. [3] Enter a URL for a page that you define (for example, a mechanism for reminding users of their login credentials). Note: Do not enter 'true.'
emailSubject	If you enter an email address in the 'link' field, enter the text to populate the subject field of the email. If you do not want to populate the subject field, enter an empty string (' ').
emailBody	If you enter an email address in the 'link' field, enter the text to populate the body of the email. If you do not want to populate the body, enter an empty string (' '). For KalturaAuth's User Management send new password feature: (If authClass is set to KalturaAuth, MediaSpace exposes a user management system. This system's admin can click on a user's email to open the admin's local email client to email the new password to the user.)
reminderSubject	Enter the text to populate the subject field of the 'new password' email. If you do not want to populate the subject field, enter an empty string (' ').
reminderBody	Enter the text to populate the body of the 'new password' email. The password will be inserted automatically at the end of the body text. If you do not want to populate the body, enter an empty string (' ').


AddNew

 This article is designated for administrators.

## About

The AddNew module is used to add the **Create** button located at the top right of the navigation bar. The Create drop down menu and its contents are configured in this module.

**⚠ Note:** This is a KMS-only module that depends on the [Theming module](#). The [Header](#) module must be configured before configuring this module.



## Who Can See the Create Button?

The **buttonDisplay** field is used to configure whether to show or hide the “Create” button for anonymous users.

**⚠** For logged in users, the Create button is displayed as per the user’s permissions to add media. For more information about who can add media see [Managing Content Entitlement](#).

## Configuration

The AddNew module is composed of two main areas:

- Sections - Controls what buttons to show in the dropdown menu, and in which section.
- Modules - Provides a link to other modules providing "Add new" menu items.

The Create menu is split into two sections and allows you to promote tools to the top of the menu. Admins may select to promote the most used creation tools/apps to the top

of the menu.

## Sections

To promote a tool, place it in the second section.

**⚠ The Upload tool is always first.**

The following configuration displays an example in which the Town Hall, Meeting Room, and Express Capture applications are promoted to the top of the menu.

sections

create sections for the add new menu

1

label

other creation tools

as appears in the menu

items

☒ Video Quiz  
☒ 3D Model  
☒ Draft Entry  
☒ Capture  
☒ OneDrive  
☒ Interactive Video  
☒ Wochit  
☒ YouTube  
☐ Town Hall  
☐ Meeting Room  
☐ Express Capture

menu items appearing under this section

2

label


as appears in the menu

items

☐ Video Quiz  
☐ 3D Model  
☐ Draft Entry  
☐ Capture  
☐ OneDrive  
☐ Interactive Video  
☐ Wochit  
☐ YouTube  
☒ Town Hall  
☒ Meeting Room  
☒ Express Capture

menu items appearing under this section

The result is as follows:




## Modules

This section lists the available application modules that the `Add New` menu items will be displayed in. When you configure the Create Menu, the layout and contents propagate to the modules that are checked off in this section. This capability is part of the design system that easily allows you to customize (what was previously) the Add New menu and have the same menu across all of your Kaltura products.

For example, the Upload feature is set in this module under the Modules Core field. You can configure whether you want the Upload option enabled, disabled, or displayed to logged in users only, through the configuration in the Header section. Configure these settings once and you are set for all applications across the board.

modules <span>Collapse</span>		
available modules providing 'add new' menu items		
core	Upload	<a href="#">configure</a>
kwebcast	Town Hall	<a href="#">configure</a>
newrow	Meeting Room	<a href="#">configure</a>
recorder	Express Capture	<a href="#">configure</a>
quiz	Video Quiz	<a href="#">configure</a>
kalturacapture	Capture	<a href="#">configure</a>
onedrive	oneDrive	<a href="#">configure</a>
raptmedia	Interactive Video	<a href="#">configure</a>
youtube	YouTube	<a href="#">configure</a>
draft	Draft	<a href="#">configure</a>

The result is as follows:



Field	Description
rootCategory	Which root category does MediaSpace use for all categories and content? A root category must be defined in the KMC.
showExternalPublish	Set to Yes to show entry categories from external applications
<b>externalApplications -</b> Define which external applications or categories should be displayed to the user for published media	
applicationName	Select the display name for this application. Users will see this name in My media
applicationRootCategory	Which root category does application use for all categories and content?
type	choose application type
<b>restricted -</b> Restrict categories to specific roles. Only users with the specified role can view media in the restricted category. Only users with adminRole or unmoderatedAdminRole can add media to the restricted category.	
category	Select a category to restrict.
roles	Select one or more roles that can access the restricted category. Use 'Ctrl' to select multiple roles.

## Channels

The Channels module is used to configure roles and permissions for creating channels. This module is also used to set the channel page display, sorting settings and other configurations for channels.

Field	Description
-------	-------------

Field	Description
entriesPageSize	How many entries can be displayed on each channel page? (The default is 15)
pageSize	How many channels can be displayed on each channel page? (The default is 20.)
defaultChannelType	Not applicable for KAF. Select the default channel type when creating a new channel.
channelCreatorOpen	Not applicable for KAF. Select the minimal role that can create Open Channels.
channelCreatorRestricted	Not applicable for KAF. Select the minimal role that can create Restricted Channels.
channelCreatorPrivate	Not applicable for KAF. Select the minimal role that can create Private Channels.
channelCreatorSharedRepository	Not applicable for KAF. Select the minimal role that can create Shared repositories.
channelCreatorPublic	Not applicable for KAF. Select the minimal role that can create Public Channels
channelCreatorPublicOpen	Not applicable for KAF. Select the minimal role that can create Public Open Channels
channelsTermUse	Add channel term of use. Use to configure a policy message that is displayed to users every time a channel is created. The configured text is displayed in the top of the channel creation.
supportPublicChannel	Not applicable for KAF. Set to Yes to support creation of channels that anonymous users can access to. Note that once you change to 'No', anonymous users won't be able to view your public channels and the option to create public channels will be removed from channels create page. Note that if you enabled then disabled the permission,



Field	Description
	any channel would have to be manually set to a new channel type
supportPublicChannelOpen	<p>Not applicable for KAF.</p> <p>Set to Yes in order to support creation of channels that anonymous users can access; contribution is allowed to logged in users only according to their publishing entitlements.</p> <p><b>Note:</b> If a channel was created manually (e.g., via the KMC) - this channel might become accessible to anonymous users by enabling this configuration.</p>
channelsSorting	Use the drop down to select the channels' sorting default. The options are: Update Date, Creation Date, Alphabetically - A to Z, Alphabetically Z to A, Members and Subscribers, Media Count.
channelDefaultView	Default view for channel page. Select Grid, Collapsed View, Detailed View or Table.


Client

Field	Description
serviceUrl	The URL of the service for API calls. Modify the URL if you use the Kaltura On-Prem Edition. Note the URL's prefix must be http:// or https://.
CDNUrl	<p>The CDN regular URL Used for Player and html5lib. Leave empty for default.</p> <p>You can change the Kaltura Server CDN URL used by the Kaltura HTML5 player and player embeds. The default value is http://cdnapi.kaltura.com. To update your CDN URL, add the URL in this field.</p> <p>Note: When configuring a KMS site to HTTPS, also change the CDN URL to https://cdnapisec.kaltura.com.</p>
SecuredCDNUrl	The CDN <i>secured</i> URL. Used for Player and html5lib. Leave empty for default.
analyticsServiceUrl	The Analytics server URL. Used for Reports. Leave empty for default.
partnerId	Copy your Kaltura account's Partner ID from the Kaltura Management Console (KMC): <a href="#">KMC-&gt;Settings-&gt;Integration Settings</a> .
secret	Copy your Kaltura account's user secret from <a href="#">KMC-&gt;Settings-&gt;Integration Settings</a> Kaltura uses your user secret to create secure sessions to access the Kaltura API.
verifySSL	Set to No, if you want to use SSL with a self-signed certificate.

## Debug

Field	Description
logLevel	Debug level of the KAF Log File (logs/kms.log)
kalturaDebug	Enable debug log of requests to the Kaltura API (logs/apidebug.log)
kalturaStats	Enable stats log of requests to the Kaltura API (logs/api.log)

The Debug feature provides a way to record event logs and debug messages on a remote device, such as the Kaltura server (in SaaS) or the On-Premises server. By default, the Debug log Level is enabled to allow a higher level of event log messages to send to an external device for debugging purposes.

 The Kaltura SaaS server logs are only accessible by Kaltura's third level support and development engineers.

You can set the severity level of the messages to control the type of messages displayed on the console, as follows:

Log Level Keyword	Level	Description
ALERT	1	System unstable
CRIT	2	Critical conditions
ERR	3	Error conditions
WARN	4	Warning conditions
NOTICE	5	Notification conditions
INFO	6	Informational messages only
DEBUG	7	Debugging messages
DUMP	8	Core dumps

## EmailTemplates

 This article is designated for administrators.

## About

Use this module to set up email templates to be sent out to users.


- Be certain that you do not have Access Control Profiles setup for any specific domains.
- There are four types of mail templates used for KMS registration:
  - registrationEmailTemplates (verification mail)
  - confirmationEmailTemplates (confirmation mail)
  - passwordEmailTemplates (reset password mail)
  - passwordConfirmEmailTemplates (password updated successfully)
- Each template has the following configurations:
  - languageCode - for events supporting multiple languages. You may configure a mail template per local.
  - subject - the subject that will be displayed in the mail
  - template - the body of the mail in HTML
- All mails support the following tokens: {FIRSTNAME} {LASTNAME} {COMPANY} {COUNTRY} {EMAIL} {URL}
- You can add a template per local code by clicking + **addRegistrationTemplate**.

## Configure

**emailFrom** - Enter the email sender.

+**addRegistrationTemplate**. Click to add a template per local code. Configuring this section adds localized versions of a specific email template.

**templateName** - Enter a template name that will be used to identify the template. For example: **Confirm Registration and Set Password**.



The screenshot shows a web interface for configuring email templates. At the top, there is a header 'template' and a sub-header 'Localized versions of a specific email template'. Below this, there is a table with one row. The first column of the table contains the number '1'. The second column contains a red button labeled 'DELETE'. Below the table, there is a form field labeled 'templateName' with a blue button labeled 'Confirm Registration and Set Pas'. To the right of the button, there is a text label 'The template name - used to identify the template'.

**localizedTemplate** - Templates for a specific locales. When no locale fits - the template for En (English) is used.

**languageCode** - The template language code. The default is En (English), and is used

when no other selection fits.

**subject** - The email subject. For example **Email confirmation and set password.**

**body** - The email body. Supported tokens - {FIRSTNAME} {LASTNAME} {TITLE} {COMPANY} {COUNTRY} {EMAIL} {URL}

Localized Template

Templates for a specific locales. When no locale fit - the template for En will be used.

1

DELETE

languageCode

English - en

The template language code. Default is En, used when no other selection fit.

subject

Email confirmation and set passw

The email subject.

body

The email body in html. This field supports custom tokens from the language module, and also the following local tokens: {FIRSTNAME} {LASTNAME} {TITLE} {COMPANY} {COUNTRY} {EMAIL} {URL}.

Hi {FIRSTNAME} {LASTNAME} <br><br>

Click on the <a href={URL}> following link</a> to confirm your account registration and to set your password. <br>

{URL}<br><br>

Thanks

## Gallery

Field	Description
pageSize	How many entries can be displayed on each gallery page? (The default is 10.)
pageSizeWide	How many entries can be displayed on each gallery page in the Wide gallery view (for example, search results, playlists)? (The default is 24.)
pageCount	How many page links can be displayed in the gallery pager? (Dots represent page links that are not displayed.)
pagerType	Which kind of paging mechanism should be used in the gallery page?
sortMediaBy	By default, how should media in the gallery be sorted?

sortMediaBy	By default, how should media in the gallery be sorted?
Field	Description
globalSearchSortMediaBy	By default, how should media in the global search be sorted?
thumbnailRotator	Enable thumbnail image rotation on mouse over in galleries
categoryDefaultView	Default view for categories. You can define optional view modes for media items inside Galleries. Choose from Grid, Collapsed view or Detailed view.
playlistDefaultView	This is the default view for playlist page (gallery-like page) that is linked from the homepage.
categoryExplicitDateFormat	Explicit date format.
firstTabLoad	<p>Select the tab you want to load first in categories.</p> <p>The options are:</p> <p>Media</p> <p>Category moderation</p> <p>Channel categories</p> <p>The 'firstTabLoad' in the category configuration applies after the search as well.</p>
tableview	Add table view to My Media page.

Header

Field	Description
headerStyle	Which background and matching theme should MediaSpace use for the header?
logoImageUrl	The option to load logo from URL - specify the URL of the logo. If URL is specified it will be used instead of logoImage (above). Default logo size is 325px wide X 41px high. Note: The width of the logo image affects the amount of space available for the Header menu. (See menu configuration below.)
logoImageUpload	An uploaded image will be displayed if the logoImageUrl field (above) is blank. The image will be displayed at its native resolution. Note: the size of the logo image affects the layout of the page. Default logo size is 325px wide x 41px high. (Upload does not support IE 11 or earlier).
logoAltText	The 'logoAltText' options are: [1] If you insert an image file in the 'logoImage' field, you may enter alternate text for the tag's 'alt' attribute; [2] If you enter 'false' or an empty string in the 'logoImage' field, you must enter text for the page header.
logoLink	The options for defining the behavior when a user clicks the logo are: [1] Enter 'false' if you do not want the logo to be clickable; [2] Enter 'home' to display the home page (displayed when MediaSpace opens); [3] Enter a full URL (starting with http://) to open a different page in a new browser window/tab.
enableUploadButton	Enable or Disable the 'Add New' button in the site's header

## Languages

Field	Description
DownloadLocaleText	Download a Zip file with all texts for all languages for this instance. These resources can be used to create or update custom languages.

Field	Description
UploadCustomLanguage	Upload new custom language
languageAdminName	Insert the name of the language to be presented in the language drop-down list for the admin, in the Application section, languageSelection, and language fields.
languageClientName	Insert the name of the language to be presented in the language drop-down list for the users.
languageCode	For KAF use - formal language code to be used to sync the instance language to the hosting application (LMS, CMS, SBS) chosen language.
localeFile	Upload your customize <u>.MO file</u> . in order to convert your customize <u>.PO file</u> to .MO file you can use some available tools in the web
localeIcon	Upload custom language flag icon. In order to be presented to KMS end-users in the drop-down list, in case this language will be selected for presentation. Icon should be in ".jpg;*.jpeg;*.bmp;*.png;*.gif;*.tif;*.tiff;*.ico" format and dimensions should be 30px X 26px (the application will resize any given image, however for best visual result use these dimensions). You can also choose from this library of icons: <a href="http://freebiesbug.com/psd-freebies/100-flat-flag-psd-icons/">http://freebiesbug.com/psd-freebies/100-flat-flag-psd-icons/</a>
languageId	Unique language id for application usage.
LanguageException	Add a language exception, to change any string in the app. It is recommended to download the English PO to retrieve all the relevant text in the form of 'msgid'.
Language	Choose the language you would like to apply this change to.
msgid	Indicate what is the text you would like to change. You should copy the exact msgid from the <u>PO file</u> .
Exception	Enter the new text to replace the existing one.
importAndExportExceptions	Import and export language exceptions for this site. The file format is CSV, with no header line, with 3 columns, for the



Field	Description
Export	Download the list of all language exceptions.
Import	Upload a list of all language exceptions. <b>This action will override all the existing exceptions!!</b>
CustomToken	Configure custom tokens for your application. Tokens can then be used in configuration fields of type text in other modules, and will be replaced by the value filled up.  The following System Tokens are saved and cannot be used as custom token IDs: {FIRSTNAME} {LASTNAME} {TITLE} {COMPANY} {COUNTRY} {EMAIL} {URL}
TokenID	Enter an ID in the form of alphanumeric characters only. Once entered, you will be able to use this ID in the form of {Your_Token_ID} in other modules.
LocalizedToken	One token can be translated to many languages. If no translation is needed for the token - use only one localized token.
Language	The language code this value will be used for the token.
TokenValue	Enter a value to replace the token in other modules where this token is used.


For additional information see [Localization for KMS/KAF Administrators - How to Change Your Kaltura Application Language?](#)


## Login

 This article is designated for administrators.

## About

This module replaces the default login page. An advanced login page based on the [Theming module](#) designs may be configured for the relevant Authentication methods selected in the [Auth](#) module. The login page's settings are configured from the Login module and the settings here also affect the Multi-auth page.

 Note: This is a KMS-only module that depends on the [Theming module](#).

 The KMS login page is relevant for any authentication using the KMS login page (e.g. LDAP, or Kaltura Authentication). The login page is not relevant for external login (e.g. SAML).

Use this module to configure the page UI, texts, and logo. You may also set a call to action section on the login screen using the *showCallToAction* field. See [Call to Action](#) feature.

## Related Modules

- [Theming](#)
- [Auth](#)

## Configuration Fields

### Page Header

The following fields define the header display for the login page:

**headerText** - Enter text that is displayed at the top of the page, next to the logo.

**headerBannerDefaultImg** - Use to upload an image to display as the background of the login page's header. Since the image will be cut according to page size, is it recommended to upload an atmospheric image the size of around 1600x400 pixels. Leave empty to use the default blue.

**showLanguageSelector** Use to present the language selector (assuming it is available on the site), set to 'Yes'.


**customLogo** - use to set a different logo on this page from the site's logo.



### Page Texts


Title - Use to change the main title of the login page. leave empty to use default

- Login instructions and field placeholders can be added/set from the [Auth](#) module, using the [phLoginInstruction](#), [phUser](#), and [phPwd](#) fields.



## Multi Authentication

The multi authentication page will automatically be updated to the new UI. The settings will remain the same and may be re-configured from the [Auth](#) module)



## Call to Action Feature


You may add a call to action on the login page using the ***showCallToAction*** fields. Set the ***showCallToAction*** field to Yes, to open the ***CallToAction*** section.

showCallToAction
Yes
show additional call to action

callToAction
Collapse

topText	Create an Account	text to show above the button
buttonLabel	Register Now	text to show on the button
buttonUri	https://register.kaltura.com/registre	button click url
bottomText	It's free and easy!	text to show under the button

Fill in the configuration as you please to show a call to action button on the login page:


Welcome to our site, login to view all the great content.
EN

### Create an Account

Register Now

It's free and easy!

### Login

Please enter your Email address as the user ID

User ID

Password

Login

[Forgot Password](#)
[Cancel](#)

## Metadata

Field	Description
descriptionRequired	Require users to fill in the 'Description' field when uploading or editing media?
tagsRequired	Require users to fill in the 'Tags' field when uploading or editing media?
readMoreEnabled	Enable/disable read more for entry description - shortening to 500 characters. <b>Notice:</b> channel and category description is always shortend.
metaDataInReadMore	If enabled metadata is hidden until clicking on 'read more...' works for all descriptions - entry/channel/category
basicNameFieldHelperText	Tooltip comment for the <b>Name</b> field when uploading or editing an entry.
basicDescriptionFieldHelperText	Tooltip comment for the <b>Description</b> field when uploading or editing an entry.
basicTagsFieldHelperText	Tooltip comment for the <b>Tags</b> field when uploading or editing an entry.
showDescriptionInTooltipMeta	Choose whether to display field's description as a tooltip

## Moderation

This module allows you to make changes to the reasons for moderation text set in the KMC. Please make sure to enable the Moderation plugin in the relevant KMS players via the KMC Studio. See [Moderating Content](#) for more information regarding the KMC moderation flow.

Field	Description
reasonSex	Please provide the reasons LMS users can choose for flagging media. (If none are provided, the default Kaltura reasons will be used)
reasonViolence	Please provide the reasons LMS users can choose for flagging media. (If none are provided, the default Kaltura reasons will be used)
reasonHarmful	Please provide the reason LMS users can choose for flagging media. (If none are provided, the default Kaltura reasons will be used.)
reasonSpam	Please provide the reasons. The LMS a reasons will be used.)

## My-media

Use this module to select which columns to display for the My Media table view.

The table view is displayed when selecting the Table View icon on your My Media Page.




Field	Description
tableColumns	<p>Select what columns to show on the table view. Please consider columns width when choosing many columns.</p> <p><input checked="" type="checkbox"/> Title</p> <p><input type="checkbox"/> ID</p> <p><input type="checkbox"/> Media Type</p> <p><input type="checkbox"/> Duration</p> <p><input checked="" type="checkbox"/> Tags</p> <p><input checked="" type="checkbox"/> Plays</p> <p><input type="checkbox"/> Views</p> <p><input type="checkbox"/> Created At</p> <p><input checked="" type="checkbox"/> Updated At</p> <p><input checked="" type="checkbox"/> Published In</p> <p><input type="checkbox"/> Scheduling Status</p> <p><input type="checkbox"/> Scheduling Start Date</p>
initialView	<p>Details View </p> <p>Select which view to load first.</p>

## Navigation

Use options in this module to add menus to your MediaSpace header. For more information see [Setting the Home Page - Kaltura MediaSpace](#).

Field	Description
navigationStyle	<p>Vertical - a hidden vertical menu appears on the left in all resolutions, Horizontal - a horizontal menu appears in desktop resolution and vertical menu appears in lower resolutions.</p>

includeCategories	Select 'No' if you don't want the categories to display in main navigation and only want PRE and POST items to appear.
pre	Add items to the beginning of the main menu, before the categories. MediaSpace displays the items in the order you define here. The first 'pre' item must be a 'playlist' type.
type	<p>Select one of the options: Playlist, My Media, My Playlists, Link, Category (Only categories that are under the main site &gt; Galleries category are displayed) Entry Id, Channels Page, My Channels, Channel (Only categories that are under the main site &gt; Channels category are displayed), Label, Partner KMS URL.</p>  <p>Select type to Label to set a non-clickable navigation bar item that can hold clickable sub-items.</p>
name	Enter the label for the menu item. The label is displayed in the main navigation bar.
value	Enter the menu item's playlist ID or URL.
sameWindow	Select whether link should open in new window (target = _blank) or same window. Applied only to external links (absolute URLs)
items	Add items that would be displayed in a drop-down menu.
	Select a group to show this item to. Users not in the



allowedGroups Field	group will not see this link. Leave empty to show the Description item to all users.
post	Add items to the end of the main menu, after the categories. MediaSpace displays the items in the order you define here.
type	<p>Select one of the options: Playlist, My Media, My Playlists, Link, Category, (Only categories that are under the main site &gt; Galleries category are displayed.) Entry Id, Channels Page, My Channels, Channel, Label.</p> <div> <div> <p>pre</p> <p>Add items to the beginning of the main menu, before the category</p> <p>1 <b>DELETE</b></p> <p>type <span>Link</span></p> <p>name</p> <p>value</p> <p>sameWindow</p> <p>Label</p> </div> <div> <p>post</p> <p>Add items to the end of the main menu, after the categories. MediaSpace displays the items in the order you define here.</p> <p>1 <b>DELETE</b></p> <p>type <span>Channels Page</span></p> <p>name</p> <p>items</p> <p>Add items that would be displayed in a drop-down menu</p> <p>Label</p> </div> </div> <p>Select type to Label to set a non-clickable navigation bar item that can hold clickable sub-items.</p>
name	Enter the label for the menu item. The label is displayed in the main navigation bar.
value	Enter the menu item's playlist ID or URL
sameWindow	Select whether link should open in new window (target = _blank) or same window. Applied only to external links (absolute URLs)
items	Add items that would be displayed in a drop-down menu
allowedGroups	Select a group to show this item to .Users not in the group will not see this link. Leave empty to show the item to all users

## Example: Add the Home Menu to the Header

Configure the options to display the Home Page menu in your KMS header.


To add the Home page link to the header

1. In the “pre” section, select Link from the type dropdown menu.
2. Enter an intuitive name for the menu. In this example: Home
3. Enter “/home” in the value field.
4. Select Yes for the Home page to open in the same window.
5. Click Save.

pre

Add items to the beginning of the main menu, before the categories. MediaSpace displays the items in the order you define here. The first 'pre' item must be a 'playlist' type.

<div>DELETE</div>	
type	<div>Link</div> <div>Select one of the options: Playlist, My Media, My Playlists, Link, Category, Entry id, or Channels Page</div>
name	<div>Home</div> <div>Enter the label for the menu item. The label is displayed in the main navigation bar.</div>
value	<div>/home</div> <div>Enter the menu item's playlist ID or URL.</div>
sameWindow	<div>Yes</div> <div>Select whether link should open in new window (target = _blank) or same window. Applied only to external links (absolute URLs)</div>




## Example: Add the Channels Menu to the Header

Configure the options to display the channels menu in your KMS header. The Channels menu displays all available channels. My channels displays only channels that are created by the user.

To set the vertical navigation menu

1. In the “post” section, select Channels Page from the “type” drop down menu.
2. Enter an intuitive name for the menu. In this example: Channels
3. Click Save.




Example: Configure a vertical navigation layout menu

To set the navigation menus

Vertical

1. Set the *navigationStyle* value to vertical.
2. Click Save.



Horizontal

1. Set the *navigationStyle* value to vertical.
2. Click Save.

# Horizontal Navigation



## Player

Kaltura Application Framework instances are automatically created using the [Kaltura v2 Player](#).

Module	Fields	Description
Player	playerId	What is the player ID (uiConf ID) of the player that plays the embedded video?
	playerBarHeightPixels	The height (in pixels) of the player ui which is not part of the actual video (for example - the bottom bar)
	playerVideoRatioPercent	The ratio (in percent) of the video inside the player. Standard values: 16:9 = 56.25 , 4:3 = 75 , 16:10 = 62.5
	playerEditId	What is the player ID (uiConf ID) of the player that edits entries?
	autoPlayOnLoad	When KAF loads, should the video that is loaded in the player begin playing automatically? Notes: (1) Autoplay is triggered when KAF starts and each time a new page loads, such as when switching from My Playlists to a gallery page. (2) The player always begins playing automatically when a user clicks a video in a gallery, regardless of whether autoPlayOnLoad is enabled.
	playerModerationId	What is the player ID (uiConf ID) of the player shown in moderation pages?

## Security

Field	Description
<code>allowLoadInIframe</code>	Allow MediaSpace to be loaded in Iframe. The default is NO for XFS.
<code>loadThumbnailWithKs</code>	The default is set to "no". When enabled, KMS will add a KS (Kaltura Session, read more <a href="#">here</a> ) to any thumbnail URL rendered by it, and KMS will pass relevant parameters to the player, to comply with the same requirement.. Switch this field to 'yes' if your account should apply access control rules on thumbnails (this would have to first be set up by <a href="#">Kaltura Customer Care</a> . on the Kaltura Server admin console) and if your access control has KS-restriction.

## SharedRepositories

The SharedRepositories module allows any member to not only browse the media that is published in the shared repository, but also use the media to publish to other channels and/or categories. The shared repository allows education institutions and enterprises to create a shared media location for media that anyone with access to it has publishing rights to other areas in MediaSpace.

Metadata is composed of the following:

- `customDataProfileId`
- nested filters

At least one of these must be defined for the Advanced Search form to display in your MediaSpace instance.

**customDataProfileId (schema)** - Create a metadata schema, and select it in the KMS admin sharedRepositories module.

The `customDataProfileId` selected in the sharedRepositories module **MUST** be different than the `profileId` selected in [Customdata](#) module.

**nested filters** - Select "yes" in the `nestedFilters` field, to enable the nested filters appearance in KMS and to create the `nestedFilters` category (if needed).

Nested filters should be created in the KMC. In the KMC Categories tab site > `nestedFilters` category, add nested categories (up to 2 levels) which will be used as labels on the entry. For example, Create `nestedFilters>Science` category and nested to it create `nestedFilters>Science>Physics` and `nestedFilters>Science>Biology`. This allows you to tag your entry with the relevant labels.

Currently, searching for nested filters is only available via the Shared Repository Advanced Search.

Field	Description
enabled	Enable shared repositories.
amountOfSharedRepositories	Amount of shared repositories to show in the drop down (when adding media from shared repository).
termsOfUseLink	Enable Terms of Use
<a href="#">nestedFilters</a>	Enable nested filters. Configure them as nested categories under root>site category in the KMC.
customDataProfileId	Choose custom metadata schema for media in the shared repository. All custom data schemas can be viewed in KMC > Settings > Custom Data
requiredFields	Which custom metadata fields are required before publishing media to a shared repository? Use custom data system names from KMC > Settings > Custom Data
dateFormat	What is the format of the date for the date picker (of the shared repository custom data)?

## Widgets

Field	Description
ksuld	What is the uiConf ID of the Kaltura Simple Uploader (KSU)? KAF uses KSU to upload videos, images, and audio files.
krecordId	What is the uiConf ID of the kRecord widget? KAF uses kRecord to record and upload video from a webcam.
rtmpUrl	What is the URL of your RTMP Server? The URL is required for Webcam recording.
krecordDefaults	Configure recording details. <i>Select Yes, to expose additional fields to configure the webcam widget quality.</i>
emailErrors	Enable sending emails in case of errors.
keaPlayerId	What is the uiConf ID of the player used by Kaltura Video Editing Tools? leave this field empty to use default.

## Search

The Search Module is used to configure the Search page results and display.

For more information see:

- [Kaltura Media Search Admin Guide](#)
- [Kaltura Media Search User Guide](#)

Field	Description
entriesPageSize	How many entries to show in search results.
inVideoPageSize	How many in-entry search results to show.
instantSearch	Select Yes for search results to render instantly. Select No for search results to display after pressing Enter (does not apply to KMS Header search).



showinfo Field	Set to 'Show' to provide an information icon next to the search field.
infotext	This text will show on the information icon next to the search field. If left empty, the following default text will be used: "To search for an exact match, please use Quotation Marks. Example: "computer".
eSearch	
tags	Search in entry Tags.
Owner	Search in entry Owners.
RefId	Search in the entry Reference ID.
captions	Select 'Yes' to have captions returned in the search results. Please note that this feature can be enabled regardless of the Captions module status.
customtMetadata	Navigate to the <a href="#">Customdata</a> module to have media custom metadata returned in the search results.
kwebcast	Add the options to search in kwebcast fields. See the <a href="#">Kwebcast</a> Module.
mediaCollaboration	See the <a href="#">Mediacollaboration</a> Module.
pageSize	Display the number of entries to show in the page.
KeepHeaderSearchOpen	Choose Yes to keep the global search bar open and stretched in the KMS Header in the web view. Please note that if turned on, the search bar will cover any Header Menu items (fields in the <a href="#">Headermenu</a> Module where linkLocation=Header).
SearchContext	How are search suggestions shared between KMS instances.

## MediaCollaboration

To add a user as co-editor, co-publisher, or webcast moderator, the user must log in to

KMS/KAF prior to using this feature.

Enable this module to change the media owner and edit collaborators. (co-editors, co-publishers, Webcasting moderators)

Field	Description
mediaCollaborationEnabled	Enable MediaCollaboration module.
changeOwnerEnabled	This field is available when the MediaCollaboration Module is enabled. The change owner feature has a special configuration for the Co-editor/Co-publisher or Webcasting Moderator and can be set to enable or disable the Co-editor, Co-publisher, or Webcasting Moderator without any dependencies.
allowGroupsCollaboration	Allow groups support in 'MediaCollaboration' features.
collaborationEnabledInUploadForm	Enable the option to add collaborators (co-editors, co-publishers, Webcasting moderators) in the upload media form.

If the configuration is set to 'No' after it was set to 'Yes', and in the interim, entries were added with co-editors, co-publishers or Webcasting moderators, all co-editors, co-publishers, and Webcasting moderators will lose their ability to view, edit or publish those entries or moderate the Webcasting event.

PlaylistPage

 This article is designated for administrators.

## About

This module controls the visibility of Playlists.

- To enable the Channel Playlist functionality - navigate to the [Channelplaylists](#) module.
- To enable the ability to add content to personal playlists - navigate to the [Addtoplaylists](#) module.

- To enable the ability for users to grab embed codes of playlists - navigate to the [Embedplaylist](#) module.

Field	Description
playerId	Enter the playlist player ID (uiConf ID) for playlists dedicated view page

## Playlist Administration Guide


This is a Playlist administration guide that describes how to set up playlists in KMS and KAF.

### Access Configuration Management Section of MediaSpace

1. Login to the KMS admin page at [https://{your\\_KMS/KAF\\_url}/admin](https://{your_KMS/KAF_url}/admin).
2. Login using your Kaltura User ID and Password.
3. Click Sign In. The Configuration Management Section of MediaSpace displays.

### Enable Personal Playlists (KMS only)

1. Access the [PlaylistPage](#) module to see your playlist player ID. The playerId field should already be populated. To change the playerId, see [Creating a Player](#) in the Universal Studio.
2. Access the [Headermenu](#) module to change or remove the "My Playlist" link that is automatically created in the user pull down menu.




3. Access the [Addtoplaylists](#) module to make settings regarding users' rights to create and add entries to playlists.
  1. enabled - Choose Yes to enable the [Addtoplaylists](#) module. If this module is disabled, users will not be able to add any entries to playlists, in essence disabling the entire playlist feature. (Note: If users created playlists before the module is disabled, they will still be able to access them.)


2. allowCreation - To allow users to create new playlist, set allowCreation to yes. If set to no, only the Watch Later and Like playlists are available, along with any playlists the admin creates specifically for the user from the KMC.
3. Owner only - If set to Yes, users are only allowed to add entries **that they own** (entries that they can co-publish, view or edit are not included).

## Enable Channel (KMS) or Media Gallery Playlists (KAF)

1. Access the [Channelplaylists](#) module to allow Channel Managers (KMS) or Media Gallery Managers (KAF) to add a playlists collection page to their channel (in addition to the Playlist Media Page).
  1. enabled - Choose Yes to enable the [Channelplaylists](#) module.
  2. channelPlaylistsTabName - Type a name that displays on the Channel (KMS) or Media Gallery (KAF) tab. The default name is "Home".



2. Enable the [Channeltheme](#) module to allow Channel Managers (KMS) or Media Gallery Managers (KAF) to set the order of the tabs shown. After the [Channeltheme](#) module is enabled, Channel Managers (KMS) or Media Gallery Managers (KAF) can navigate to the Channel Edit Page, go to the Theme tab, and select the first tab to display.



## Enable Embedding of Playlists

1. Access the [Embedplaylist](#) module.
  1. enabled - Choose Yes to allow users to embed playlists (personal (KMS only), channel (KMS), or Media Gallery (KAF)).
  2. playlistEmbedAllowed - Select one or more roles that can embed personal

playlists (KMS only).

3. `channelPlaylistEmbedAllowed` - Choose Yes to make the channel playlist embed-able. Note: The Channel (KMS) or Media Gallery (KAF) playlist will be available to each Channel Manager (KMS) or Media Gallery Manager (KAF).
4. `players` - Allows the creation of a set of players from which users can choose. If no player is entered, the default viewing playlist player is used. See [Creating a Player in the Universal Studio](#) to create the relevant players in the KMC studio and add the relevant sizes.

See [Using the Kaltura Browse Search and Embed \(BSE\) Feature](#) for additional information.

## TimeAndDate

Use this module to change the default format for date representation in the application. You can change the default date formats for any of the site's languages.

The application has 3 date formats, used in different locations and chosen according to the context and the space available. Leave the fields empty, to use system defaults:

1. Long (e.g: Saturday, June 12, 2021)
2. Short (e.g: June 12, 2021)
3. Long with no year (e.g: Saturday, June 12).

Each of the formats is used in different pages/locations in the application. To find a list of locations, please see the [Setting the Date and Time Format Display](#) article.

Admins may apply different date format for different languages, using the mapping below. This is useful for languages such as Japanese, where the date standard requires special characters.

To build your own date format, choose from the following tokens:

- **YYYY**: 4-digit year '2019'
- **YY**: 2-digit year '19'
- **MMMM**: Full-length month 'June'
- **MMM**: 3 character month 'Jun'
- **MM**: Month of the year, zero-padded '06'
- **M**: Month of the year '6'
- **dddd**: Day of the week 'Sunday'
- **DD**: Day of the month, zero-padded '01'
- **D**: Day of the month '1'

- **Do:** Day of the month with numeric ordinal contraction '1st'

Here's some common date formats and how to express them using tokens:

- To show '2019-06-01' use: **YYYY-MM-DD**
- To show 'June 1st, 2019': **MMMM Do, YYYY**
- To show 'The 1st of June' use: **[The] Do [of] MMMM**
- To show '6/1/2019' use: **M/D/YYYY**
- To show '2020 5 11' use: **YYYY[ ] MM[ ] DD[ ] dddd**

Below you will find the list of fields available in the module:

Field	Description
timeDisplay	Choose how to show the time in the application.
AddLanguageDates	Click to open the date representation for a specific language configuration.
Language	Choose the language you would like to apply these specific date format to from the site's languages. Each language may have its own setting, if left empty, the default is used.
longDate	Full date including the day of the week. e.g: Saturday, June 12, 2021.
shortDate	Date not including the day of the week. e.g: June 12, 2021.
longDateNoYear	Date including the day of the week, but no year. e.g: Saturday, June 12.
weekStartDay	Which day starts the week
uploadDateStyle	Select how the media upload date should show to the users. Choose "x time ago" to show "3 month ago" or "4 days ago". Choose "On date" to show "On 4/5/2019" depending on the date format that was selected.

For additional information see [Localization for KMS/KAF Administrators - How to Change Your Kaltura Application Language?](#)

[template("cat-subscribe")]