

Lecture Capture Settings

Last Modified on 08/30/2023 4:16 pm IDT

This article lists the different configuration files and their options under the Settings folder.

To navigate to the Lecture Capture AKA Kaltura Classroom Application’s Settings folder

1. Right click on the Kaltura Classroom icon on the desktop.
2. Right click on the icon and select Properties.
3. Open file location and go one folder up to Classroom and select the Settings folder, or, simply go to: C:\Program Files\KalturaClassroomSettings.

Kaltura Classroom Settings Folder

The following files are included in the Classroom Settings folder.

- appPersistency.json – saves the application’s state for the next session.
- defaultSettings.json -contains all the settings for the application: schedule settings, user id, logs and others.
- localSettings.json – contains the application information, including the global configuration settings.
- scheduledEvents.json – contains all the scheduled event information. This file should not be edited.

Kaltura Specific Parameters for the localSettings.json File

The following table lists the settings that are configurable for the Kaltura Classroom Application. Please do not edit any other settings without consulting with your Kaltura representative.

If you want to edit any of the configurations, edit them in the local file only. **The defaultSettings.json file should not be edited.**

Component	Variable name	Description
Config	appLoginIdleMinutes	Use only when authentication is confi determines after how long the applica automatically from the last logged in
	authenticationUrl	Optional. This is the configured auth

		<p>that is required for ad hoc recordings URL format should be:</p> <p><a href="https://<your_KMSportal_URL>/classdetails">https://<your_KMSportal_URL>/classdetails. The Default setting for authentication is false.</p> <p>Use the KALTURA_AUTH_URL property to install the Authentication Feature.</p>
	maxNumberOfInputs	Set to configure the maximum number of inputs. The maximum is 4.
Capture App	allowInfoNotifications	Enables warning notifications to users.
	silentStart	When enabled, no splash screen is shown when the application is started and the application is silent when launched.
	minimizeWhenRecordingStarts	Minimizes the application after 10 seconds of recording.
	minimizeRecordingDelaySec	Defines how long after the recording will minimize.
	restoreDefaultSettings> appIdleMin	Determines the restore for the default settings. Set to true and the default input settings are restored how long after the application is idle to be restored to default.
System Health	maxCpuPercentage	When CPU is over this value, the user interface is dimmed.
	minMemoryGB	When memory is lower than this value, the user interface is notified.
	minDiskSpaceGB	When Disk space is below this value the user interface is notified.

Scheduling	Enabled	Enables the scheduling module in the
	intervalSec	How often does the application retrieve variable is defined in seconds.
	countdownInSec	How long before a scheduled event w is about to start. This variable is defin
	viewEventsAheadDay	How many days of scheduled events store.
uploadService	httpProxy	Configuration for proxy authentication project manager for help with configu
	PostUploadAction	Set if local recordings should be delet moved to the Completed folder.
captureEngine	capturePowerPoint	When enabled, allows you to record P slides that are automatically set as cl
	captureSystemAudio	When enabled, capturing system aud



[template("cat-subscribe")]
