

Lecture Capture Settings

Last Modified on 04/26/2024 4:05 pm IDT

 This article is designated for administrators.

This article lists advanced configuration files and their options under the Settings folder. Basic settings are available in the application.

To navigate to the Kaltura Lecture Capture Application's Settings folder

Windows

1. Right click on the Kaltura Classroom icon on the desktop and select Properties.
2. Open the file location and go one folder up to Classroom.
3. Select the Settings folder.

MAC

Go to: /Users/<connected user>/Library/Preferences/Kaltura/Capture

Kaltura Classroom (Lecture Capture) Settings Folder

The following files are included in the Classroom>Settings folder.

- appPersistency.json - saves the application's state for the next session.
- defaultSettings.json - contains all the settings for the application: user id, logs and others.
- localSettings.json - contains the application and uploader settings.
- scheduledEvents - contains the list of scheduled classroom events

Parameters for the localSettings.json File

The following table lists the advanced settings that are configurable for the Kaltura Lecture Capture Application. Please do not edit any other settings without consulting with your Kaltura representative.

Component	Variable name	Description
Config	appLoginIdleMinutes	Use only when authentication is confi determines after how long the applica automatically from the last logged in

	authenticationUrl	Optional. This is the configured authentication URL that is required for ad hoc recordings. The URL format should be: <a href="https://<your_KMSportal_URL>/classroom/details">https://<your_KMSportal_URL>/classroom/details . The Default setting for authentication URL is https://kaltura.com. Use the KALTURA_AUTH_URL property to install the Authentication Feature.
Shared	recordingsDir	This parameter lists the Recordings directory stored.
Capture App	allowInfoNotifications	Enables warning notifications to users.
	silentStart	When enabled, no splash screen is shown when the application is started and the application is silent when launched.
	minimizeWhenRecordingStarts	Minimizes the application after 10 seconds of recording.
	minimizeRecordingDelaySec	Defines how long after the recording starts the application will minimize.
	restoreDefaultSettings> appIdleMin	Determines the restore for the default settings. If set to true and the default input settings are changed, how long after the application is idle the settings will be restored to default.
System Health	maxCpuPercentage	When CPU is over this value, the user interface will be dimmed.
	minMemoryGB	When memory is lower than this value, the user interface will be dimmed and notified.
	minDiskSpaceGB	When Disk space is below this value the user interface will be dimmed and notified.

Scheduling	Enabled	Enables the scheduling module in the
	intervalSec	How often does the application retrieve variable is defined in seconds.
	countdownInSec	How long before a scheduled event w is about to start. This variable is defin
	viewEventsAheadDay	How many days of scheduled events store.
uploadService	httpProxy	Configuration for proxy authentication project manager for help with configu
	PostUploadAction	Set if local recordings should be delet moved to the Completed folder.
captureEngine	capturePowerPoint	When enabled, allows you to record P slides that are automatically set as ch
	captureSystemAudio	When enabled, capturing system aud



[template("cat-subscribe")]
