

xAPI Analytics Guide

This guide provides a high-level overview of [xAPI](#). The xAPI, also known as the Experience API or TinCan API, is a new specification for learning technology that makes it possible to collect data about the wide range of experiences a person has (online and offline). This guide describes how the xAPI fits into Kaltura's product ecosystem, how to enable and configure the xAPI in Kaltura MediaSpace™ (KMS) and other products, a description of events xAPI records, and troubleshooting/FAQs. This guide is intended for Kaltura partners, community members, and customers who want to understand xAPI analytics and configure Kaltura's xAPI Analytics Tool on their system(s).

NOTE: NOTE: This guide requires that users have access to both MediaSpace and the Configuration Management Section of MediaSpace. For technical support, please contact [Kaltura Customer Care](#). Please contact your Customer Success Manager with all other inquiries.

Understanding xAPI and Associated Nomenclature

A Learning Management System (LMS) is a software application used to manage, record, and provide educational courses, training, or other learning programs. An LMS gives an organization the ability to create customized courses and track the progress of their learners. A Learning Record Store (LRS) is a unique type of server that collects all that learning data in one place. It stores the learning records and allows for reporting and exporting of raw data. LRSs are defined by the xAPI specification.

The xAPI is a specification to support learning, teaching, and assessment that makes it possible to gather and measure information about online and offline user experiences. This API obtains data from a wide range of systems and different technologies in one uniform way, enabling the capture and sharing of this information using xAPI's straightforward vocabulary.

xAPI's Critical Role in Kaltura's Product Ecosystem

Kaltura's extensive product line for teaching and learning offer personalized video messages, lecture capture, video creation and other features. In an age of increased online learning, videos can be used for classroom capture, remote learning, accessibility, flipped classrooms, course materials, and video assignments and assessments. Kaltura's xAPI functionality (Kaltura's xAPI Analytics Tool) is designed to send a broad range of events from MediaSpace and other Kaltura product integrations to the Learning Resource Store (LRS). In Kaltura's case, the LRS acts as a digital grade book of sorts, tracking a learners' progress as they watch Kaltura-hosted videos required by their syllabus.

The initial release delivers the following set of xAPI events from Kaltura to the LRS:

Event	Description
play	User started or resumed the playback of an Entry.
playProgress	Start, 25%, 50%, 75%, 100% (events are sent when user has passed said marks in video).
pause	User paused playback of an Entry. (verb reference)
seek	User intentionally seeks to a different time in the Entry. (verb reference)
categoryView	User opens a gallery or channel page.
login	User logs into the KMS, or LMS.
entryLike	User likes an Entry.
entryComment	User comments on an Entry.
entryUpload	User uploads an Entry.
entryUnlisted	User marks an Entry as Unlisted.
entryPublish	User publishes an Entry.
entryCollaborator	User is made a co-editor to an Entry.

quizComplete	User completes an In-Video-Quiz while watching an Entry. (quiz format reference)
kalturaCaptureLaunch	User launches the Kaltura Capture product.

The following is sample xAPI data for a playProgress event. Click to expand the view. Note the highlighted line showing playthrough progress of 50%.

```
{
  "actor": {
    "objectType": "Agent",
    "name": "John User",
    "account": {
      "name": "johnuser",
      "homePage": "https://example.mediaspace.kaltura.com"
    }
  },
  "verb": {
    "id": "http://activitystrea.ms/schema/1.0/watch",
    "display": {
      "en": "watched"
    }
  },
  "result": {
    "extensions": {
      "https://w3id.org/xapi/ami5/result/extensions/progress": 50
    }
  },
  "context": {
    "contextActivities": {
      "category": [
        {
          "objectType": "Activity",
          "id": "http://tincan-definitions.kaltura.com/products/mediaspace/1",
          "definition": {
            "type": "http://id.tincanapi.com/activitytype/source"
          }
        },
        {
          "objectType": "Activity",
          "id": "https://example.mediaspace.kaltura.com/default/channels/view/channelid/21212121",
          "definition": {
            "type": "http://id.tincanapi.com/activitytype/category",
            "name": {
```


2. Login using your Kaltura user ID and password.
3. Click Sign In. The Configuration Management screen is displayed. If this module is not in your MediaSpace application or LMS integration, please contact your Kaltura representative to enquire about adding it.

The screenshot shows the 'Configuration Management' interface for the 'Application' module. The left sidebar lists various configuration categories, with 'Application' selected. The main content area displays several configuration fields:

- instanceId:** 1756361 mediaspace.kaltura.com
- privacyContext:** MediaSpace
- userRoleProfile:** 3503841
- title:** Kaltura MediaSpace
- footer:** MediaSpace™ - ca href=http://corp
- forceIECompatibilityMode:** Yes
- theme:** (empty dropdown)
- languageConfiguration:** Single Language Instance
- language:** English - en
- enableLike:** Yes
- enableWebcam:** Yes
- enableEntryTitles:** Yes

4. In the list of configurable items on the left of your screen, locate and click on Xapi. The Xapi configuration window is displayed.

NOTE: The Xapi item will be crossed out because it is disabled by default.

The Module Info box displays a description of the module (what enabling this module allows users to do) and a link to the list of xAPI events that KMS currently supports.

The screenshot shows the 'Configuration Management' interface for the 'Xapi' module. The left sidebar lists various configuration categories, with 'Xapi' selected. The main content area displays the following configuration fields:

- Module Info:**
 - Description:** This module sends XAPI events to LRS that supports XAPI.
 - Events:** You can see the list of events that KMS supports [here](#).
- enabled:** No
- endpoint:** https://lrs.it.university.edu/xapi-intx
- key:** Yc4txMBnrQM824mkVeq1wNi5q
- secret:** iPqEql95_yRCFgelnrFOKM6TDEc

A 'Save' button is visible at the bottom left of the configuration area.

5. In the enabled pull down list, select **Yes** to enable the Xapi module.
6. Specify connection parameters as shown in the following table. .Retrieve the connection parameters from the LRS. Some LRSs allow for all providers to use the same key and secret. Some recommend creating separate keys and secrets for each provider. Follow the instructions of your LRS.

Parameter	Description
endpoint	The xAPI (TinCan) endpoint of your LRS.
key	The xAPI app key defined in your LRS.
secret	The xAPI app secret defined in your LRS.

7. Specify integration parameters as shown in the following table..

Integration Name	Values	Description
sendAccountInfoInsteadOfEmail	Yes or No(Default: No)	<p>(advanced)</p> <ul style="list-style-type: none"> ◦ If set to "No" (recommended), the actor.mbox property (user email) will be sent to the endpoint. If the user email is not available, the actor.account property (user ID and user site) will be sent. ◦ If set to "Yes", only the actor.account property (user ID, user Site) will ever be sent.

8. Click Save. You will receive a notice that your configuration for Xapi was saved and the cache was cleared.

To enable and configure Xapikaf module

1. In addition to choosing and enabling Xapi, select and enable the Xapikaf module.
2. Follow the instructions as for the Xapi Module. The Xapikaf module has no additional configuration options.

Learning Record Stores Supported

Kaltura xAPI is designed to support standards-based data exchange to Learning Record Stores. Following are the tested integrations, however, we welcome our clients to incorporate any other LRS they may be using at present.

LRS Name	Additional Documentation
Watershed LRS	<ul style="list-style-type: none">• Watershed LRS and Kaltura Integration• How do I add an activity provider to Watershed?
SCORM Cloud	
Apereo OpenLRW	

Troubleshooting

Problem	Troubleshooting Steps
Data is not being passed to the LRS	<ol style="list-style-type: none">1. Confirm that the media playback event is happening in the LMS, MediaSpace, or through a MediaSpace secureembed.2. Confirm that the endpoint, key and secret have been correctly copied from the LRS system. Make sure there are no extra spaces or characters in the configuration.