

# Hosted

Last Modified on 06/04/2020 12:01 pm IDT

Field	Description
enabled	Enables the Hosted module. This should not be changed.
enableLike	Enable the 'Like' feature for entries.
allowEditPublished	Set to No if you want to prevent users from editing entries after they have been published to a course Media Gallery or embedded using the Browse, Search and Embed module.
allowDeletePublished	Set to No if you want to prevent users from deleting entries after they have been published to a course Media Gallery or embedded using the Browse, Search and Embed module.
AllowUnpublishPublished	Set to No if you want to prevent users from setting entries to private after they have been published to a course Media Gallery or embedded using the Browse, Search and Embed Module.
enableEntryDelete	Set to No to completely prevent users from deleting entries.
enableViews	Enable showing number of views per entry.
showPageTitles	Enable showing page titles.
expandButton	Player expand button. Auto is on only if there are modules providing an entry sidebar.
manPublish	Yes. This should not be disabled. Enable publish to a list of categories - from the menu, media, and upload. Disable this if you do not have access to the list of categories.

Field/Method	Description
	Disabling this should not be disabled.
sharedRepositoryCategoryId	Enable Shared Repository.
<b>ItiRolesMapping</b>	Map each LTI role to a MediaSpace role.
ItiRole	Enter the LTI role.
kmsRole	<div style="border: 1px solid black; padding: 5px;"> privateOnlyRole ▼  anonymousRole  viewerRole  <b>privateOnlyRole</b>  adminRole  unmoderatedAdminRole </div>
kmsContextualRole	<div style="border: 1px solid black; padding: 5px;"> CONTRIBUTOR ▼  MANAGER  MODERATOR  <b>CONTRIBUTOR</b>  MEMBER  NONE </div>
allowedSharedRepository	Please click the link above to enable shared repository.
ItiUserIdAttribute	The LTI attribute to take the User ID from. If not specified, user_id will be used.
ItiOutcomeServiceURL	The LTI attribute to get the service API URL and application name.
ItiReturnUrlType	The type of the returned URL.
ItiContextIdAttribute	The LTI attribute the get the Context Id from.
ItiContextIdAttribute	If set to Yes, the relevant parameter that will be sent via KAF instances is the 'Instance ID'.
enableNativeControlsOnIpad	This field adds the necessary parameters to the player for iPad compatibility.

Field	Description
showInContextInCourseGallery	<p>Select 'Enabled:Default-No' or 'Enabled:Default-Yes' to allow managers to show all media embedded via BSE in the Media Gallery. Media Gallery managers can change this setting from the Media Gallery settings page. This feature is only available with both v2ui and eSearch enabled.</p> <p>Note: IVQ content embedded in context will not be affected by this feature and will not appear in the Media Gallery unless published to it directly.</p>