

## KMS/KAF Admin Modules

Last Modified on 09/16/2024 12:45 pm IDT

### Accessibility


Field	Description
enabled	Enable the Accessibility Module.
showContrastButton	Show a button that allows users to toggle contrast on site pages
loadMore	Navigate to the Application module to enable the load more button at the bottom of each media list.

### Addcontent module

 This article is designated for administrators.

### About

Once enabled, this module allows you to add content directly to channels and galleries from their respective pages. Disabling the module won't prevent content from being published to the category via the Media Page or My Media.

 This functionality is not available for [Theming](#) users.

### Configure

- Go to your Configuration Management console and click on the **Addcontent** module. You can also navigate to it directly using a link: [https://{{your\\_KMS\\_URL}}/admin/config/tab/addcontent](https://{{your_KMS_URL}}/admin/config/tab/addcontent).

#### Modules

Accessibility

**Addcontent**

Addtoplaylists

Adminaccess

The Addcontent page displays.

### Configuration Management

Server Tools

- Backup Configuration
- Player replacement tool

Global

- Application
- AddNew
- Auth

Categories

- Channels
- Client
- Debug
- EmailService
- EmailTemplates

#### Addcontent

**Module Info**

Description

Once enabled, this module provides the ability to add content to the channels and galleries directly from the channel/gallery page itself. Disabling this module will not prevent publishing content to the category from the Media Page or My-Media.


enabled Yes ▾ Enable the ability to add content to channels/galleries directly from the channel/category page.

Save

- Set **enabled** to 'Yes' to enable the module.
- Click **Save**.


### User experience

When enabled, the **+Add to Channel** button is displayed on the channel page.



✓ To learn more about configuring channels, visit our [Channel modules](#) category.

## Addtoplaylists module

 This article is designated for administrators.

### About


Playlists are static lists of videos that can be accessed within MediaSpace or embedded into web pages. For others to view videos in a playlist, the videos must be either unlisted or published to a MediaSpace category or channel that the viewer has permission to view.

The Addtoplaylists module is currently only supported in MediaSpace Video Portal. It provides MediaSpace users the ability to create, edit, and delete personal playlists. Admins may permit only the content owners to add content that they own to the playlist.

### Configure


#### Enable the module

**enabled** - When enabled, **Add to playlist** is displayed to users on the ACTIONS menu in a media entry page of MediaSpace. Users can click **Add to playlist** and additional functionality is displayed. See the example below.




#### allowCreation

When **allowCreation** is to **Yes**, once users click Add to playlist, in addition to being able to add the media to a playlist, they also have the option of creating a new playlist. See Create New Playlist button in the example below.




When set to **No**, the Create New Playlist button is not displayed. See the example below.




### ownerOnly

When ownerOnly is set to **Yes**, users can only add content that they own to the playlist. In our example below, a user who **is not** the content owner clicked the ACTIONS menu on the media entry page. Add to Playlist is not displayed for this user.



When set to **No**, any user can add to playlists from the media entry page, even if they are not the content owner. See Add to playlist option in example below.



Save

**Save** - Click **Save** to save your configuration settings.

For additional information, please see [Playlists](#).

### Advancedkauth

 This article is designated for administrators.

Enable this module for Registration configuration. This module is used for the login and password, reset functionality.

Field	Description
enabled	
linkExpiration	expiration (in seconds)
resetPasswordEmailTemplate	email templates as configured in the <a href="#">EmailTemplates</a> module . Use the template for the Forgot password request.
passwordConfirmEmailTemplate	email templates as configured in <a href="#">EmailTemplates</a> module. Use the yemplate for the confirmation of a password change.

### Adminaccess module

 This article is designated for administrators.


#### About

The **Adminaccess** module gives administrators greater control over which KMC users can access the Video Portal or KAF Configuration Management pages. By default, once enabled, only users with the Publisher Administrator role can access these admin pages via the “/admin” URL. However, additional configurations allow you to grant access to other KMC users as needed.

#### Configure

1. Go to your KMS or KAF Configuration Management console, and click the **Adminaccess** module. Or navigate directly using a link: [https://{your\\_KMS\\_URL}/admin/config/tab/adminaccess](https://{your_KMS_URL}/admin/config/tab/adminaccess).

#### Modules

- [Accessibility](#)
- [Addcontent](#)
- [Addtoplaylists](#)
- [Adminaccess](#) 
- [Advancedkauth](#)

The Adminaccess page displays.

## Configuration Management

**Server Tools**

- Backup Configuration
- Player replacement tool

**Global**

- Application
- AddNew
- Auth
- Categories
- Channels
- Client
- Debug
- EmailService
- EmailTemplates
- Gallery
- Header
- Languages
- Login
- MediaCollaboration
- Metadata
- Moderation
- My-media
- Navigation
- Player
- PlaylistsPage
- Recaptcha
- Search
- Security
- ShareAndSubscribe

### Adminaccess

**Module info**

Info

This module will allow the application administrator decide who can access the application admin pages using the "admin" URL. Once enabled, the access to the application admin pages will be limited to KMC users with Publisher Administrator role only. Additional configurations in this module will allow other KMC users to also be able to access.

enabled Yes Once enabled, only KMC users with Publisher Administrators roles will be able to access the application's admin pages, unless configured otherwise below.

**authorizedGroups**

Select the groups who are allowed to access this application's admin pages.

1 DELETE

Select Groups

[+ Add "authorizedGroups"](#)

**authorizedKMCRoles** Choose which of the KMC roles is authorized to access this application's admin pages.

- Manager
- Content Uploader
- Content Moderator
- Player Designer
- New Role

2. Configure the following:

**enabled**- Set to 'Yes' to restrict access to KMC users with 'Publisher / Administrator' role only. Once enabled, only those users can access the admin pages, unless configured otherwise below.

To learn more about KMC roles, visit our article [Administration pages](#).

**authorizedGroups** - Select the groups who are allowed to access this application's admin pages.

- a. Click **+Add "authorizedGroups"**.
- b. Click **Select Groups**.
- c. Enter the group name or group ID.
- d. Click **Submit**.

**authorizedGroups**

Select the groups who are allowed to access this application's admin pages.

[+ Add "authorizedGroups"](#)

**authorizedKMCRoles** Choose which of the KMC roles is authorized to access this application's admin pages.

- Manager
- Content Uploader
- Content Moderator
- Player Designer

To learn how to create and manager user groups, visit our article [Manage groups from the Video Portal or KAF Configuration Management console](#).

To delete a group from **authorizedGroups**, simply click the **Delete** button.

**authorizedGroups**

Select the groups who are allowed to access this application's admin pages.

\* DELETE

Select Groups

**authorizedKMCRoles** - To grant access to additional KMC roles, you can select from the available roles in the list, as shown in the example below.


**authorizedKMCRoles**

- Manager
- Content Uploader
- Content Moderator
- Player Designer
- New Role

To learn how to configure KMC roles, visit our article [Administration pages](#).

3. Click **Save**.

## Attachments module

 This article is designated for administrators.


### About

The Attachments module lets media owners easily attach any type of file to their media. This gives viewers the freedom to download these files before, during, or after watching, making their experience seamless and flexible.

### Configure

1. Go to your Configuration Management console, and navigate to the **Attachments** module. Your link should look like this: [https://{your\\_KMS\\_URL}/admin/config/tab/attachments](https://{your_KMS_URL}/admin/config/tab/attachments).

#### Modules

- Accessibility
- Addcontent
- Addtoplaylists
- Adminaccess
- Advancedkauth
- Attachments** 

2. In the Attachments window, configure the following:

**Attachments**

enabled	<input type="button" value="Yes"/> ▼	Enable the Attachments module.
showOnlyAttachmentType	<input type="button" value="No"/> ▼	Enabling this will cause transcript files (created by APIs for example) to not show in the attachments tab.
allowAnonymous	<input type="button" value="No"/> ▼	Enabling this will allow anonymous users to view and download attachments.


**enabled** - Set to 'Yes' to enable the module.

**showOnlyAttachmentType** - Enabling this option will hide translation files from the attachments tab.

**allowAnonymous** - Enabling this will allow anonymous users to view and download attachments.

### User experience

Entry with 'showOnlyAttachmentType' set to 'Yes'.







**Marketing Tips**  
 By Louise Szmoisz • December 21, 2022 • 155 Views

This video is a TED talk about fishery science.

Tags animals, past, fish, marine, things, lots, 60s, 70s, avatar, bay, simulation, baseline, evidence, societies, loss, generation, bottom, story, underwater, recommendation, sea

Appears in Marketing, Soft furnishing design, My new channel, Design school, Top projects

2 Attachments

 Quick user guide		 Quick user guide	
--	---	--	---

Entry with 'showOnlyAttachmentType' set to 'No'.















**Marketing Tips**  
 By Louise Szmoisz • December 21, 2022 • 155 Views

This video is a TED talk about fishery science.

Tags animals, past, fish, marine, things, lots, 60s, 70s, avatar, bay, simulation, baseline, evidence, societies, loss, generation, bottom, story, underwater, recommendation, sea

Appears in Marketing, Soft furnishing design, My new channel, Design school, Top projects

6 Attachments

 Quick user guide		 Quick user guide	
 336995802 - 1_hshj1k58 - PID 4834032.txt		 336995802 - 1_hshj1k58 - PID 4834032.json	
 336995412 - 1_hshj1k58 - PID 4834032.txt		 336995412 - 1_hshj1k58 - PID 4834032.json	

**Authbroker module**

 This article is designated for administrators.

## About

AuthBroker is a "gateway" that sits on the partner (account) level and manages authentication to Kaltura via external Identity providers (IdP). AuthBroker works with the Security Assertion Markup Language (SAML) and Open Authorization (OAuth 2.0) protocols. AuthBroker users are "shared users" (users who are shared between applications / instances in the partner).

AuthBroker works with a higher version of SAML and you no longer need to set up a new profile for each new account. You can set up profile(s) just once and easily use them in multiple applications/instances.

**⚠** To use Authbroker, you must first subscribe to the **applicationRegistry**, and have a **virtual event ID** in the **Application** module. After configuring the AuthBroker module, you must also make one configuration in the **Auth** module - set **authNAdapter** to "Kaltura Auth Broker - {name of application}" and **authZAdapter** to "Kaltura Auth Broker".

## Prerequisite

Before connecting the KMC and Event accounts to AuthBroker, you must have created a SAML profile using the steps in [Create and Manage SAML Profiles](#).

## Configure

The AuthBroker module lets you enable new authentication methods by registering with the available Auth profiles on your account. Once subscribed, ensure to set up the Auth method in the Auth module. Remember to set a main alias and register your application in the **Application** module first.

**🔔** If you don't see this module in your Configuration Management console, please **contact your account representative** to enable it.

Go to your Configuration Management console, and navigate to the **Authbroker** module. Your link should look like this: [https://{{your\\_KMS\\_URL}}/admin/config/tab/authbroker](https://{{your_KMS_URL}}/admin/config/tab/authbroker).

- Attachments
- Authbroker** ←
- Captions
- Channelplaylists
- Chapters

The Authbroker window displays.

### Authbroker

**Module Info**

**Description** This module provides the ability to enable new auth methods by registering to the available Auth profiles on the account. Once subscribed, make sure to setup the Auth method in the Auth module. You must set a main alias and register your application in the application module.

**Link To Page** [Subscription page](#)

**enabled**  **Yes** Enable the Authbroker module.

**defaultRole**  Set the default role for all users authenticated via the Auth profiles selected in this module.

**rolesMapping**

Map users to a dedicated application role, based on a value saved on the user object or user profile (based on authbroker configuration). Upon login, the application will search for a specific value in the user field of your choice, and map it to an application role. If no value is found, the default application role will be set to the user.

**DELETE**

**fieldLocation**  According to your auth profile settings, where is the IDP attribute saved on the Kaltura partner level.

**fieldName**  Enter the name of the field, on the respective object, that you're interested to rely on for mapping.

**fieldValue**  Enter the value that will map to an application role.

**applicationRole**  Select the application role that will be assigned if there's a match for the value in the field.

[+ Add "rolesMapping"](#)

**defaultGroups**

Set the default groups for all users authenticated via the Auth profiles selected in this module.

[+ Add "defaultGroups"](#)



## Enable the module

**enabled** - Set to 'Yes' to enable the module. When enabled, admins can activate new authentication methods by registering with the available Auth profiles on the account.

## Link to page

1. Click **Subscription page**. (Please note that you must **enable the module first** in order to access the Subscription page.)


## Authbroker

**Module Info**

**Description** This module provides the ability to enable new auth methods by registering to the available Auth profiles on the account. Once subscribed, make sure to setup the Auth method in the Auth module. You must set a main alias and register your application in the application module.

**Link To Page** [Subscription page](#)

The authentication profile subscription window displays. Here you can view all the authentication profiles that were created on your account in KMC.




**Authentication profile subscription**

This page provides the ability to register to any of the available auth profiles on the account. Once subscribed, please make sure to setup the auth method in the auth module.

Authentication Profile Name	ID	Status	Actions
Kino Auth Broker	6419fa228731bb91b95b6ef4	Subscribed	<input checked="" type="checkbox"/>

If there are no profiles on the subscription page, you can learn how to create them in our article [Create and manage SAML profiles](#).

2. To subscribe, just click the toggle on.



**Authentication profile subscription**

This page provides the ability to register to any of the available auth profiles on the account. Once subscribed, please make sure to setup the auth method in the auth module.

Authentication Profile Name	ID	Status	Actions
Kino Auth Broker	6419fa228731bb91b95b6ef4	Subscribed	<input checked="" type="checkbox"/>

When toggled on, your Kaltura Video Portal (aka MediaSpace) can now use that authentication profile. If a few profiles were created, you have the option to subscribe to as many as you want.

Once you have subscribed to a profile, you can configure the settings for it, as follows:

**defaultRole** - Choose a default role from the drop-down menu for all users authenticating via the authentication profile(s) selected in the subscription page:

- viewerRole
- privateOnlyRole
- adminRole
- unmoderatedAdmin

## rolesMapping

Role mapping lets you assign specific application roles to users based on their profile information, rather than only relying on a default role. With role mapping, you can link users to designated roles by setting values in their profiles. When users log in, the system checks for these values and assigns the appropriate role. If no specific value is found, it falls back to the default role.

1. Click **+Add "rolesMapping"**.  
The rolesMapping section displays.

**rolesMapping**

Map users to a dedicated application role, based on a value saved on the user object or user profile (based on authbroker configuration). Upon login, the application will search for a specific value in the user field of your choice, and map it to an application role. If no value is found, the default application role will be set to the user.

\* DELETE

fieldLocation	<input type="text" value="User object"/>	According to your auth profile settings, where is the IDP attribute saved on the Kaltura partner level.
fieldName	<input type="text"/>	Enter the name of the field, on the respective object, that you're interested to rely on for mapping.
fieldValue	<input type="text"/>	Enter the value that will map to an application role.
applicationRole	<input type="text" value="viewerRole"/>	Select the application role that will be assigned if there's a match for the value in the field.

+ Add "rolesMapping"

2. **fieldLocation** - Select where the IDP attribute is stored on the Kaltura partner level - within the **User object** or **User profile**. (An IDP attribute refers to specific information or data associated with a user's identity within an Identity Provider system. This attribute could include details such as the user's first name, last name, email address, country, or any other information relevant to their identity and access privileges.)
3. **fieldName** - Enter the name of the field you want to use for mapping the respective object, for example, 'country'.
4. **fieldValue** - Enter the value that should map to an application role, for example, 'US'.
5. **applicationRole** - Choose a role from the drop-down menu that will be assigned if there's a match for the value in the field.
  - o viewerRole
  - o privateOnlyRole
  - o adminRole
  - o unmoderatedAdmin

#### defaultGroups

Set default groups for all users authenticated via the Auth profiles selected in this module.

1. Click **+Add "defaultGroups"**.

**defaultGroups**

Set the default groups for all users authenticated via the Auth profiles selected in this module.

\* DELETE

GroupID	<input type="text"/>
---------	----------------------

+ Add "defaultGroups"

2. Type in a label, for example, 'AB\_users', so that everyone who logs in will be added to this group ID.

**useInternalLogoutPage** - Select 'Yes' or 'No' to use Kaltura's internal logout page instead of redirecting the user to the IDP once logout from the video portal has finished.

useInternalLogoutPage	<input type="text" value="Yes"/>
-----------------------	----------------------------------

If you select 'No', a window will appear prompting you to enter the URL where the user should be redirected after logging out, for example, 'video.kaltura.com/logout'.

logoutRedirectUrl	<input type="text"/>
-------------------	----------------------

Finally, click **Save** to save your configuration settings.

#### Quick start instructions for using Authbroker login

##### Pre-start

1. [Create a SAML profile in the KMC.](#)

2. Navigate to the [Application module](https://your_KMS_URL/admin/config/tab/application) ([https://your\\_KMS\\_URL/admin/config/tab/application](https://your_KMS_URL/admin/config/tab/application)). Enter a [virtual event Id](#) and subscribe to the [applicationRegistry](#).

## Step 1: Authbroker module

1. Navigate to the [Authbroker module](https://your_KMS_URL/admin/config/tab/authbroker) ([https://your\\_KMS\\_URL/admin/config/tab/authbroker](https://your_KMS_URL/admin/config/tab/authbroker)).
2. Click **Subscription page**. (Please note that you must **enable the module first** in order to access the Subscription page.)

### Authbroker


**Module Info**

**Description** This module provides the ability to enable new auth methods by registering to the available Auth profiles on the account. Once subscribed, make sure to setup the Auth method in the Auth module. You must set a main alias and register your application in the application module.

**Link To Page** [Subscription page](#)

The Authentication profile subscription page displays.


3. Next to the desired profile, click the toggle on.




4. Click **Save**.

## Step 2: Auth module

1. Navigate to the [Auth module](https://your_KMS_URL/admin/config/tab/auth) ([https://your\\_KMS\\_URL/admin/config/tab/auth](https://your_KMS_URL/admin/config/tab/auth)).
2. **authNAdapter** - set to **Kaltura Auth Broker - {name of your application}**



3. **authZAdapter** - set to **Kaltura Auth Broker**




4. Click **Save**.

To learn more about the Auth module and its capabilities, check out our article [Auth Module](#).

## Captions

Field	Description
enabled	Enable the Captions Module.
thumbnailRotator	Enable thumbnail image rotation on mouseover in the captions search results
entriesPageSize	How many entries are displayed as captions search results on each page? (The default is 10)
captionsPageSize	How many caption lines are displayed for each entry in search results? (The default is 5)
allowToggleDisplayOnPlayer	Select "Yes" to allow the user to decide whether to display the caption on the player.
allowEditCaptions	Select "Yes" to enable the Caption Editor button in the Captions tab.
maxCharsPerLine	Editor: Max char per caption line.
preventSaveOnOverlap	Editor: do not allow saving changes if there is time overlapping.

## Channelplaylists module


 This article is designated for administrators.

### About

The Channelplaylists module allows channel managers to add a playlist collection page to their channel (in addition to the media page). For the user guide, see [Create a channel playlist](#).

### Prerequisites

Setting visibility of the playlist page is done in [PlaylistPage](#) module and setting the embed capabilities of the playlist is done in [Embedplaylist](#) module.


 Be sure to disable then enable again the [embedPlaylist](#) module in order to enable a new V2 player configure and allow the playlist embed to function properly.

### Configure

#### Enable the module

**enabled** - When set to Yes, the **Home** tab is added next to the Media tab on the Channels page in the Video Portal and KAF applications. The Home tab will display the playlists in the channel.

In the example below, the Channelplaylists module is enabled and both tabs are displayed.



Name the channel playlist tab

**channelPlaylistTabName** - The title of the tab which will be added to the channel and will be presented first. In the example above, the default tab's name is presented: "Home".


### Non-configurable settings

**entriesSource** - Add media to the playlist from the channel gallery itself, from My Media, or from all entitled areas in the site. This setting is enabled by default and can't be modified.


**carouselVariableItems** - This is set to 0 by default and can't be modified.

### Choose the display

**PlaylistDisplay** - Choose to display the list of media in a channel playlist as a grid or a playlist player.

 When a user clicks 'See All', they will be taken to either the grid view or player view, depending on what you configured.

Below is an example of user being taken to **grid view**.



Click **Save** to save your configuration settings.

## Chapters

 This article is designated for administrators.

### About

The basic configuration of enable/disable is in the [Chapters](#) module in KMS or KAF Admin page.

### Chapters

enabled	<input type="button" value="Yes"/>	Enable the Chapters module.
enableFullDeck	<input type="button" value="Yes"/>	Enables the ability to upload a document / presentation file as slides.


Once **enableFullDeck** is enabled, Users can upload a full deck of slides to present alongside their media (dual-screen experience), using the timeline functionality. The supported formats are PPT, PPTX, PDF, and Images of the following types

"\*.3gp;\*.jpg;\*.jpeg;\*.bmp;\*.png;\*.gif;\*.tif;\*.tiff;\*.3GP;\*.JPG;\*.JPEG;\*.BMP;\*.PNG;\*.GIV;\*.TIF;\*.TIFF;"

### Edit Media

After you enable the module, the Timeline tab is added to the entry-edit page.

The media owner/editor can add new Chapters or Slides on the timeline through this tab by uploading an image and providing metadata text. See the article [The Kaltura Player- Editing/Deleting Chapters and Slides](#) for more information.



**Chapters** are markers on the media timeline that are used to provide context to a segment of the media. Chapters are in the top hierarchy and can include slides within them.


**Slides** are synchronized visual elements to the main media.

⚠ Note - Uploading a .pptx file created in Apple Keynote might return an error due to a security setting that has been set on Microsoft files since 07 - files whose format ends in x. Converting a file from keynote to .pptx has not undergone the security mechanism. There are three ways to overcome this:

- After converting keyNote to pptx format open the file from PowerPoint and save it.
- Converting the keyNote file to ppt format.
- Converting the keyNote file to pdf format.

## User Interaction

After chapters and slides are created, the player is displayed with a matching plugin that presents the chapters and slides view on it. The viewer sees only the extended player and not the timeline for editing. The viewer can navigate between chapters and slides inside the player view, as well as search on their text.



⚠ The minimum player version required for this module to work is v2.26.

## Comments module

Field	Description
enabled	Enable the Comments Module.
channelCommentsProfileId	Custom Metadata profile Id for channels
entryCommentsProfileId	Custom Metadata profile Id for entries
entryCommentsCountProfileId	Custom Metadata profile Id for entry comments count
commentsAllowed	Who can add comments?
pageSize	Number of comments to display
sort	Sort comments by newest or oldest first?
sortReplies	Sort replies by newest or oldest first?
allowClose	Allow content owners to disable/close comments for particular entries
showInGalleries	Enable/disable showing of comments for entries in the gallery page
showInChannels	Enable/disable showing of comments for entries in the channels page
showInChannelsOnly	Show comments on media entries to users only in the context of a channel/gallery. In this case, users will not be able to see media comments if browsing to the media from search results, my media or any other context that doesn't include the context of the channel/gallery. To enable this feature, from the KAF Admin > Comments set showInChannelsOnly to Yes.
showAddTimedCommentsCheckbox	Show Add comment at mm:ss checkbox.
showPrivateCommentsConfig	Show configuration for setting private comments per gallery/channel

## Contentpolicy module

 This article is designated for administrators.

### About

The **Contentpolicy** module lets you display a customizable policy message on media pages. On desktop view, the policy will appear as a box to the right of the media. This feature is not available on tablet or mobile views.

### Configure

1. Go to your Configuration Management console and click on the **Contentpolicy** module. You can also navigate to it directly using a link: [https://{your\\_KMS\\_URL}/admin/config/tab/contentpolicy](https://{your_KMS_URL}/admin/config/tab/contentpolicy).

[Channelplaylists](#)

[Chapters](#)

[Comments](#)

[Contentpolicy](#)

[Esupload](#)

[Customdata](#)

The Contentpolicy page displays.

## Configuration Management

**Server Tools**

- Backup Configuration
- Player replacement tool

**Global**

- Application
- AddNew
- Auth
- Categories
- Channels
- Client
- Debug
- EmailService
- EmailTemplates


### Contentpolicy

enabled	<input type="text" value="Yes"/>	Enable the Contentpolicy module.
contentPolicyText	<input type="text"/>	The content policy text will show on each entry page in the site at the top right section of the page. Use <code>[b]foo[\/b]</code> - for bold, <code>[i]foo[\/i]</code> - for italic. <a href="#">Full list here</a>

2. **enabled** - Set to 'Yes' to enable the module.
3. **ContentPolicyText** - Enter the desired text. The content policy text will be displayed on each entry page in the top right corner of the site.
4. Click **Save**.

## User experience

The content policy displays on the media page to the right of the player for users who don't have [Theming](#) enabled:



Knowledge Center SEARCH + ADD NEW LOUISE SMITH


Home Our Categories Our Products Resources Multimedia Library Contact us

Back to "Training channel" channel

Event Strategy 1 64 0

From Louise Smith March 05, 2024

The content policy displays under the player for users who have [Theming](#) enabled:



Kaltura Training Services Overview Share AI quiz generator

By Louise Smith July 12, 2024 37 Plays

By accessing this content, you agree to abide by our guidelines. Please ensure that all content is respectful, appropriate, and adheres to our community standards. Violations may result in content removal or account suspension.

Tags tags, more tags, new tags

Appears in Training channel, What's new?, Video tutorials, Shared Repository 1, Graphic novets



## Cssupload

Use this module to upload CSS files to your KMS site.


Field	Description
enabled	Enable the Cssupload Module.
bootstrap	Upload a replacement bootstrap.min.css file to the one in use by KMS. Only useable for Bootstrap based themes.
additional	Upload an additional css file to KMS to include additional classes not defined as part of the standard Bootstrap CSS file.


## Customdata module

 This article is designated for administrators.

### About


The Customdata module allows you to add metadata to media in your application in addition to the basic metadata (Name, Description, Tags).

 Learn more about how to create a metadata scheme in our article [Add Custom Metadata Schema](#).

 You will not be able to select the same profile ID selected in the SharedRepositories module.

### Configure


1. Go to your KMS or KAF admin page, and click on the **customdata** module. You can also navigate directly using a link: [https://{your\\_KMS\\_URL}/admin/config/tab/customdata](https://{your_KMS_URL}/admin/config/tab/customdata).

Comments
Contentpolicy
Cssupload
<b>Customdata</b> 
Customfavicon
Custompages
Disclaimer
Downloadmedia

2. Configure the following:


**enabled** - Set to 'Yes' to enable the module.

**profileid** - Choose the custom schema you've created in your [KMC](#) account to utilize in this application.

 Learn how to create a custom data schema in our article [Create a custom data schema](#).

**requiredFields** - Select which custom data fields are required. These fields must be filled in by users before they can publish the video.

**privateFields** - Choose the custom data fields to hide from viewers within the application. Private metadata fields will remain visible for the media owner in the 'My Media' section.

 Private custom data fields remain visible to the media owner and co-editors in the Edit Entry page.

**hiddenFiltersFields** - Select custom data fields that won't be available in search.

**showInSearchResults** - Allow custom data to be searchable.

**freeTextLabel** - Choose a customized label for free text metadata filters, which will represent all free text fields that are associated with this metadata profile.

3. Click **Save**.


## Customfavicon

MediaSpace Administrators can set a custom favicon, which is a small, iconic image that represents your website. Favicons are most often found in the address bar of your web browser, but they can also be used in lists of bookmarks in web browsers and feed aggregators. The KMS Admin can upload an image file through the faviconName field in this module.

Please visit [this Wikipedia article](#) for a complete list of supported icons file types by different browsers. Note that ICO file type is not supported.

Field	Description
enabled	Enable the Customfavicon Module.
faviconName	Click Upload and select an image file.
favviconURL	Click Reset to reset to the default file.


## Custompages module

 This article is designated for administrators.

### About

The **Custompages module** allows you to create additional site pages using template pages from the [TemplatePages module](#). With the Custompages module, you can select a template, set its URL and permissions, and publish the page.

For detailed instructions on using templates and custom pages, see our article [Create and use a template page](#).

 Applies exclusively to the Video Portal and depends on the [Theming module](#).

### Prerequisite

Before working with the **Custompages** module, you need to create at least one page in the [Templatepages](#) module. In our example below, we have created a template page called 'Example'. After you create a template page, it will be available in the **pageTemplate** drop-down menu in this module ([see below](#)).

SAVE
CANCEL

**pageName**

Enter a name for your page. This name will be presented in other modules when prompted to select a template page.

**pageTitle**  Enter a title for the page. This title will show on the browsers' tabs names.

**pageHeader**  Enter a header for the page (optional). This header will show on the top of the page.

---

**navbarSettings** Collapse

Choose a navigation header bar for your page.

**navbarType**

Choose the type of navigation bar of your page. Select the 'Site Navigation' to use the base site navigation, controlled from the [navigation](#) module. Select 'Clean Navbar' to have a simplified navigation, with only a call to action button and a custom logo.

---

**heroUnit** Collapse

Enable the hero banner to select between the hero options and show a large component at the top of the page.

**HeroType**  Add a component at the top of the page called 'Hero' Component.

---

**components**

Click the "Add Component" button to add a section to your page choosing from a list of components.

[+ Add "components"](#)

---

SAVE
CANCEL

Template page

## Configure

- Go to your Configuration Management console, and click on the **Custompages** module. You can also navigate directly using a link: [https://{{your\\_KMS\\_URL}}/admin/config/tab/custompages](https://{{your_KMS_URL}}/admin/config/tab/custompages).

Customdata
Customfavicon
<b>Custompages</b> <span style="color: red;">←</span>
Disclaimer
Downloadmedia
Editor

The module page displays.

### Custompages

**Module Info**

**Description** Once enabled, this module provides admins with the ability to create new site pages from template pages that were created in the [TemplatePages](#) module. In this module, the admin may select a template, set its URL and permissions, publish the page.

**Note** KMS only Module. Depends on the [Theming](#) module.

---

**enabled**  Enable the Custompages module.

---


**CustomPage**

Click the "Add CustomPage" button to create a new page in the site from existing template.

- Configure the following:

**enabled** - Set to 'Yes' to enable the emodule.

Click the **+ Add "CustomPage"** button to add your templatepage to the site.



A new section displays.

\* **DELETE**

---

**published** No ▾

Select if the page is published. Once published, permitted users can navigate to the page using the slug, and it will be available in the navbar when using the custom page navbar type.

---

**pageTemplate** Interiors ▾

Select the page template to be used for this page. Template pages can be created in the [TemplatePages](#) module.

---

**pageSlug**

What is the **unique** semantic **slug** for your page? (e.g. `www.yourvideoportal/<slug>`)

---

**permission** guest override ▾

Select the minimum role allowed that can access this page. Set as 'anonymousRole' to allow guests to view the page. If your KMS does not support anonymous users, choose 'guest override' to make this page public to all.

---

+ Add "CustomPage"

Set the following fields to enable your new custom page and determine its availability:

**published** - When your page is ready to be used, set the **published** field to 'Yes'. Once published, users with permission can view the page. As long as it is set to 'No', the page won't be available to any user.

**pageTemplate** - This field provides a drop-down menu of the templates you created in the templatepages module. Select the desired template page. Below you can see that the example template page we created is now in the menu:

\* **DELETE**

---

**published** No ▾

Select if the page is published. Once published, permitted users can navigate to the page using the slug, and it will be available in the navbar when using the custom page navbar type.

---

**pageTemplate** Interiors ▾

Select the page template to be used for this page. Template pages can be created in the [TemplatePages](#) module.

Interiors ▾

Interiors

Publishing

Audio

Authors

Home

Example

Interiors ▾

---

**pageSlug**

What is the **unique** semantic **slug** for your page? (e.g. `www.yourvideoportal/<slug>`)

---

**permission** guest override ▾

Select the minimum role allowed that can access this page. Set as 'anonymousRole' to allow guests to view the page. If your KMS does not support anonymous users, choose 'guest override' to make this page public to all.

---

**pageSlug** - Enter a unique semantic slug for your page. This will create a new URL in the format `https://{your_site_url}/{slug}`, for example, entering the slug 'help' will create the URL .

**pageSlug**

What is the **unique** semantic **slug** for your page? (e.g. `www.yourvideoportal/<slug>`)

Users with permission can access the page using the slug ( [see example below](#)). You can also add the page to the navigation menu. For more details, see our article [Navigation module](#).

✔ Use only alphanumeric characters without spaces. While underscores ("\_") are allowed, avoid using capital letters and spaces.

**permission** - Select the minimum role needed to access this page.

permission

Select the minimum role allowed that can access this page. Set as 'anonymousRole' to allow guests to view the page. If your KMS does not support anonymous users, choose 'guest override' to make this page public to all.

guest override ▾

guest override

anonymousRole

viewerRole

privateOnlyRole

adminRole

unmoderatedAdminRole

Specific Users / Groups

Use **anonymousRole** to allow guests to view the page if your site is set to support anonymous users (set in the [Auth module](#)). If not, choose **guest override** to make the page public.

3. Scroll to the bottom of the page and click **Save**.

Below is the final configuration:

\* DELETE

**published** Yes ▾

Select if the page is published. Once published, permitted users can navigate to the page using the slug, and it will be available in the navbar when using the custom page navbar type.

---

**pageTemplate** Example ▾

Select the page template to be used for this page. Template pages can be created in the [TemplatePages](#) module.

---

**pageSlug** example

What is the **unique** semantic **slug** for your page? (e.g. www.yourvideportal/<slug>)

---


**permission** guest override ▾

Select the minimum role allowed that can access this page. Set as 'anonymousRole' to allow guests to view the page. If your KMS does not support anonymous users, choose 'guest override' to make this page public to all.


+ Add "CustomPage"

## User experience

Page access via slug:



Page access via header menu:




### Disclaimer module

 This article is designated for administrators.

### About

Administrators can require end-users to review and accept the Terms of Agreement via a checkbox before they upload or publish content.

 Please note that displaying different disclaimer messages based on the audience's country is not supported.

### Configure

1. Go to your Configuration Management console and click on the **Disclaimer** module. You can also navigate to it directly using a link: [https://{your\\_KMS\\_URL}/admin/config/tab/disclaimer](https://{your_KMS_URL}/admin/config/tab/disclaimer).

---

[Customdata](#)


---

[Customfavicon](#)


---

[Custompages](#)


---

[Disclaimer](#)


---

[Downloadmedia](#)


---

[Editor](#)


---

[Emailnotifications](#)


---

The **Disclaimer** page displays.


## Configuration Management

Server Tools	Disclaimer	
Backup Configuration	enabled	<input type="text" value="No"/> Enable the Disclaimer module.
Player replacement tool		
Global		
Application	disclaimerProfileId	<input type="text" value="20921552"/> The disclaimer custom data profile id.
AddNew		
Auth	disclaimerField	<input type="text" value="Accepted (listType)"/> Which custom data field is required to be checked when uploading or publishing media?
Categories		
Channels		
Client	disclaimerText	Fill in the text to show in the disclaimer text box above the disclaimer checkbox. Use <code>[b]</code> / <code>[b]</code> - for bold, <code>[i]</code> / <code>[i]</code> - <a href="#">list here</a>
Debug		
EmailService		
EmailTemplates		
Gallery		
Header		
Languages		
Login		
MediaCollaboration		
Metadata		
Moderation		
My-media		
Navigation		
Player		
PlaylistPage		
Recaptcha		
Search		
Security		
SharedRepositories		
Widgets	agreeText	<input type="text" value="I agree to the above terms and co"/> Enter text to display beside the 'accepts the terms of agreements' checkbox. <small>Note: Does not apply to the theming upload page and KMSGo Mobile app.</small>
TimeAndDate		

2. Configure the following:


**enabled** - Set to 'Yes' to enable.

**disclaimerProfileId** - Enter the custom data profile ID for the disclaimer.


 See our article [Create a custom data schema](#) to learn more about creating a custom data profile.

**disclaimerField** - Specify the custom data field that must be checked when uploading or publishing media.

**disclaimerText** - Enter the text that explains the purpose of this checkbox.

 You can use BB code to format your text. You can click on the link provided or use the basic tags provided [below](#).

**agreeText** - Enter the text displayed next to the checkbox, indicating the user agrees to the terms.

 Does not apply to the Theming upload page and KMSGo Mobile app.

**displayArea** - Choose from the following options:

- **Before Upload** - Terms of agreement are shown before users can contribute content. After agreeing, the upload and other options are enabled, and the checkbox cannot be unchecked.
- **Before Publish** - Terms of agreement appear as part of the metadata on the upload and edit media screens. The checkbox can be required, preventing media from being published unless selected. Once agreed to, the checkbox becomes view-only and cannot be unchecked.

3. Click **Save**.

## Example

Below is a sample configuration and the resulting user experience.


## Configuration:

disclaimerText

Fill in the text to show in the disclaimer text box above the disclaimer checkbox. Use `[b]foo[b]` - for bold, `[i]foo[i]` - for italic. [Full list here](#)


```
[b]By uploading content to Acme Media Solutions, you agree that:[/b]
[list]
[*]You own the rights or have permission to share the content.
[*]You are responsible for the content you upload, and it must not be inappropriate or illegal.
[*]You consent to our use of your content as described in our Privacy Policy. Acme Media Solutions may use, display, and distribute your content on our platform.
[*]We reserve the right to remove content or terminate services at any time.
[/list]
```

## What the user sees before uploading content:



The screenshot shows the top navigation bar of the Knowledge Center with links for Home, Our Categories, Our Products, Resources, Multimedia Library, and Contact us. On the right, there are buttons for Resources, Create, and Search. Below the navigation bar is a grey disclaimer box containing the text: "By uploading content to Acme Media Solutions, you agree that:" followed by a bulleted list of terms. Below the disclaimer box is a checkbox with the text "By checking the box, you agree to these terms."

## Once the box is checked, the upload screen displays:



The screenshot shows the same Knowledge Center header as above. The disclaimer box is now checked, and the checkbox text is "By checking the box, you agree to these terms." Below the disclaimer box is a section titled "Upload Media" which contains a large dashed box. Inside this box is an illustration of a laptop with an upload arrow, a cactus, and a coffee cup. Below the illustration, the text reads "Drag & Drop a file here or Choose a file to upload". At the bottom of the dashed box, it says "All common video, audio and image formats in all resolutions are accepted."

## BB code tags

BB code is a simplified version of HTML that lets you format your messages without affecting page layout. Here's a list of basic BB code tags you can use to format your text:

- ✔ **Remember:**
  - Don't put spaces between the bracketed code and the text you are applying the code to.
  - The end brackets must include a forward slash (`[/list]`)



Format	Usage	Example usage
<b>Bold / italics / underline</b>	[b] [i] [u]	[b]this text is bold[/b] [i]this text is italic[/i] [u]this text is underlined[/u]
<b>Color</b>	[color=Option]value[/color]	{ color=blue}this text is blue[/color] [size=Option]value[/size] = size
<b>Size</b>	[size=Option]value[/size]	[size=+2]this text is two sizes larger than normal[/size]
<b>Alignment</b>	[left]value[/left] [center]value[/center] [right]value[/right]	[left]this text is left-aligned[/left] [center]this text is center-aligned[/center] [right]this text is right-aligned[/right]
<b>Bulleted list</b>	[list]value[/list]	[list] [*]list item 1 [*]list item 2 [/list]
<b>Font</b>	[font=Option]value[/font]	[font=courier]this text is in the courier font[/font]
<b>URL hyperlinking</b>	[url]value[/url] [url=Option]value[/url]	[url] <a href="https://knowledge.kaltura.com/help">https://knowledge.kaltura.com/help</a> [/url] [url=https://knowledge.kaltura.com/help]Knowledge Center[/url]

## Downloadmedia module

 This article is designated for administrators.

### About

Enable this module to set which media versions viewers can download from the media page.

### Configure

1. Go to your KMS or KAF admin page, and navigate to the Downloadmedia module. Your link should look like this: [https://your\\_KMS\\_URL/admin/config/tab/downloadmedia](https://your_KMS_URL/admin/config/tab/downloadmedia).

Custompages
Disclaimer
<b>Downloadmedia</b>
Editor
Emailnotifications

2. Set **enabled** to 'Yes'.

### Downloadmedia

enabled

Enable the Downloadmedia module.

3. **downloadRoles** - Select one or more roles that can use the Downloadmedia module

downloadRoles

- Owner Only
- Specific Users / Groups
- anonymousRole
- viewerRole
- privateOnlyRole
- adminRole
- unmoderatedAdminRole

Select one or more roles that can use the Downloadmedia module.

4. Click **+Add "downloadFlavors"** to configure the flavors that will be visible to the media owner to choose from.

downloadFlavors

1 DELETE

flavorId  Select a flavor which will be available to be downloaded via the native app.

name  Enter the label for the flavor.

2 DELETE

flavorId  Select a flavor which will be available to be downloaded via the native app.

name  Enter the label for the flavor.

3 DELETE

flavorId  Select a flavor which will be available to be downloaded via the native app.

name  Enter the label for the flavor.

+ Add "downloadFlavors"

5. **downloadFlavors** - You can choose as many flavors as you want from the list of the transcoding profiles. You then can name the flavors as they should be displayed to the media owner. If no name is given, the flavor default name in Kaltura is used as the default name.

downloadFlavors

1 DELETE

flavorId  Select a flavor which will be available to be downloaded via the native app.

name  Enter the label for the flavor.

The final list displayed to the media owner includes the list chosen by the admin. The flavors are set in the KMC (see [The Content Menu](#) article for more information regarding flavors.) Before proceeding, it's best to have the KMS/KAF admin confirm with the KMC admin the approved flavors for the account.

Example of **downloadFlavors** settings:

downloadFlavors

1 DELETE

flavorId  Select a flavor which will be available to be downloaded via the native app.

name  Enter the label for the flavor.

2 DELETE

flavorId  Select a flavor which will be available to be downloaded via the native app.

name  Enter the label for the flavor.

3 DELETE

flavorId  Select a flavor which will be available to be downloaded via the native app.

name  Enter the label for the flavor.

+ Add "downloadFlavors"

6. Click **Save**.


Once the module has been enabled and configured, the **Downloads** tab will be available on the [edit media page](#) (shown below). See our article [Enable media download](#) for more information.

Available Formats:  Source  
 Small  
 HD

Save

Go To Media

## Editor module

 This article is designated for administrators.

## About

The Editor module activates the [Kaltura video editing tools](#), giving users video editing capabilities directly within the platform. To create quizzes using the Kaltura video editor, please note the [Quiz module](#) must also be enabled.

## Configure

1. Go to your KMS or KAF Configuration Management console and click the **Editor** module. Or navigate directly using a link: [https://{your\\_KMS\\_URL}/admin/config/tab/editor](https://{your_KMS_URL}/admin/config/tab/editor).

### Custompages

Disclaimer

Downloadmedia

Editor 

Emailnotifications

Embed

Embedplaylist

Entrydesign

The **Editor** page displays.

## Configuration Management

Server Tools	Editor	
Backup Configuration	enabled	<input type="button" value="Yes"/> Enable the Editor module.
Player replacement tool		
Global		
Application	enableClipping	<input type="button" value="Yes"/> Should users be allowed to use the editor to clip entries?
AddNew		
Auth	enableTrimming	<input type="button" value="Yes"/> Should users be allowed to use the editor to trim entries?
Categories		
Channels	showClipAttribution	<input type="button" value="Yes"/> Should a clipped entry page contain an attribution to the original entry.
Client	clipperProfileId	<input type="text" value="19233492"/> Metadata profile ID for clipping permissions. Allows media owners & co-editors to decide whether the media is allowed to be clipped by other users.
Debug	keaPlayerId	<input type="text"/> The player ID used in Kaltura Editor Application. Player version must be v2. Leave blank to use the main player from the player module (if main player is used, make sure the main player is a v2 one).
EmailService	keaDocumentationUrl	<input type="text"/> What is the link to the custom Kaltura Editor Application documentation. Leave empty to use the <a href="#">default</a> .
EmailTemplates	keaPreviewPlayerId	<input type="text" value="52243762"/> The player ID of the preview player used in Kaltura Editor Application. Leave blank to use the main player from the player module.
Gallery	keaCustomCss	<input type="text"/> Upload CSS file. <input type="button" value="Upload CSS"/> <input type="button" value="Remove"/>
Header	downloadLocales	<input type="text"/> Download a zip file which contains all texts for all built-in locales. These can be used to create custom languages. <a href="#">Download texts for custom languages</a>
Languages	uploadCustomLanguage	<input type="text"/> Upload new custom language
Login		
MediaCollaboration		
Metadata		
Moderation		
My-media		
Navigation		
Player		
PlaylistPage		
Recaptcha		
Search		
Security		
SharedRepositories		
Widgets		
TimeAndDate		
Modules		


2. Configure the following:

**enabled** - Set to 'Yes' enable the module.

**enableClipping** - Set to 'Yes' to enable users to clip entries using the editor. If set to 'No,' the **Save a Copy** option will be disabled in the Kaltura video editor.

**enableTrimming** - Set to 'Yes' to enable users to trim entries using the editor. If set to 'No,' the **Save** option will be disabled in the Kaltura video editor.


**showClipAttribution** - Set to 'Yes' to include an attribution to the original entry on a clipped entry page.

 The showClipAttribution feature is not currently supported for [Theming](#) users.

**clipperProfileId** - Metadata profile ID for clipping permissions. You can leave this field as it is; no changes are needed.

**keaPlayerId** - Enter the player ID used in the Kaltura Editor Application. The player must be version 2 (v2). If left blank, the main player from the player module will be used. Ensure the main player is also version 2 (v2).

**keaDocumentationURL** - Enter the link to the custom Kaltura Editor Application documentation. This link will appear when users click the help button (? icon) at the bottom left of the editor (as shown below). Leave it empty to use the default documentation link.



**keaPreviewPlayerId** - Enter the player ID of the preview player used in Kaltura Editor Application. Leave blank to use the main player from the player module.


**keaCustomCss** - Upload CSS file. Uploading a custom CSS file lets you tailor the editor's appearance and functionality to match your brand. Adjust styles like colors, fonts, and layout for a consistent look and feel across your platform.

**downloadLocales** - The Kaltura video editing tools can be localized to any of the supported localization languages. You can download a zip file which contains all texts for all built-in locales. These can be used to create custom languages, as follows:

- Download the zip file (**downloadLocales**)
- Open the zip to get the .json file.
- Edit the .json file in your preferred software with the translations you want.
- For each language use the **uploadCustomLanguage** section below to upload the customized language information.

### uploadCustomLanguage

Click **+Add "uploadcustomLanguage"**.



A new field displays.

**uploadCustomLanguage**

Upload new custom language

**DELETE**

languageCode  Note that the selected language code should match an existing localized version of the application.

---

localeFile  Upload your customized .json file.

**languageCode** - Select the language code. Note that the selected language code should match an existing localized version of the application.

**localeFile** - Upload your customized .json file.

3. Click **Save**.

### Emailnotifications

This module should be enabled if you choose to get Email Notifications. For more information on how to set up notifications and the different types of notifications, see [Email Notifications](#).

Click on the dedicated page link in this screen to get to the page where you can enable the different email notification events and define the email templates for each. See the section on [Setting Email Notifications and Channel Subscriptions](#) for more information.

Field	Description
enabled	Enable the Emailnotifications module.

### Embed

 This article is designated for administrators.

### About

Embed code is used to embed Kaltura media in a website, HTML page, or any other online tool. The Embed module allows administrators to make this functionality available to users (depending on their role) through the Share tab located on the Media Page in MediaSpace and KAF applications.

### Configure

Enable the Module

**enabled** - When enabled, the Share tab **is** displayed alongside the Details tab for users on a Media page in MediaSpace and KAF applications. Users can click on the Share tab to find various sharing media options. See the example below.



### Secure Embed

**secureEmbed** - Setting secureEmbed to Yes, provides an additional layer of protection, by which users will first have to log in to view the content. Kaltura MediaSpace entitlements will be enforced on media that is embedded in external sites. When embedding restricted or private media to your sites and blogs, you will be prompted to authenticate (if not already authenticated). The media will play if a user is authorized to watch the media according to the entitlements defined in MediaSpace. Otherwise, a message will be displayed that they are not authorized to watch the media.

In the iframe embed example below, secureEmbed is set to **No**.

```
<iframe id="kaltura_player" src="http://cdnapi.kaltura.com/p/2311101/sp/231110100/embediframe/uisconf_id/40179251/partner_id/2311101?
iframeembed=true&playerId=kaltura_player&entry_id=1_3inimdwj&flashvars[streamerType]=auto&flashvars[localizationCode]=en&flashvars[leadWithHTML5]=true&a
mp;flashvars[sideBarContainer.plugin]=true&flashvars[sideBarContainer.position]=left&flashvars[sideBarContainer.clickToClose]=true&flashvars[chapters.plugin]
=true&flashvars[chapters.layout]=vertical&flashvars[chapters.thumbnailRotator]=false&flashvars[streamSelector.plugin]=true&flashvars[EmbedPlayer.SpinnerTarget]=videoHolder&flashvars[dualScreen.plugin]=true&flashvars[EmbedPlayer.SpinnerTarget]=videoHolder&flashvars[dualScreen.plugin]=true&wid=1_n19vrlr" width="400" height="285" allowfullscreen webkitallowfullscreen mozAllowFullScreen
frameborder="0" title="Kaltura Player"></iframe>
```

In the iframe embed example below, secureEmbed is set to **Yes**.

```
<iframe id="kmseembed_1_3inimdwj" width="400" height="285" src="http://2311101.mediaspace.kaltura.com/embed/secure/iframe/entryId/1_3inimdwj/uiConfId/40179251?
flashvars[streamerType]=auto&flashvars[localizationCode]=en&flashvars[leadWithHTML5]=true&flashvars[sideBarContainer.plugin]=true&flashvars[sideBar
Container.position]=left&flashvars[sideBarContainer.clickToClose]=true&flashvars[chapters.plugin]=true&flashvars[chapters.layout]=vertical&flashvars[chap
ters.thumbnailRotator]=false&flashvars[streamSelector.plugin]=true&flashvars[EmbedPlayer.SpinnerTarget]=videoHolder&flashvars[dualScreen.plugin]=true&am
p;" class="kmseembed" allowfullscreen webkitallowfullscreen mozAllowFullScreen frameborder="0" title="Kaltura Player"></iframe>
```

As you can see from the above examples, when secureEmbed is set to **No**, the iframe embed code displays a direct link to the media. When secureEmbed is set to **Yes**, the iframe embed code displays a direct link to **MediaSpace** which requires the user to enter login credentials to view the content.

For additional information about this feature, see [Enhanced Settings for Secure Embed in KMS/KAF](#).

If secureEmbed is set to **Yes**, additional functionality is displayed.

**Additional Functionality for Secure Embed**

**autoRedirect -**

Select **Yes** to automatically redirect the user to the SSO login page in case the user is not authenticated with MediaSpace. (If the user is globally authenticated, they will be auto-authenticated by MediaSpace and then redirected back to the page with the video.) In the example below, the user is not globally authenticated, therefore the Sign In page displays.

### Kaltura Training Sign In


User ID

Password

Sign in


[Forgot Password](#)
[Cancel](#)

Select **No** to display a message to the user so that the user can manually select when/whether to re-authenticate. In the example below, the user has not been automatically redirected and must manually click "Click here to login" to log in to MediaSpace.



**autoRedirectiframe -**


When autoRedirect is set to **Yes** and autoRedirectiframe is set to **No** (default), the redirect for authentication will use the top browser window.




When `autoRedirect` is set to **Yes** and `autoRedirectIframe` is set to **Yes**, the redirect will occur in the iframe.



**autoRedirectMessageHTML** - HTML text to display while the user is auto-redirected to the login page. In the example below, the HTML text was set to "Please login with your MediaSpace credentials."




**notAuthenticatedHTML** - HTML text (may include links) to display inside the iFrame if `autoRedirect` is set to No. In the example below, the HTML text was set to "Not authenticated".



**notAuthorizedHTML** - HTML text (may include links) to display inside the iFrame in case Kaltura Entitlement authorization fails.


In the example below, the HTML text was set to "You are not authorized to view this media". The user was prompted to log into KMS and authentication was successful, but upon doing so, was unable to access the media because the user did not have the authorization to view the media.




Note: If you wish to further restrict users from viewing media in KMS, you may consider disabling allowAnonymous in the [Auth module](#).

**noCategoryEmbedAccessHTML** - HTML text (may include links) to display inside the Embed tab of an entry page accessed not via a category/channel/gallery when requireCategoryContext is set to **Yes**.

In the example below, requireCategoryContext was set to **Yes** and the user did not access the entry page via a category/channel/gallery. In other words, the user attempted to grab an embed of an entry from a category/channel that prevents embed grabbing. The HTML text was set to that shown in the orange shaded box.



**noCategoryPlayAccessHTML** - HTML text (may include links) to display inside the iFrame when category-level embed grab and play are disabled for the category/gallery from where embed was originally grabbed, and/or when requireCategoryContext is set to **Yes** and a (legacy) secured embed is missing a category context. In the example below, the HTML text was set to "Playback of this content is only allowed on its original publishing destination. Please contact owner or support".



**overrideCSSURL** - URL to an alternate Cascading Style Sheet (CSS) to allow a customer to customize the iFrame design to fit the corporate style guide.

**categoryLevelEmbed** - Allow KMS category/channel (or KAF course gallery) managers to prevent grabbing and playing embed content from a specific category. Depends on CategoryEmbed/ChannelEmbed modules. For more information see [Enhanced Settings for Secure Embed in KMS/KAF](#).

**requireCategoryContext** - Set to **Yes**, in conjunction with categoryLevelEmbed set to **Yes**, to make sure embeds are only grabbed from category/gallery contexts. Grabbing an embed from a regular (context-less) entry page will not be allowed. NOTE:




Setting this to **Yes** will cause secured embeds that lack a category context to stop authorizing playback. The `requireCategoryContext` field should only be enabled for customers not already using the `secureEmbed` feature. Otherwise, secured embeds already embedded will play content that was previously accessible. Again, for more information see [Enhanced Settings for Secure Embed in KMS/KAF](#).

### Allow/Restrict Sharing Using iFrame

**allowEmbedIframeShare** - Allow/Restrict sharing using iFrame. This configuration is only supported for non-v2 supported players. When `allowEmbedIframeShare` is set to No, the option to choose iFrame embed is eliminated.

### Enable/Disable Responsive Sizing

**embedResponsiveness** - Enable/Disable the 'Responsive Sizing' option in the embed view. When enabled, the Responsive Sizing toggle button is displayed on the Share > Embed tab.



The screenshot shows the 'Embed' configuration interface. At the top, there are tabs for 'Link to Media Page', 'Embed', and 'Email'. Below the tabs is a code editor containing HTML attributes for the embed, such as `allowfullscreen`, `autoplay`, and `width:100%`. Underneath the code editor, there are several settings sections: 'Start & End Time' with input fields for start and end times; 'Player Skin' with two preview thumbnails; 'Maximum Player Size' with three size options (608x402, 400x285, 200x2); and 'Responsive Sizing' with a toggle switch that is currently turned on and highlighted by a red box.

### Select the User Roles Allowed to Embed

**embedAllowed** - Select one or more roles that can use the Embed functionality. In the following example, `viewerRole`, `privateOnlyRole`, `adminRole`, and `unmoderatedAdminRole` are all allowed to use the Embed functionality.

- embedAllowed**
- Owner Only
  - Co-Editor
  - Co-Publisher
  - Specific Users / Groups
  - anonymousRole
  - viewerRole
  - privateOnlyRole
  - adminRole
  - unmoderatedAdminRole


### Define Skins For the Embedded Players

**embedSkins** - Define skins that can be used for embedded players. When configured, the Player Skin options are displayed on the Share > Embed tab.

Link to Media Page **Embed** Email

```
class="kmembed" allowfullscreen webkitallowfullscreen mozAllowFullScreen allow="autoplay "; fullscreen "; encrypted-media ""
referrerPolicy="no-referrer-when-downgrade" sandbox="allow-forms allow-same-origin allow-scripts allow-top-navigation allow-pointer-lock
allow-popups allow-modals allow-orientation-lock allow-popups-to-escape-sandbox allow-presentation allow-top-navigation-by-user-
activation" frameborder="0" title="Kaltura Player" style="position:absolute;top:0;left:0;width:100%;height:100%"></iframe></div></div>
```

Start & End Time:  Start at 00:00:00  End at 00:00:00

Player Skin: 

Maximum Player Size:  608x402  400x285  200x2

Responsive Sizing:

### Additional Information on Skins

**name** - What is the name of the skin? The skin name is displayed when the user selects an embedded skin.

**imgFile** - What is the relative path to the image file on the server? The image file represents how the skin looks.

**uiConfId** - What is the numerical value of the player ID to use in the embed code?

### Define Sizes For the Embedded Players


**embedSizes** - Define sizes that can be used for embedded players. Define the player size in the following format: {width}x{height}

- large 608x402
- medium 400x285
- small 304x231

Link to Media Page **Embed** Email

```
class="kmembed" allowfullscreen webkitallowfullscreen mozAllowFullScreen allow="autoplay "; fullscreen "; encrypted-media ""
referrerPolicy="no-referrer-when-downgrade" sandbox="allow-forms allow-same-origin allow-scripts allow-top-navigation allow-pointer-lock
allow-popups allow-modals allow-orientation-lock allow-popups-to-escape-sandbox allow-presentation allow-top-navigation-by-user-
activation" frameborder="0" title="Kaltura Player" style="position:absolute;top:0;left:0;width:100%;height:100%"></iframe></div></div>
```

Start & End Time:  Start at 00:00:00  End at 00:00:00

Player Skin: 

Maximum Player Size:  608x402  400x285  200x2

Responsive Sizing:

### Save

**Save** - Click **Save** to save your configuration settings.

For the user manual, please see [Share & Embed Media Via Media Page](#).

### Embedplaylist

 This article is designated for administrators.

## About

The embedplaylist module allows you to control the embed capabilities for the playlist, available on the Playlist Details page under the "Share and Embed" button.

⚠ This module is only relevant for MediaSpace, not for KAF applications.

⚠ The players must contain the Playlist plugin available in the KMC Studio.

⚠ If no player is selected, the default Playlist player will be used. See [PlaylistPage](#).

## Configure

### Enable the Module

**enabled** - When the embedplaylist module **is** enabled, the Share & Embed button/tab **is** displayed to users under the My Playlist Page, the Playlist Edit page, and the Playlist Media Page. See the examples below.

### My Playlists Page




#### October Playlist

Updated October 05, 2022

[Playlist Details](#)




### Playlist Edit Page




#### New Playlist

Created by Tal Binder • 2 Items • Updated October 20, 2022

[Watch Now](#) [Share & Embed](#) [Edit](#)



### Playlist Media Page



## Secure Embed

**secureEmbed** - Setting secureEmbed to Yes, provides an additional layer of protection, by which users will first have to login to view the content. MediaSpace entitlements will be enforced on media that is embedded in external sites. When embedding restricted or private media to your sites and blogs, you will be prompted to authenticate (if not already authenticated). If a user is authorized to watch the media according to the entitlements defined in MediaSpace, the media will play. Otherwise, a message will be displayed that they are not authorized to watch the media.

In the iframe embed example below, secureEmbed is set to **No**.

```
<iframe id="kaltura_player" src="http://cdnapi.kaltura.com/p/2311101/sp/231110100/embed/frame/ui/conf_id/40179251/partner_id/2311101?
iframeembed=true&playerId=kaltura_player&entry_id=1_3inimdwj&flashvars[streamerType]=auto&flashvars[localizationCode]=en&flashvars[leadWithHTML5]=true&
mp;flashvars[sideBarContainer.plugin]=true&flashvars[sideBarContainer.position]=left&flashvars[sideBarContainer.clickToClose]=true&flashvars[chapters.plugin]
=true&flashvars[chapters.layout]=vertical&flashvars[chapters.thumbnailRotator]=false&flashvars[streamSelector.plugin]=true&flashvars[EmbedPlayer.SpinnerTarget]
=videoHolder&flashvars[dualScreen.plugin]=true&flashvars[streamSelector.plugin]=true&flashvars[EmbedPlayer.SpinnerTarget]=videoHolder&flashvars[dualScreen.plugin]=true&am
p;" class="kembed" allowfullscreen webkitallowfullscreen mozAllowFullScreen frameborder="0" title="Kaltura Player"></iframe>
```

In the iframe embed example below, secureEmbed is set to **Yes**.

```
<iframe id="kembed-1_3inimdwj" width="400" height="285" src="http://2311101.mediaspace.kaltura.com/embed/secure/iframe/entryId/1_3inimdwj/uiConfId/40179251?
flashvars[streamerType]=auto&flashvars[localizationCode]=en&flashvars[leadWithHTML5]=true&flashvars[sideBarContainer.plugin]=true&flashvars[sideBar
Container.position]=left&flashvars[sideBarContainer.clickToClose]=true&flashvars[chapters.plugin]=true&flashvars[chapters.layout]=vertical&flashvars[chap
ters.thumbnailRotator]=false&flashvars[streamSelector.plugin]=true&flashvars[EmbedPlayer.SpinnerTarget]=videoHolder&flashvars[dualScreen.plugin]=true&am
p;" class="kembed" allowfullscreen webkitallowfullscreen mozAllowFullScreen frameborder="0" title="Kaltura Player"></iframe>
```

As you can see from the above examples, when secureEmbed is set to **No**, the iframe embed code displays a direct link to the media. When secureEmbed is set to **Yes**, the iframe embed code displays a direct link to **MediaSpace** which requires the user to enter login credentials to view the content.


For additional information about this feature, see [Enhanced Settings for Secure Embed in KMS/KAF](#).

If secureEmbed is set to **Yes**, additional functionality is displayed.


### Additional Functionality for Secure Embed

#### autoRedirect -

Select **Yes** to automatically redirect the user to the SSO login page in case the user is not authenticated with MediaSpace. (If the user is globally authenticated, they will be auto authenticated by MediaSpace then redirected back to the page with the video.) In the example below, the user is not globally authenticated, therefore the Sign In page displays.


The image shows a sign-in form titled "Kaltura Training Sign In". It features two input fields: "User ID" and "Password". Below the password field is a teal "Sign in" button. At the bottom left, there is a link for "Forgot Password", and at the bottom right, there is a "Cancel" link. The background is light gray.

Select **No** to display a message to the user so that the user can manually select when/whether to re-authenticate. In the example below, the user has not been automatically redirected and must manually click "Click here to login" to login to MediaSpace.



**autoRedirectIframe** -


When autoRedirect is set to **Yes** and autoRedirectIframe is set to **No** (default), the redirect for authentication will use the top browser window.



When autoRedirect is set to **Yes** and autoRedirectIframe is set to **Yes**, the redirect will occur in the iframe.



**autoRedirectMessageHTML** - HTML text to display while the user is auto-redirected to the login page. In the example below, the HTML text was set to "Please login with your MediaSpace credentials."



**authorizedForSubsetHTML** - HTML text (may include links) to display inside the iFrame if a user is only allowed to a subset of the playlist content due to entitlements. In the example below, the HTML text was set to "You are only authorized to access a subset of the original playlist."

You are only authorized to access a subset of the original playlist.

**notAuthenticatedHTML** - HTML text (may include links) to display inside the iFrame if autoRedirect is set to No. In the example below, the HTML text was set to "Not authenticated".

Not authenticated

[Click here to login](#)

**notAuthorizedHTML** - HTML text (may include links) to display inside the iFrame in case Kaltura Entitlement **authorization** fails.

In the example below, the HTML text was set to "You are not authorized to view this media". The user was prompted to log into KMS and authentication was successful, but upon doing so, was unable to access the media because the user did not have authorization to view the media.

You are not authorized to view this media

Note: If you wish to further restrict users from viewing media in KMS, you may consider disabling allowAnonomous in the [Auth module](#).

**overrideCSSURL** - URL to an alternate Cascading Style Sheet (CSS) to allow a customer to customize the iFrame design to fit corporate style guide.

#### Select the User Roles Allowed to Embed Playlists

**playlistEmbedAllowed** - Select one or more roles that can use the Embed Playlist functionality.

- playlistEmbedAllowed
- Specific Users / Groups
  - viewerRole
  - privateOnlyRole
  - adminRole
  - unmoderatedAdminRole

#### Allow Users to Embed Channel Playlists

**channelPlaylistEmbedAllowed** - Select **Yes** to allow users to embed channel playlists. Select **No** if you would rather users not be allowed to embed channel playlists.

#### Select the Embed Types

**embedType** - Select the embed types that a user can use when embedding a playlist.

- embedType
- Iframe Embed
  - Dynamic Embed
  - Auto Embed

In the example above, the Admin has allowed the user to select from all three embed types when embedding a playlist. Therefore, the following three options are displayed to the user on the Share and Embed window.

#### Embed Settings:

Choose Player	Vertical Player
Max Embed Size	400x620
Embed Type	IFrame
Auto Play	<input checked="" type="checkbox"/>
	<iframe src="https://www" data-bbox="131 251 238 263" style="border: 1px solid gray;">

IFrame   
 Dynamic   
 Auto

#### Set the Players Used to Embed Playlists

**players** - Set the player(s) a user can use to embed playlists, vertical and/or horizontal. The first player in the list is used as the default player.

Add additional players by clicking the blue **+ Add "players"** button.

Delete players by clicking the red **DELETE** button.

**playerDisplayName** - Type a player name that displays to users.

In the example below, the Admin has allowed the user to select from two players when embedding a playlist - a Vertical player named "Vertical Player" or Horizontal player named "Horizontal Player". Therefore, the following two options are displayed to the user in the Share and Embed page.

#### Embed Settings:

Choose Player	Vertical Player
Max Embed Size	Vertical Player <input checked="" type="checkbox"/> Horizontal Player <input type="checkbox"/>
Embed Type	IFrame <input checked="" type="checkbox"/>
Auto Play	<input type="checkbox"/> Off
	<iframe src="https://www.kaltura.com/p/4353783/sp/4353" data-bbox="131 578 381 590" style="border: 1px solid gray;"/> <a data-bbox="633 1301 708 1321" href="#">Copy Embed</a>

**playerId** - Type the player ID found in the KMC studio.

**embedSizes** - Select the embed sizes for the player.

In the example below, the Admin is only giving the user one option for Max Embed Size - 400X620.

#### Embed Settings:

Choose Player	Vertical Player
Max Embed Size	400x620
Embed Type	400x620 <input checked="" type="checkbox"/>
Auto Play	<input type="checkbox"/> Off
	<iframe src="https://www.kaltura.com/p/4353783/sp/4353" data-bbox="131 804 381 816" style="border: 1px solid gray;"/> <a data-bbox="633 1807 708 1827" href="#">Copy Embed</a>

**embedSizeCustom** - Type a custom embed size ("width"x"height" in pixels).

Add additional custom embed sizes by clicking the blue **+ Add "embedSizeCustom"** button.


Delete custom embed sizes by clicking the red **DELETE** button.

## Save

**Save** - Click **Save** to save your configuration settings.


For the user manual, please see [Share & Embed Media Via Media Page](#).

## Entrydesign module

 This article is designated for administrators.

## About

The **Entrydesign** module allows media owners and co-editors to modify the styling of a specific media page.

 This module is designated for Kaltura Video Portal and KAF applications.

## Configure

1. Go to your Configuration Management console, and click on the **Entrydesign** module. You can also navigate directly using a link: [https://{your\\_KMS\\_URL}/admin/config/tab/entrydesign](https://{your_KMS_URL}/admin/config/tab/entrydesign).

Emailnotifications

Embed

Embedplaylist

**Entrydesign**

Facebook

Footer

The Entrydesign page displays.

## Configuration Management

**Server Tools**

- Backup Configuration
- Player replacement tool

**Global**

- Application
- AddNew
- Auth
- Categories
- Channels
- Client
- Debug
- EmailService
- EmailTemplates
- Gallery
- Header
- Languages
- Login
- MediaCollaboration
- Metadata
- Moderation
- My-media
- Navigation
- Player
- PlaylistPage
- Recaptcha
- Search
- Security
- SharedRepositories

### Entrydesign

**Module Info**

Name	Entry Design	
Description	Enable the entryDesign Module to allow media owners and co-editors to specify look and feel of the entry view page.	

enabled  Enable the Entrydesign module.

entryDesignRole  Roles that are allowed to theme entries

**players**


Fill in the player ID and player display name you wish to allow the users to use in the entry page. If no Player ID is filled, the site's default player will be used.

1	<b>DELETE</b>		
		playerDisplayName <input type="text" value="video"/>	Player Display Name
		playerid <input type="text" value="50952692"/>	The Player ID for the player showing in the 'Display' tab in the edit media page
		entryType <input type="text" value="Video"/>	Entry Type

2. Configure the following:

**enabled** - Set to 'Yes' to enable the module. When enabled, the **Display** tab is added to the editing capabilities on the [edit media page](#), as shown below:





**entryDesignRole** - Decide which roles are allowed to design media pages. Choose from the options in the drop-down menu:

- specific users or groups
- privateOnly
- admin role
- unmoderatedAdmin role

### players

In this section you can add players you want users to use on the entry page. If none is provided, the site's default player will be used.


1. Click **+Add "players"**.
2. An additional section displays.
3. **playerDisplayName** - Enter a name for the player.
4. **playerId** - Enter the player ID for the player that shows in the **Display** tab on the edit media page.
5. **entryType** - Select an entry type from the options in the drop-down menu:
  - Video
  - Audio
  - Quiz
  - Image
  - Webcast/Live
  - Rapt media

Continue to add players as desired by clicking **+Add "players"**.

**showEmbedPlayerOption** - Select the player behavior with the embed and default players. Choose from the options in the drop-down menu:

- **Force Entrydesign Player in Embed Code** - If selected, the Entrydesign player will be used in the embed code of the Share tab. Players designated in the Embed module will be overridden.
- **Use Embed Module Players** (default) - If selected, the Embed player will be used in the embed code of the Share tab. Players designated in the Entrydesign module will be overridden.
- **User Selects** - If selected, in case a player is set for the corresponding entry type in the Entrydesign module, the owner/co-editor will see additional fields to select the "Entry Player" and a tickbox "Set as Embed Player". Players designated in the Embed module will be overridden.

If you choose **User Selects**, a button called **Set as Embed Player** displays on the Display page under the player selection, as shown below:




**allowedElements** - Select which elements are displayed for the media owners to control. Choose from the following options:

- Sidebar
- Entry properties
- Entry tabs
- Comments
- Header
- Header logo
- Footer


Media owners will be able to choose which of these elements to display or remove. For more information on each option, see our article [Customize media display](#).

In our example below, the Administrator has chosen to provide users control of showing the sidebar, comments, and footer. The user has chosen to show all three elements on the page with the video (all three are checked).



**allowCSS** - Set to 'Yes' to allow the entry owner to use CSS to change the look and feel of the page. If enabled, this option displays to the user on the Edit Entry page as follows.

**allowLogoChange** - Set to **Yes** to allow the entry owner to set a new logo for KMS when viewing the entry. If enabled, this option displays to the user on the Edit Entry page as follows.



**showLastArchived** - Set to 'Yes' to allow live entry owners to customize the default setting, enabling a link to the last archived

video at the top of the live page.

3. Click **Save** to save your configuration settings.

## Facebook module

 This article is designated for administrators.

### About


This module allows metadata tags like the thumbnail, entry name, description, and URL to display in posts on platforms like Facebook, LinkedIn, and MS Teams. Without this module, pasting a Kaltura media page URL in a social media post will only show the URL, not the rich content.

### Prerequisites

- Your Kaltura representative must disable **Default Entitlement Enforcement** in the Admin Console.
- To share an entry, make sure it is published to an open category (gallery) or set as 'unlisted'. Please note that if the entry is published to a channel that requires authentication, it will not play. To learn about publishing entries, visit our article [Publish media](#).

### Step 1: Configure the Embed module

1. Go to your Configuration Management console, and navigate to the **Embed** module. Your link should look like this:  
`https://{your_KMS_URL}/admin/config/tab/embed`.



The embed module page displays.

### Embed

enabled	<input type="button" value="Yes"/>	Enable the Embed module.
secureEmbed	<input type="button" value="No"/>	Use secure embed
allowEmbedIframeShare	<input type="button" value="Yes"/>	Allow/Restrict sharing using 'iframe'. This configuration is only supported for non v2 supported players
embedResponsiveness	<input type="button" value="Yes"/>	Enable/Disable 'Responsive Sizing' option in the embed view.
embedAllowed	<input type="checkbox"/> Owner Only <input type="checkbox"/> Co-Editor <input type="checkbox"/> Co-Publisher <input type="checkbox"/> Specific Users / Groups <input type="checkbox"/> anonymousRole <input checked="" type="checkbox"/> viewerRole <input checked="" type="checkbox"/> privateOnlyRole <input checked="" type="checkbox"/> adminRole <input checked="" type="checkbox"/> unmoderatedAdminRole	Select one or more roles that can use the Embed module.
embedDisplay	<input type="button" value="Show"/>	Show or hide the ability for users to grab embed code from the share modal. Note: This field is only relevant for the media page theming based page.

2. In the **secureEmbed** field, select 'No' from the dropdown.
3. Scroll to the bottom of the page and click **Save**.

### Step 2: Configure the Auth module

1. Select **Auth** from the panel on the left of the Configuration Management console.

## Global

- Application
- AddNew
- Auth ←
- Categories
- Channels
- Client
- Debug

The Auth module page displays.

## Auth

**Module Info**

**Info**

The Auth module controls the way users login to KMS.

- Default login is set to Kaltura Authentication.
- To enable SAML authentication, please refer to [the SAML module](#).
- To enable the multiple types of authentication methods, use the 'enableMultiAuth' field.
- To assist end users that have checked "Remember My Selection" and would like to change their login method, ask them to navigate to [this URL](#) or have them clear their browser's cookies.

To read more, please see the [KMS documentation](#).

demoMode	<input type="text" value="No"/>	Enable the demo login mode? After entering any user or password combination, the user has an admin role.
showLogin	<input type="text" value="Yes"/>	Show login / logout menu on site header
phUser	<input type="text"/>	user ID alternate field placeholder
phPwd	<input type="text"/>	password alternate field placeholder
phLoginInstruction	<input type="text"/>	login instructions
enableMultiAuth	<input type="text" value="Yes"/>	Enable Multi-Auth
multiAuthWelcome	<input type="text" value="Welcome to MediaSpace"/>	welcome text to show on login selection page
multiAuthSelect	<input type="text" value="Please choose one of the login op"/>	text to show on login selection page

2. In the **allowAnonymous** field, select 'Yes'.

allowAnonymous	<input type="text" value="Yes"/>	
----------------	----------------------------------	--

3. Scroll to the bottom of the page and click **Save**.

### Step 3: Configure the Facebook module

1. Select **Facebook** from the panel on the left of the Configuration Management console.

- Embedplaylist
- Entrydesign
- Facebook ←
- Footer
- Grouppage

The Facebook module page displays.

## Facebook


enabled	<input type="text" value="Yes"/>	Enable the Facebook module.
fPlayerId	<input type="text" value="52508342"/>	What is the player ID (uiConf ID) of the player that plays videos on Facebook?
useHighestQuality	<input type="text" value="Yes"/>	Use the best quality flavor that can be played in Facebook
siteDescription	<input type="text" value="Log into Kaltura's Video Portal"/>	Enter the text to send on the 'og:description' property for the shared link for non-player pages.
shareImageUri	<input type="text"/>	Enter a link to an image you would like to be used when users share content for non-media pages (such as home page). Leave empty to use the site logo.

### 2. Configure the following:


- **enabled** - Set to 'Yes'.
- **fPlayerID** - Enter the player ID ([uiConf ID](#)) of the player that will play your media on Facebook. The player ID can be found in the Player Studio. Click [here](#) to go to the Player Studio.
- **useHighestQuality** - Select **Yes** or **No** from the dropdown, depending on if you want the media to be played in the highest quality available.
- **siteDescription** - Enter the text to send on the 'og:description' property for the shared link for non-player pages. 'OG' stands for Open Graph, a protocol used by social media platforms to extract and display rich information from web pages. The og property specifically allows you to set a description that will appear when the page is shared on social media.
- **shareImageURL** - Type in the link of an image you would like to use when users share content to non-media pages (such as the homepage). Leave this field empty to use the site logo.

### 3. Click **Save**.

Below is an example of a shared link with text and logo.




## Footer

 This article is designated for administrators.

### About

Use the Footer module to create and configure your site's footer. The Footer module is replacing the basic footer that was available in the [Application](#) module and once enabled, all the previous footer configuration values are overridden.

 Note: This is a KMS-only module that depends on the [Theming](#) module.

### Related modules

- [Theming](#)
- [Application](#)

### Getting started

**enabled** - Set the enabled field to Yes to enable the Footer module.

#### Basic UI - Logo Selection and Display

**showLogo** - Select one of the following options:

- **No** - do not display a logo on the footer.
- **Use header's logo** - select to display the same logo that is taken from the [Header](#) module.
- **Upload your own** - select to upload a custom logo file for the footer. recommended 132px x 32px. Enter the logo URL in the footerLogo field.

**logoAltText** - The configuration options are:

- If you insert an image file in the footerLogo' field, you may enter alternate text for the tag's 'alt' attribute;
- If you enter 'false' or an empty string in the 'footerLogo' field, you must enter text for the page image.

**logoLink** - The options for defining the behavior when clicking the logo are:

- Enter 'false' if you do not want the logo to be clickable.
- Enter 'home' to display the home page (displayed when MediaSpace opens).
- Enter a full URL (starting with http://) to open a different page in a new browser window/tab.

## Basic footer configuration

**bottomText** - Enter plain text for the bottom part of the footer. Leave empty to set the section as plain text

**backgroundUpload** - use to set a custom banner at the bottom of the page. Recommended 2160px w / 404px h. The image will be aligned to the bottom right of the footer, allowing for atmospheric transparent images to be added.

**backgroundColor** - use to setup a different color for the footer background. Make sure the color is compliant with the accessibility standards.

## Social Links


Use the **socialLinks** section to add links to your social network pages in the form of icons to the right of the footer.

Click **+AddSocialLinks** to expand this section.

**Type** - Select one of the following social networks from the drop down menu.


**URL** - Enter the URL for the social network.

Add values for each social network you want to display in your site's footer, using these fields.



The screenshot shows a configuration form titled "socialLinks" with the instruction "Add your social links below. To remove this section, leave all the links empty". It contains three rows, each with a "DELETE" button, a "type" dropdown menu, and a "url" text input field. The first row is for Twitter with the URL "https://twitter.com/kaltura". The second row is for Facebook with the URL "facebook.com/kaltura". The third row is for Slack.

An example footer:



## Text and Links

**textAndLinksSeparator** - Choose a separator for the texts. Leave empty to use the default bullet style '•'.

Use the **textAndLinks** section to add text and links separated by a divider to the left side of the footer.

You may add simple text, links, and even scripts.

- **sectionText** - Enter the text for the clickable item.
- **sectionType** - Select if this clickable item is a URL or a Script.
- **sectionLink** - Enter a URL or a Script for the clickable item. Leave empty to set the section as plain text. For script, please add the script directly e.g. `console.log('hi');alert('what?')`

Add values for each text or link you want to display in your site's footer, using these fields.

**textAndLinks**

Add links or scripts in the form of a clickable text to the footer.

1 **DELETE**

sectionText	<input type="text" value="Privacy"/>	Enter the text for the clickable item.
sectionType	<input type="text" value="URL"/>	Select if this clickable item is a URL or a Script.
sectionLink	<input type="text" value="https://us.kaltura.com/privacy/?trk"/>	Enter a URL or a Script for the clickable item. Leave empty to set the section as plain text. For script, please add the script directly e.g. console.log('hi');alert('what?')

**bottomText**

Use the **bottomText** field to add a one line below the **textAndLinks** elements.

bottomText	<input type="text" value="© 2022, Kaltura Inc. or its affiliates"/>	Enter plain text for bottom part of the footer. Leave empty to set the section as plan text
------------	---	---

## Additional features

### Promotional section

A promotional section may be added, by setting **promotionSection** field to YES. When set to Yes, fill in the fields with the desired text and link, to display the new section.

promotionSection	<input type="text" value="Yes"/>	If enabled, a promotion section will be available above the footer.
promotionHeader	<input type="text" value="Sign Up Today"/>	Enter the header text for the promotion section.
promotionText	<input type="text" value="Make sure to sign-up to May's fun"/>	Enter the main text for the promotion section. (HTML markup supported).
promotionButtonText	<input type="text" value="Learn More"/>	Enter the text for the promotion button.
promotionButtonUrl	<input type="text" value="https://maysignup.kaltura.com/tod"/>	Enter the URL for the promotion button.


**promotionHeader** - Enter the main text for the promotion section. (HTML markup supported).

**promotionText** - Enter the main text for the promotion section. (HTML markup supported).

**promotionButtonText** - Enter the text for the promotion button.

**promotionButtonUrl** - - Enter the URL for the promotion button.

The results:



### Exclude footer from page

You can exclude the footer from different pages on the site from the **exceptions** section. This can be used to hide the entire footer or just the promotion section from any page.

In the following example, the site is configured so that it does not display the promotional section on the registration page, and does not display the footer on the login page.

**exceptions**

set footer options for specific pages

**1** DELETE

url  Set the URL to which this exception should be applied

---

showFooter  Choose if you would like to show the footer on this page

---

showPromotionSection  Choose if the promotion section should show on this page

**2** DELETE

url  Set the URL to which this exception should be applied

---

showFooter  Choose if you would like to show the footer on this page

+ Add "exceptions"

To set footer options for specific pages

**URL** - Set the URL to which this exception should be applied.


**showFooter** - Choose if you want the footer to be displayed on this page. When set you Yes you may also configure whether to hide or display the promotion.

## GroupPage module


 This article is designated for administrators.

### About

Once enabled, this module allows you to create a dedicated 'group page' where users from a group are displayed in a tidy grid layout, while promoted users take the spotlight in a carousel. Each page can display up to 500 users. The groups are created and managed in the 'Manage Groups' section of the Configuration Management console. It's the perfect tool to organize and highlight the standout members of your community or enterprise.


 Exclusively for MediaSpace Video Portal. Requires the [Theming](#) and [PersonalProfile](#) modules to be enabled.





### Configure

1. Go to your KMS Configuration Management page, and navigate to the **GroupPage** module. Your link should look like this: [https://{{your\\_KMS\\_URL}}/admin/config/tab/grouppage](https://{{your_KMS_URL}}/admin/config/tab/grouppage) .



2. In the GroupPage window, configure the following:

**enabled** - Set to 'Yes' to enable the module.

**groupPage**

**groupId** - Click **Select Groups** and type in the group name that you want display on the group page. If a corresponding user group has been configured, the system will trigger auto-complete.

\* DELETE

**groupid**

**Select Groups** Select a group that can be displayed in a group page.

**title**

Enter a title (plain text) for your group's page. This title will show at the top of page and also on the browser tab title. Leave empty to use the group's name.

**description**

**title** - Enter a title for the group page. This title will show at the top of page and also on the browser tab. If left empty, the group's name will be used.

**description** - Add a description to display at the top of the group page.

**showSearchIndicator** - Check this box to display a search bar, and the number of group members along with the word *users*. You can customize the word *users* in the **searchindicator** fields below.

**showSearchIndicator**  show indicator

If showSearchIndicator is checked, complete the following fields:

**searchIndicatorSingle** - Enter text (for example, *Speaker, Presenter*). If left empty, the default word *User* will be displayed.

**searchIndicatorPlural** - Enter text (for example, *Speakers, Presenters*). If left empty, the default word *Users* will be displayed.

**⚠** Please note you must input **both** the singular and plural forms, otherwise the default 'users' will be displayed.

**pageSlug** - Enter a unique semantic slug for the group page. This will be used in the link to the group page URL (for example, [www.yourvideoportal/{pageSlug}](http://www.yourvideoportal/{pageSlug})). Only lowercase alphanumeric characters are allowed. If left empty, the group ID will be used in the URL.

**permission** - From the drop-down, select the minimum role allowed to access the page:

- Guest override
- anonymousRole
- viewerRole
- privateOnlyRole
- adminRole
- unmoderatedAdminRole
- Specific Users/Groups

Select the minimum role allowed that can access this page. Set as 'anonymousRole' to allow guests to view the page. If your KMS does not support anonymous users, choose 'guest override' to make this page public to all.

Click **+Add 'groupPage'** and repeat the process to create another group page.

#### promoteUsers

This allows you to 'promote' users to a carousel above (limited to 20 users).

Click **+Add "promotedUsers"** and then configure the following:

**promotedUsers**

Add users to promote.

**\* DELETE**

**user**

**Select Users** Search for users to promote.

---

**order**

Mandatory field. Enter a number to order the promoted users. Promoted users are ordered from left (lower order value) to right (higher order value) in the carousel.

**+ Add "promotedUsers"**

- **userId** - Click **Select Users** and choose users to promote. If a corresponding user has been configured, the system will trigger auto-complete.
- **order** - Specify the order of promoted users in the carousel. Promoted users are arranged from left (lower value) to right (higher value) within the carousel.

Repeat this process to add more promoted users.

Click **Save**.

## Headermenu

 This article is designated for administrators.

### About

This module allows you to specify the items visible at the top right of the navigation bar ('header') or within the user drop-down menu. Additionally, you can use it to add a link to your [My Profile](#) page, whether it's accessed through the user menu or directly from the navigation bar.

### Enable the module

1. Go to your KMS Configuration Management console, and navigate to the **Headermenu** module. Your link should look like this: [https://{your\\_KMS\\_URL}/admin/config/tab/headermenu](https://{your_KMS_URL}/admin/config/tab/headermenu).

Footer

---

Grouppage

---

[Headermenu](#)

---

Helppage

---

History

2. **enabled** - Set to 'Yes' to enable the module.

### Configure the header menu

Click **+Add "menu"**.

**+ Add "menu"**

A new section appears with configurable fields.

DELETE

<b>type</b>	<input type="text" value="My Media"/>	Type can be My Media, My Playlists, URL, Menu, or My Channels.
<b>label</b>	<input type="text"/>	For a URL, enter the URL label. For a Menu, enter the label.

+ Add "menu"

### Personal page options

To configure the URL or Menu option, follow the steps in the next section.

1. **type** - Choose one of the options (*My Media, My Playlists, My Channels, My History, My Live Rooms, My Powtoons, My recycle bin, My Content Analytics*) from the drop-down menu.
2. To add more items to the menu, click +Add "menu" and repeat the step above.
3. When you've finished configuring your menu, click **Save**.

### URL

1. **type** - Choose URL from the drop-down menu.  
A new section displays.


<b>type</b>	<input type="text" value="URL"/>	Type can be My Media, My Playlists, URL, Menu, or My Channels.
<b>label</b>	<input type="text"/>	For a URL, enter the URL label. For a Menu, enter the label.
<b>link</b>	<input type="text"/>	Enter a URL. The url can link to external sites (should start with http://) or an internal page (should start with /).
<b>sameWindow</b>	<input type="text" value="No"/>	Select whether link should open in new window (target = _blank) or same window. Applied only to external links (absolute URLs)
<b>linkLocation</b>	<input type="text" value="Header"/>	Select whether link should appear in the <b>Header</b> or in the <b>User Drop Down</b> .

2. Configure the following:
  - **label** - Enter the URL label (name you want to display in the menu)
  - **link** - Enter a URL. The URL may link to external sites (should start with http://) or an internal page (should start with /).
  - **sameWindow** - Select whether the link should open in new window (target = \_blank) or in the same window. This is applied to external links only(absolute URLs).
  - **linkLocation** - Select whether the link should appear in the **Header** or in the **User Drop Down**.

### Example

To add **My Profile** to the user menu:

- Type = URL
- Label = My Profile
- link = /profile
- sameWindow = Yes
- linkLocation = User Drop Down



To add **My Profile** to the header:

- Type = URL
- Label = My Profile
- link = /profile
- sameWindow = Yes
- linkLocation = Header



## Menu

1. **type** - Choose Menu from the drop-down menu.
2. **label** - Enter the Menu label (name of the menu)
3. Click **+Add "items"**.

A new section displays.

**items**

A menu item consists of a label (text) and a link (URL).

\* DELETE

**label**  Enter the label for the menu item.

---

**link**   
Enter a URL. The url can link to external sites or an internal kms page.

---

**sameWindow**  Select whether link should open in new window (target = \_blank) or same window. Applied only to external links (absolute URLs)


+ Add "items"

- **label** - Enter the label for the menu item.
- **link** - Enter a URL. The url can link to an external site or to an internal page.
- **sameWindow** - Select whether the link should open in new window (target = \_blank) or in the same window. This is applied to external links only (absolute URLs).

## Example

In our example below, we added a menu called 'Resources':

- Type = Menu
- Label = Resources
- link = <https://knowledge.kaltura.com/>
- sameWindow =No



⚠ Note that if administrators opt to keep the search bar open for all users in the [Search module](#) settings, any header menu items will be covered by the search bar.

## Helppage

🔒 This article is designated for administrators.

### About

Use this module to set up a Help or FAQ page with sections for questions, answers, and optional titles or "Contact us" links. After enabling, your page will be accessible via `"/help"` URL. Make sure there are no conflicts with other modules using the same slug, such as the [Custompages](#) module.

⚠ Note: This is a KMS-only module that depends on the [Theming module](#).

Language tokens and exceptions are allowed so that the page's content can be translated to multiple languages. You can configure a [CTA](#) button that directs users to a dedicated URL or sends an email using the `"mailto:email@company.com"` syntax. Any user can view the help page by entering `{KMS_URL}/help`.

### Getting started

**enable** - Use the `enabled` field to enable the page. You may keep this setting disabled while configuring the module.

**pageTitle** - Use the `pageTitle` field to set the top page title.

### Contact Us button

**contactUs** - Adds a box on the top right of the help page with a clickable call to action button. Set to Yes to expand this section and configure the contact us fields.

contactUs	<input type="checkbox"/> Yes	Add a box on the top right of the help page with a clickable call to action button.
titleText	<input type="text" value="Can't find your answers?"/>	Enter the title text to present at the top of the box.
buttonText	<input type="text" value="Contacting us might help"/>	Enter the text for the Call to Action button.
buttonLink	<input type="text" value="mailto:help@kaltura.com"/>	Enter the URL for the Call to Action button ('mailto' tag is accepted).
bottomText	<input type="text" value="You can also find the customer su"/>	Enter the text to present below box (HTML markup supported).

**titleText** - Enter the title text to present at the top of the box.

**buttonText** - Enter the text for the Call to Action button.

**buttonLink** - Enter the URL for the Call to Action button ('mailto' tag is accepted).

**bottomText** - Enter the text to present below box (HTML markup supported).

Enter the title, the button and its link (you can use an `"https://help.company.com"` link or a `"mailto:email@company.com"`), and additional text below the button.

### Sample Contact Us button



### Questions and Answers aka FAQs

The helppage UI may be separated into sections for FAQ according to topics, or you may use just one section. You can place multiple questions and answers in each section.

Click "**+ Add faqSections**" to create a section.

**title** - Enter the section title in the **title** field:



Click **+Addquestions** to add questions and answers.


**question** - Enter the question text (plain text).

**answer** - Enter the answer text (HTML markup supported).

**Note:** You can add links and make text bold using html tags (e.g. `<a>` or `<b>`) in the questions or answers




## History module

 This article is designated for administrators.


### About

The **History** module allows video portal users to access their watch history from the **My History** option in the user menu or header menu, or via [https://{your\\_KMS\\_URL}/history](https://{your_KMS_URL}/history). After enabling this module, you can configure the My History option in the **headermenu** module. For the My History user guide, visit our article [My History](#).

Additionally, this module is used to enable the **Resume Playback** feature, displaying a progress bar below the video. This feature is applicable to both KMS and KAF applications.


 Only the Resume Playback feature is available in KAF applications. The My History link is blocked in KAF applications.

Below is an example of a video portal user menu with the **My History** option.



### Configure

1. Go to your KMS Configuration Management console, and navigate to the **History** module. Your link should look like this: [https://{your\\_KMS\\_URL}/admin/config/tab/history](https://{your_KMS_URL}/admin/config/tab/history).



The History module page displays.



## Configuration Management

**Server Tools**

- Backup Configuration
- Player replacement tool

**Global**

- Application
- AddNew
- Auth
- Categories
- Channels
- Client
- Debug
- EmailService
- EmailTemplates
- Gallery
- Header
- Languages
- Login
- MediaCollaboration
- Metadata
- Moderation
- My-media
- Navigation
- Player
- PlaylistPage
- Recaptcha
- Search
- Security
- SharedRepositories
- Widgets
- TimeAndDate

**Modules**

### History

**Module Info**

Title	My History	
Description	The History module makes it easy to find videos you recently watched by allowing the end users to reach the 'My History' page and view their watch history. You can control your watch history by deleting your history. You can delete individual items or delete your entire history.	

**enabled**

**resumePlayback**  Enable the "Resume Playback" feature. This feature will enable an indicator bar below the thumbnail of videos, showing the progress of the user in it.

**resumePlaybackOptions**


videoEndPercent	<input type="text" value="90"/>	Reaching this percentage of the video or higher will count as 'finished watching' the video
videoEndSeconds	<input type="text" value="10"/>	Reaching this amount of seconds before the end of the video or lower will count as 'finished watching' the video
barColorBackground	<input type="text" value="#EA2D7C"/>	The color of the progress bar background
barColorDone	<input type="text" value="#bbbbbb"/>	The color of the finished progress bar

**emptyHistory**  Fill in the message the users will see when reaching an empty History page.

2. Configure the following:

**enabled** - Set to 'Yes' to enable the module.

**resumePlayback** - Set to 'Yes' to enable the resume playback feature. This feature displays an indicator bar below the video thumbnail, showing the progress. It allows both KMS and KAF users to resume watching from the last point viewed.



When set to 'Yes', the **resumePlaybackOptions** section opens:

**resumePlaybackOptions**

videoEndPercent	<input type="text" value="90"/>	Reaching this percentage of the video or higher will count as 'finished watching' the video
videoEndSeconds	<input type="text" value="10"/>	Reaching this amount of seconds before the end of the video or lower will count as 'finished watching' the video
barColorBackground	<input type="text" value="#00b4d1"/>	The color of the progress bar background
barColorDone	<input type="text" value="#bbbbbb"/>	The color of the finished progress bar

- **videoEndPercent** - Enter the percentage of the remaining playback to consider the video 'completely watched'. Reaching this percentage or higher will count as 'finished watching'.
- **videoEndSeconds** - Enter the amount in seconds before the end of the video that will be considered as 'a completely watched video'. Reaching this amount of seconds or lower will count as 'finished watching'.
- **barColorBackground** - Enter the hex code for the background color of the progress bar.
- **barColorDone** - Enter the hex code for the background color of the finished progress bar.
- **emptyHistory** - You can customize the message users see when reaching an empty History page by changing the text here. The default message is: 'Your feed is empty. But it doesn't have to be! Go to the Homepage or browse our Channels to fill your feed with amazing videos each and every day.'

emptyHistory	<input type="text" value="&lt;h2 class='empty-header'&gt;Your fe"/>	Fill in the message the users will see when reaching an empty History page.
deleteAllText	<input type="text" value="This will clear all your watch histor"/>	Fill in the message the users will see when clicking on the clear all history button.
showUnlisted	<input type="text" value="No"/>	Show/hide 'unlisted' entries from the users history.
supportSecureEmbed	<input type="text" value="No"/>	Allow videos in a secure embed to be added to the user's history.
addToHistoryTrigger	<input type="text" value="play"/>	Choose the way videos are added to the user's history. Play - videos will be added with a play click. View - videos will be added by landing on the video page. (Entries of type image will always be triggered by view event)

- **deleteAllText** - You can customize the message users see when clicking the 'Clear all History' button by changing the text here. The default message is: 'This will clear all your watch history, from other applications as well. Are you sure you want to clear your entire watch history? You can't undo this.'
- **showUnlisted** - Set to 'Yes' to show unlisted entries in the history.
- **supportSecureEmbed** - Set to 'Yes' to allow videos that are securely embedded to be added to history.
- **addToHistoryTrigger** - Choose the way videos are added to the user's history: 'Play' or 'View'.  
 'Play' = videos will be added with a play trigger (click on the Play button is needed if autoplay is not turned on).  
 'View' = videos will be added by landing on the video page. (Entries of type image will always be triggered by view event.)

3. Click **Save**.

## Home

Use this module to configure your MediaSpace home page/landing page. For more information see [Setting the Home Page - Kaltura MediaSpace](#).

Field	Description
enabled	Enable the Home Module.
thumbnailRotator	Enable thumbnail image rotation on mouseover in homepage
carouselEnabled	Show the carousel.
carouselInterval	interval (in miliseconds) between carousel transitions
carouselStyle	Select carousel style.
carousel	Select content for the Carousel: <div style="border: 1px solid black; padding: 5px; margin: 5px 0;"> <p>Most Recent - All published videos in channel or categories by creation date</p> <p>Most Viewed - All published videos in channel or categories by number of plays</p> <p>Most Liked - All published videos in channel or categories by number of likes</p> <p>Trending Now - Most played media in the last 24-48 hours</p> <p>Trending this week - Most played media in the last 7 days</p> <p>Trending this month - Most played media in the last 30 days</p> <p>Most Commented - All published videos in channel or categories by number of comments</p> <p>Recently Watched - Individual user's viewing history</p> <p>Continue Watching - Individual user's history of none-completed videos</p> <p>Custom Playlist</p> <p>Channel Content</p> </div>
carouselBg	carousel background color
lists	To add playlists to your home page. <ul style="list-style-type: none"> <li>• Add – click on the blue “Add lists” button.</li> <li>• Remove – click on the red “Delete” button.</li> <li>• Change – change the name and/or switch between the ‘Recently Watched’ playlist and the ‘Continue Watching’.</li> </ul> <p>The results are displayed on the KMS Home page.</p> <p>You can use playlists that have been configured in the KMC.</p>
type	Select content for the list from the type drop down.
Name	Enter the list name to display. Choose “custom” to enter a KMC playlistid.

## Hotspots module

 This article is designated for administrators.

### About

Hotspots add an extra layer of info on top of the player and can link to an external URL or a specific time in the video.

### Note about players

To use hotspots, ensure your V2 player is upgraded to version 7. If you haven't upgraded yet, follow [these step-by-step instructions](#). Also, make sure the [Entrydesign module](#) players are updated to V7. If your KMS/KAF instance has players that don't meet the minimum requirements, an alert will show their UIconf IDs. You can only save the Hotspots module configuration after upgrading legacy players.

In order to see the hotspots on your media, you must also enable the [Hotspot plugin](#).

### Configure

1. Go to your Configuration Management console and click on the **Hotspots** module. You can also navigate to it directly using a link: [https://{your\\_KMS\\_URL}/admin/config/tab/hotspots](https://{your_KMS_URL}/admin/config/tab/hotspots).

[Helppage](#)
[History](#)
[Home](#)
[Hotspots](#)
[Importchannel](#)
[Kalturacapture](#)

The Hotspots page displays.

## Configuration Management

**Server Tools**

- [Backup Configuration](#)
- [Player replacement tool](#)

**Global**

- [Application](#)
- [AddNew](#)
- [Auth](#)
- [Categories](#)
- [Channels](#)
- [Client](#)
- [Debug](#)
- [EmailService](#)
- [EmailTemplates](#)
- [Gallery](#)

### Hotspots

**Module Info**

info

Hotspots are an extra layer of info on top of the player with the option to link them to an external URL or specific time in the video.  
 Minimum supported V2 player version: 2.75 [Click here](#) to navigate to the KMC Universal studio Please make sure to update Entrydesign module players to version: 2.75 in the KMC Studio, see link above.

enabled Yes ▾

2. Set **enabled** to 'Yes' to enable the module.
3. Click **Save**.

## Importchannel

Channel/Media Gallery Managers have the ability to import content from other Channels/Media Galleries they manage.

Field	Description
enabled	Enable the Importchannel Module.

## Kalturacapture module

Creates Kaltura capture entries using the Kaltura Capture application.

Field	Description
enabled	Enable the Kalturacapture Module.
AllowDownloadingClient	Allow end users to download the Kaltura Capture desktop application from KMS/KAF.
AddNewLabel	Add new Kaltura Capture label.
allowedRoles	Who can create Kaltura Capture? if a role is selected, any role above it will also be able to create Kaltura Capture.
entryURL	What URL to show the user after the captured media is uploaded. Leave blank for KMS base URL.
enableBSE	[KAF ONLY] Enable launching Kaltura Capture from Browse, Search, and Embed module.
limitAppToken	Select 'Yes' to limit the time of the Capture application token to 12 hours.

## Kmsapi

 This article is designated for administrators.

## About

This module is used to enable and configure the KMS GO application on a mobile device. KMS GO, is available for Android and iOS and is associated with your MediaSpace instance. For more information about KMS GO, please see [Kaltura MediaSpace GO \(KMS GO\)](#).

This guide is intended for the Generic setup (default). If you are interested in more information for the branded setup (or customizing your application), please contact your Kaltura representative.

## Configuration

To enable the module:

1. Go to your KMS admin page.
2. Navigate to the Kmsapi module.
3. Set **Enabled** to Yes.



## Deep Linking

The next set of attributes builds the Deep Linking that is used to open a MediaSpace URL via the KMS GO application. You may skip this section if you are using the Generic setup. If your app is branded by Kaltura, make sure to modify it to your custom values.

**iOSAppId** - The Apple application id that is used when smart banners on iOS Safari are displayed. For the Generic setup, the default value is **1054967774**.

**iOSBundleId** - The bundle ID of the iOS app to use to open the smart banner link. For the Generic setup, the default value is **com.kaltura.kmsv2**.

**AndroidAppId** - The Android application id that is used when smart banners on Android mobile browsers are displayed. For the Generic setup, the default value is **com.kms.kaltura.kmsapplication**.

**deepLinkSubDomain** - The iOS/Android branded application subdomain. Used for deep-linking. For the Generic setup, the default value is **kmsgoapplication**.

**storeAppName** - The name of the branded mobile application. For the Generic setup, the default value is **Kaltura MediaSpace Go**.

**appStoreAppId** - (iOS) Your app's App Store ID, is used to send users to the App Store when the app isn't installed. For the Generic setup, the default value is **1054967774**

**storeAppLogoUrl** - The URL for the branded application logo. Image dimensions: 64x64 pixels. Keep empty to use the default logo. ((The image URL can be obtained by right-clicking on an image on your website and selecting "Copy image address".))

The following screen captures demonstrates the Generic setup and Deep Linking example:

iOSAppId	<input type="text" value="1054967774"/>
iOSBundleId	<input type="text" value="com.kaltura.kmsv2"/>
AndroidAppId	<input type="text" value="com.kms.kaltura.kmsapplication"/>
deepLinkSubDomain	<input type="text" value="kmsgoapplication"/>
storeAppName	<input type="text" value="Kaltura MediaSpace GO"/>
appStoreAppId	<input type="text" value="1054967774"/>
storeAppLogoUrl	<input type="text"/>

### DeepLinking

`https://kmsgoapplication.page.link/?link=https://kino.kaltura.com/media/About+Us/0_5y3kic2u&apn=com.kms.kaltura.kmsapplication&ibi=com.kaltura.kmsv2&isi=105497774`


`https://<deepLinkSubDomain>.page.link/?`

`link=<Entry Uri>`

`apn=<AndroidAppId>`

`ibi=<iOSBundleId>`

`isi=<appStoreAppId>`



## The KMS GO Homepage

The next set of attributes are used to setup the KMS GO app home page.

**homeCarouselMode** - Set to Automatic to use the Web home carousel configuration or configure it manually for mobile.

⚠️ Kaltura's best practice is to configure the mobile home playlist manually. Otherwise, you might experience an empty home page.

Manual

If **Manual** is selected, configure the Home Playlists section.

**Home Playlists** - Define the playlists for the native home screen. Add as many playlists as you want, but the recommended number of playlists is less than 8.

- **type** - Select the type of playlist. Most Recent - All published videos in channel or categories by creation date
- **name** - Enter the playlist name that will be displayed.

The first playlist defines the videos in the carousel.

1st example: is a dynamic playlist option "Most Recent", with the name 'What's New'.

**Home Playlists**  
Define the playlists for the native home screen

1 DELETE

<b>type</b>	<input type="text" value="Most Recent - All published"/>	<small>Select the type of playlist</small>
<b>name</b>	<input type="text" value="What's New?"/>	<small>Enter the playlist name that will be displayed</small>

[+ Add "Home Playlists"](#)

2nd example: It is very useful to add a playlist that features a **channel** on the home page. Note that if the channel is not public, it will only be displayed after users have logged in. See example:

2 DELETE

<b>type</b>	<input type="text" value="Channel Content"/>	<small>Select the type of playlist</small>
<b>name</b>	<input type="text" value="Tips and Tricks"/>	<small>Enter the playlist name that will be displayed</small>
<b>channelId</b>	<input type="text" value="47629431"/>	<small>Enter custom channel id</small>


⚠️ Note that you can subscribe to Channels. To set a subscription, go to MediaSpace [Channel Subscriptions](#).

3rd example: For a specific channel playlist, **AKA Podcast**, choose the following setup as in this example:

3 DELETE

<b>type</b>	<input type="text" value="Custom Playlist"/>	<small>Select the type of playlist</small>
<b>name</b>	<input type="text" value="Onboarding Essentials"/>	<small>Enter the playlist name that will be displayed</small>
<b>playlistId</b>	<input type="text" value="1_5fxofpn6"/>	<small>Enter custom playlist id</small>
<b>detailsView</b>	<input type="text" value="Yes"/>	<small>When set to 'No', the default view of playlist (Thumbnail view) will be used</small>

The following screenshot demonstrates the home page with three playlists examples.



### Global Attributes

**playerAutoPlayOnLoad**  Yes  Should the video begin playing automatically when the entry page loads?


**mobileSessionLifeTime** - The length of a mobile KMS user session (in seconds). Note that every KMS SaaS version deployment will force a new session (on top of the value input here).

**appColorR** - The R value for RGB that is used as the custom brand color of the app. Input a number between 0-255.  
**Note: RGBAlpha fields cannot be partially filled out.**

**appColorG** - The G value for RGB that is used as the custom brand color of the app. Input a number between 0-255.  
**Note: RGBAlpha fields cannot be partially filled out.**

**appColorB** - The B value for RGB that is used as the custom brand color of the app. Input a number between 0-255.  
**Note: RGBAlpha fields cannot be partially filled out.**

The following screenshots demonstrate the application color RGB(0, 255, 255).

appColorR	<input type="text" value="0"/>	
appColorG	<input type="text" value="255"/>	
appColorB	<input type="text" value="255"/>	


**splashImageUrl** - Set an image URL for the KMS GO app splash screen. The splash image is displayed at the app start.

Use an image size of 192x131, URL must be a secured URL (begin with https://).

The image URL can be obtained by right-clicking on an image on your website and selecting "Copy image address".

The following are an examples of an image URL and a splash image:


[https://cfvod.kaltura.com/p/4353783/sp/435378300/thumbnail/entry\\_id/1\\_urnrp39k/version/100001/width/280](https://cfvod.kaltura.com/p/4353783/sp/435378300/thumbnail/entry_id/1_urnrp39k/version/100001/width/280)



**downloadEnabled**  Yes Enable to allow downloading media for offline viewing.

- **downloadQuality**  High Choose the rendition/flavor of the video to be available for users to download for offline playback. High downloads are the highest quality possible (in terms of dimensions and bitrate) and low is the lowest.
- **downloadToGoQuality**  1080p Chooses the quality of the video to be available for users to download for offline playback.


When enabled, [Downloading media](#) can be accessed via tapping the three dots icon on a media page (left figure below), or by swiping a media to the left from a vertical view of a gallery or a playlist (right figure below).



**smartBannerEnabled**  Yes Enable the smart banner for Android and iOS applications.

When opening your KMS links on a mobile device via the browser, Kaltura automatically pushes a banner at the bottom of the page inviting the end user to open the Kaltura Go app instead.






## What are the available 'Add New' tools

From [Customer Training](#) November 14th, 2021

♥ 0 ▶ 0 💬 0




In this video, we will overview the various video




**dontShowLoginInMyPage**  Don't show the login button on my page.

When set to 'No', the login button is displayed on My Page (see left figure). When set to 'Yes', the login button is not displayed (see right figure).




**uploadEnabled**  Enable displaying the upload functionality.

When set to 'Yes', the Upload button is displayed on the bottom navigation bar, as seen below:




**showMySubscriptionSection**  Enable displaying the list of channels on top of the home screen that the user is subscribed to.




**playlistContinuousPlay**  Select whether the playlist entries should play automatically one after the other.

**allowPushNotifications**  Allow the app to push notifications on Android and iOS mobiles.

**hideInspireMe**  Selects whether to hide or show the Inspire Me section.



**hidePublisherName**  No  Selects whether to hide the entry's publisher name.




**iosTermsOfUse** - Add the terms of use that will be displayed to the user on iOS devices.

**Note:** For translation, fill this field with 'terms\_of\_use\_ios' and translate via a PO file.

**androidTermsOfUse** - Add the terms of use that will be displayed to the user on Android devices.

**Note:** For translation, fill this field with 'terms\_of\_use\_android' and translate via a PO file.

Go to Settings and select Legal for the KMS GO End User License Agreement.



**spotlightSearchEnabled**  Enable spotlight Search from outside the application on iOS. Spotlight lets you search your entire Mac or iOS device at once. When using this feature, you may not want a certain file type displaying in your search results.

**adTagUrl** - Add the URL for the IMA (Interactive Media Ads) to enable DFP (DoubleClick for Publishers - to display ads on top of videos).

**idleTimeout** - Max allowed idle time before the session's timeout (in seconds). To disable the idle timeout, enter 0.

**disableIosBackgroundSnapshot**  Disable the cache background snapshot in iOS.

**shareUrlsAsDeepLinks**  Selects whether the shared URLs will be deep links.

For example, when shareUrlsAsDeepLinks is set to No:

[https://4353783.mediaspace.kaltura.com/media/How+to+add+a+Header+Image+Logo+in+MediaSpace/1\\_mf3yyeq1](https://4353783.mediaspace.kaltura.com/media/How+to+add+a+Header+Image+Logo+in+MediaSpace/1_mf3yyeq1)

For example, when shareUrlsAsDeepLinks is set to Yes:

[https://kmsgoapplication.page.link/?link=https://4353783.mediaspace.kaltura.com/media/How+to+add+a+Header+Image+Logo+in+MediaSpace/1\\_mf3yyeq1&ibi=com.ka](https://kmsgoapplication.page.link/?link=https://4353783.mediaspace.kaltura.com/media/How+to+add+a+Header+Image+Logo+in+MediaSpace/1_mf3yyeq1&ibi=com.ka)

**deleteRecordedContent**  When enabled, content that is recorded using KMS GO will not be stored on the user's device after upload.

**appleAppSiteAssociation** - Add the apple-app-site-association response for deep linking. Associated domains establish a secure **association** between domains and your **app** so you can share credentials or provide features in your **app** from your website. Log into your Apple developer account and go to the app's ID page. Enable the Associated Domains app service. Take note of your Prefix (bundle ID) and your ID (team ID) - you will need them later. Add the "Associated Domain" capability to your app in Xcode, and add your web servers' domain as an associated domain.

**webAuthenticationLogin**  Use web authentication login instead of Webview login. WebView by default only displays a web page.

## Listpage module

 This article is designated for administrators.

## About

In the **Listpage module**, admins are able to create a new type of page containing a list of thumbnails with descriptions, each with links to external or internal pages.

 Note: KMS only Module. Depends on the [Theming module](#).


## Page configurations

Enable the module, and start creating your pages. Click the **Add "listPage"** button to create a new page.

### General page settings

Here are the general configurable options available for each page:

1. **Page Title** - Use the *pageTitle* field to set the top page title.
2. **Page Description** - Set a description to show at the top of the page using the *pageDescription* field.




The screenshot shows the configuration form for a 'listPage'. It includes a 'DELETE' button, a 'pageTitle' field with the value 'Gamification', and a 'pageDescription' field with a text area containing the text: 'Kaltura hosts events, both online and in-person, bringing the cloud computing community together to connect, collaborate, and learn from Kaltura experts. Join us for hands-on workshops, technical sessions, live demos, and networking with Kaltura technical experts and your peers.'

### Create the List


Use the **Add placeholdersList** button to create a new line in the list called a list item, or a placeholder.

For each placeholder, the following configs are available:

1. **Title** - Set the list item title from the *title* field.
2. **Description** - Set the list item title from the *description* field.
3. **Thumbnail** - Set the list item title from the *thumbnailUrl* field. A 16:9 aspect ratio is suggested.
4. **Links** - Setup links at the bottom of the list item, using the **Add buttons** button. Enter a link and a text for each



The screenshot shows the configuration form for a 'placeholdersList'. It includes a 'DELETE' button, a 'title' field with the value 'GameWeek', a 'description' field with the value 'GameWeek is a collaborative lear', and a 'thumbnailUrl' field with the value 'https://cfvod.kaltura.com/p/303138'. There are also 'Upload thumbnail' and 'Remove' buttons.



The screenshot shows the configuration form for a list item. It includes a 'DELETE' button, a 'text' field with the value 'Learn More', and a 'link' field with the value 'https://event.kaltura.com/learnmor'. There is also an '+ Add "buttons"' button.

## Gamification

Kaltura hosts events, both online and in-person, bringing the cloud computing community together to connect, collaborate, and learn from Kaltura experts. Join us for hands-on workshops, technical sessions, live demos, and networking with Kaltura technical experts and your peers.



### GameWeek

GameWeek is a collaborative learning exercise that tests skills in implementing Kaltura solutions to solve real-world problems in a gamified, risk-free environment. This is a completely hands-on opportunity for technical professionals to explore Kaltura services, architecture patterns, best practices, and group cooperation.

[Visit The Agenda](#) [Contact Us](#) [Learn More](#)

Each such placeholder can hold many links, however three to four is the recommended number, depending on the text of each button.

### Publish your page

Each created page will have a Path making it available for users per the Permissions set in the config:

1. **Path/URL** - Select the custom page's URL using the *pageSlug* field.
  - a. Enter alphanumeric only with no spaces, with special care for capital letters (recommended not to use capital letters). Signs such as *Underscore* ("\_") are accepted, however, do not use *Space* (" ").
  - b. The results will be a new URL in the application `https://{your_site_url}/{slug}` (e.g. Enter the slug 'help' to create a help page in the `https://mykmsite.kaltura.com/help` URL).
2. **Permissions** - Choose who can navigate to the selected page using the *permission* field.
  - a. The selection is of a minimum role, starting with everyone, up to a limited availability.
  - b. To allow this page for guests/anonymous users:
    - a. Set 'anonymousRole' to allow guests to view the page if your site is set to support anonymous users (set from the auth module).
    - b. If your KMS does not support anonymous users, choose 'guest override' to make this page public to all users.




⚠ When choosing a path make sure it is available first. For example, the `HelpPage` module provides a page in the `/help` path, do not use that path if that module is already used.

pageSlug	<input type="text" value="gamification"/>	Fill in the URL ending to allow a direct link for. The page URL will be (site_URL)/Slug
permission	<input type="text" value="guest override"/>	Select the minimum role allowed that can access this page. Set as 'anonymousRole' to allow guests to view the page. If your KMS does not support anonymous users, choose 'guest override' to make this page public to all.

### Page example

## Custom Links

Video has played a major role in enterprise learning for a while, but today's learners have higher expectations, greater needs, and far less time than ever before. How can L&D teams determine the right learning strategy for them and the role of video in it?

	<p><b>Title</b></p> <p>Lorem ipsum dolor sit amet consectetur adipiscing elit. Sint dolores hic quas assumenda beatae, esse exercitationem soluta provident iste ad. Quis dicta minima placeat dolores Lorem ipsum dolor sit amet consectetur adipiscing elit. Sint dolores hic quas assumenda beatae, esse exercitationem soluta provident iste ad. Quis dicta minima placeat dolores</p> <p> <a href="#">Learn More</a> <a href="#">Visit Wiki</a> <a href="#">Learn More</a> </p>
	<p><b>Title</b></p> <p>Lorem ipsum dolor sit amet consectetur adipiscing elit. Sint dolores hic quas assumenda beatae, esse exercitationem soluta provident iste ad. Quis dicta minima placeat dolores Lorem ipsum dolor sit amet consectetur adipiscing elit. Sint dolores hic quas assumenda beatae, esse exercitationem soluta provident iste ad. Quis dicta minima placeat dolores</p> <p> <a href="#">Learn More</a> <a href="#">Visit Wiki</a> <a href="#">Learn More</a> </p>
	<p><b>Title</b></p> <p>Lorem ipsum dolor sit amet consectetur adipiscing elit. Sint dolores hic quas assumenda beatae, esse exercitationem soluta provident iste ad. Quis dicta minima placeat dolores Lorem ipsum dolor sit amet consectetur adipiscing elit. Sint dolores hic quas assumenda beatae, esse exercitationem soluta provident iste ad. Quis dicta minima placeat dolores</p> <p> <a href="#">Learn More</a> <a href="#">Visit Wiki</a> <a href="#">Learn More</a> </p>

### Mediastitching module

 This article is designated for administrators.

#### About

Media stitching allows users to stitch or splice together multiple videos and images to create a new, original video.

#### Configure

Go to your KMS or KAF admin page, and navigate to the Mediastitching module. Your link should look like this: [https://{your\\_KMS\\_URL}/admin/config/tab/Mediastitching](https://your_KMS_URL/admin/config/tab/Mediastitching).

- [Kmsapi](#)
- [Listpage](#)
- [Mediastitching](#) ←
- [Meetingentry](#)

The Mediastitching window page displays.

**Mediastitching**

---

**Module Info**

<b>description</b>	The media stitching module allows you to enable or disable a stitching videos option for your KMS/LMS. When enabled, your KMS/LMS users will have the option to create a new video by stitching several videos and images together.
<b>note</b>	This module applies to both KMS and KAF.

---

**enabled**  Enable the Mediastitching module.

---

**ImageDuration**  The default number of seconds an image will be shown in a stitched video


---

In the Mediastitching window, configure the following:

**Enable** - Set to 'Yes' to enable the module.

**Image duration** - Choose the duration you want (default is 5 seconds).

## Meetingentry

 This article is designated for administrators.

### About

This module is used to provide the ability to create, publish, and search for Kaltura Meetings Rooms in the site. This module depends on the [Newrow](#) module.

### Configure

**enable** - set to Yes to enable the module.

**allowedUsersOrRoles** - Who can create a Kaltura Meeting Room.

privateOnly Role	▼
privateOnly Role	
admin Role	
unmoderatedAdmin Role	
Specific Users / Groups	

**advancedEntrance** - How long (in seconds) before the event is scheduled to begin, can attendees join the meeting room, if a moderator started the room.

**roomTemplates** - Here is where you setup the default room template. Available room templates' owners can use these templates for their personal rooms.

**availableRoomTemplates** - Choose which templates room owners may use for their rooms when they create a room or when editing the room settings using the Room Mode drop down.

Default room - interactive session

Default room - panel with viewers

**defaultRoomTemplate** - Select the default room template for all new rooms created in the account.

### Related Modules

[Newrow](#) module

### Oembed

The oEmbed Endpoint in KMS is able to accept the entry page URL as input and not only the copied link from the 'share / oEmbed' tab.

In addition to this type of URL:

*[https://\[MediaSpace URL\]/id/\[entry ID\]?width=400&height=285&playerId=12345678](https://[MediaSpace URL]/id/[entry ID]?width=400&height=285&playerId=12345678)*

this type of URL may be used:

*[https://\[MediaSpace URL\]/media/\[Entry Name\]/\[Entry ID\]](https://[MediaSpace URL]/media/[Entry Name]/[Entry ID])*.

This improves the flexibility with oEmbed-supported destinations.



Field	Description
enabled	Enable the Oembed Module.
type	Which type of oEmbed code should be displayed? 'Short' is the common type. For example: <a href="http://url.for.mediaspace/id/xyz">http://url.for.mediaspace/id/xyz</a> , where xyz is the media asset ID (entry ID). 'Short' links are valid URLs. A 'Short' link entered in a browser loads MediaSpace with the video loaded in the player. 'Full' is much longer than 'Short.' Use 'Full' when your oEmbed 'consumer' cannot convert a link embed code to a full oEmbed request.
enableCustomization	When a user selects 'oEmbed' for the 'Select Embed Type' option, should the options for selecting a player skin and player size be displayed? Note: If you enable customization, your oEmbed must be able to accept the oEmbed link format that is created.
playerId	What player ID (uiConf ID) should be used to display the embedded video? Note: If you are not sure, enter 'default' (without quotes) or leave the playerId field empty. MediaSpace will use the value of the first embedSkin config.
height	What is the height (in pixels) of the oEmbed player? Enter only the number.
width	What is the width (in pixels) of the oEmbed player? Enter only the number.


## OneDrive module

The OneDrive module provides the ability for users to ingest content from their personal OneDrive folder by adding an 'Add from OneDrive' button in the Add New menu.

Field	Description
enabled	Enable the OneDrive module.
allowedRoles	Select the minimum role to be able to import files from OneDrive.
applicationId	Enter the application (client) ID from the application page in Microsoft Azure.

## Personalprofile

 This article is designated for administrators.

 This is a KMS-only module that depends on the [Theming module](#).

### About

The Personalprofile module provides the ability to create a [My Profile](#) page in KMS Video Portal. Users can access their profile by visiting `{KMS_URL}/profile`, where they can view and update their information. Each profile is visible to all logged-in users and has a unique URL.

In this module, admins can customize what information appears on the user's info card, which fields are editable, and the header background for all profiles. They can also enable the groupChange feature, allowing users to switch groups.

Presenters, as defined in the [presenters](#) module, will have a tab on their profile displaying all media where they are presenting. Additionally, the profile owner can access a tab showing their watch list if the [watchlater](#) module is enabled.

When 'Created by' links are enabled, they will direct users to the creator's profile page instead of a search page.


### Configure

- Page UI** - Use the `headerBannerDefaultImg` field to set a custom banner at the top of the page.
- User Fields** - In the `fields` section, you can choose which user fields to show, and which can the user edit.

3. **Editing** - To allow any editing in the page by the user, turn on the **allowEdit** field. Note, that the editing of each field can be limited from the **fields** section.
  - Once editing is allowed, you can also allow upload of user thumbnail. If no thumbnail available, initials will be used instead.


## Enable

Once you have enabled and configured the *PersonalProfile* module, you can add a "My Profile" link to the site's user menu on the top left.



To do so, navigate to the [Headermenu](#) module, click the "add menu" button, and set the new menu item as described below:

- Type = URL
- Label = My Profile
- link = /profile
- sameWindow = Yes
- linkLocation = User Drop Down


 A screenshot of the 'Headermenu' configuration form. It has a 'DELETE' button at the top left. The form contains the following fields:
 

- type**: A dropdown menu set to 'URL'. A note says: 'Type can be My Media, My Playlists, URL, Menu, or My Channels.'
- label**: A text input field containing 'My Profile'. A note says: 'For a URL, enter the URL label. For a Menu, enter the label.'
- link**: A text input field containing '/profile'. A note says: 'Enter a URL. The url can link to external sites (should start with http://) or an internal page (should start with /).'
- sameWindow**: A dropdown menu set to 'Yes'. A note says: 'Select whether link should open in new window (target = \_blank) or same window. Applied only to external links (absolute URLs).'
- linkLocation**: A dropdown menu set to 'User Drop Down'. A note says: 'Select whether link should appear in the Header or in the User Drop Down.'

## Profile page features


Each user profile is visible to all logged in users, and has a unique URL.

Any user can reach their profile by entering {KMS\_URL}/profile. This will allow them to view their info and to update elements of their profile as allowed by the admin.

Once enabled, 'created by' links will redirect the user to the creator's profile page instead of a search page.


### Presented Sessions

Users set as presenters (see [presenters](#) module), will have an additional tab on their profile showing all users the media in which they are presenting, per the viewing user's entitlements permissions.

 This content presented on this tab is limited to scheduled live sessions and scheduled meeting rooms.

### Watch List

The watch list tab, viewed by the profile owner only, will show the user's their watch list (Admins permission required in the [watchlater](#) module).



## Presenters

This module allows you to add users to show as presenters to show on top of media entries. Once enabled, on each edit entry page, a new tab will show, allowing the owner of the entry to add a presenter. Note: This module replaces the [kwebcast](#) presenters, and deletes any users already used in [kwebcast](#) entries.

Field	Description
enabled	Enable the Presenters Module.

## Publish module

 This article is designated for administrators.

## About

By default, media that is uploaded is private. In order for other Video Portal users to be able to publish it, you need to enable the **Publish** module.

## Configure

1. Go to your KMS Configuration Management console, and navigate to the **Publish** module. Your link should look like this: [https://{your\\_KMS\\_URL}/admin/config/tab/publish](https://{your_KMS_URL}/admin/config/tab/publish).

- [Personalprofile](#)
- [Presenters](#)
- [Publish](#)
- [Reach](#)
- [Recorder](#)
- [Related](#)
- [Replacemedia](#)
- [Robots](#)

2. In the **Publish** window, set **enabled** to 'Yes'.

## Publish

enabled  Enable the Publish module.

---

defaultPublishStatusOnUpload  Choose the publishing status of newly uploaded media to the site. You can select "Private", "Unlisted", or "Published" to a default channel of your choice.

---

manPublish  Enable publish to a list of categories - from the menu, media, and upload. Disable this if you do not have access to the list of categories.

---

AppearsInIndicator  the "Appears In" indication on the media page and in the global search.

---

crossApplicationUnpublishing  By enabling the Cross Application Unpublishing, users will be able to set content as private in one application and to have it private across all other applications.


---

3. Set the entry privacy status (default is Private).

**defaultPublishStatusOnUpload** - Define the default privacy for each newly uploaded media as follows:

defaultPublishStatusOnUpload  Choose the publishing status of newly uploaded media to the site. You can select "Private", "Unlisted", or "Published" to a default channel of your choice.

- o **Private** - Media will be visible to the content owner only.
- o **Unlisted** - This allows the media owner to control the privacy mode. An unlisted entry can be viewed by anyone with the link to the entry page.

 Note that this configuration is applicable only if Unlisted mode is enabled on your MediaSpace instance. You can check if it is enabled under Application > **enableUnlisted**.

- o **published** - When you choose published, the **PublishedChannel** option displays:

PublishedChannel

Select a channel new media will be automatically published to upon upload.  
Note: if a private channel is selected, media owners who are not entitled to the private channel will not be able to remove the content from that channel, and the entry will appear as 'private' to them.

- **PublishedChannel** - Allows you to set all uploaded media to automatically be published to a pre-selected channel. **(Auto Publish)**

## Publish

enabled  Enable the Publish module.

---

defaultPublishStatusOnUpload  Choose the publishing status of newly uploaded media to the site. You can select "Private", "Unlisted", or "Published" to a default channel of your choice.

---

PublishedChannel

Select a channel new media will be automatically published to upon upload.  
Note: if a private channel is selected, media owners who are not entitled to the private channel will not be able to remove the content from that channel, and the entry will appear as 'private' to them.

---

manPublish  Enable publish to a list of categories - from the menu, media, and upload. Disable this if you do not have access to the list of categories.

- Click **Select Channel**.
  - Enter the channel name or ID in the box that opens.
  - Click **Submit** or **Cancel**.
4. Set more parameters:
- manPublish** - This allows entries to be published to a list of categories from the menu, media, and upload. Disable this if you don't have access to the list of categories.
  - AppearsInIndicator** - Setting it to Show enables the 'Appears In' indication on the media page and in the global search.
  - crossApplicationUnpublishing** - This allows users to set content as private in one application and has it private across all other applications.
5. Click **Save**.

## REACH

REACH offers two different service options, human captioning and ASR machine transcription, which can be used separately or together. Captions ordered directly within the Kaltura interface are automatically delivered and can be edited for quick review and modification.

Field	Description	Values
enabled	Enable the REACH Module.	
reachProfileId	ID of the REACH profile to use with Kaltura MediaSpace or KAF. The Reach profile includes the credit, and other parameters such as: moderation flow, file types etc.	At least one profile must be selected.
orderScreenText	Text to show on the order task form: 1000 characters max.	
unitFieldName	Select a label for the 'Unit' field . If left empty "Unit" will be used.	
availableServices	Allow users to select the following services.	Combinations of all available services, features are TAT.  For example: HUMAN, CAPTIONS, THIRTY_MINUTES HUMAN, CAPTIONS, SIX_HOURS HUMAN, CAPTIONS, FORTY_EIGHT_HOURS HUMAN, CAPTIONS, BEST_EFFORT HUMAN, CAPTIONS, TWENTY_FOUR_HOURS HUMAN, TRANSLATION, TWENTY_FOUR_HOURS HUMAN, TRANSLATION, IMMEDIATE HUMAN, TRANSLATION, THREE_HOURS HUMAN, TRANSLATION, SIX_HOURS MACHINE, TRANSLATION, SIX_HOURS MACHINE, TRANSLATION, BEST_EFFORT MACHINE, CAPTIONS, THREE_HOURS

		MACHINE, CAPTIONS, SIX_HOURS MACHINE, CAPTIONS, THIRTY_MINUTES
viewEntryRequestsRole	Select the role required to access the entry task requests screen.	privateOnlyRole adminRole unmoderatedAdmin Role Co-Editor Owner
orderer	Select who can order tasks.	Specific Roles Specific Users
orderRole	The minimal role required to order tasks.	privateOnly Role admin Role unmoderatedAdmin Role Co-Editor Owner
serviceTypeDefault	Select the default service type.	Machine Human
serviceFeatureDefault	Select the default service feature	Captions Translation Alignment Audio Description
sourceLanguageDefault	Select the default source language.	See <a href="#">Source Media Languages</a> .
turnaroundTimeDefault	Select the default turnaround time.	<div style="border: 1px solid black; padding: 2px;">             IMMEDIATE ▾  <span style="background-color: #007bff; color: white; padding: 2px;">IMMEDIATE</span>              BEST_EFFORT              EIGHT_HOURS              SIX_HOURS              TWO_HOURS              THIRTY_MINUTES              TEN_DAYS              TWENTY_FOUR_HOURS              TWELVE_HOURS              FORTY_EIGHT_HOURS              THREE_HOURS           </div>
serviceSelectionRole	The minimal role required for service selection.	privateOnly Role admin Role unmoderatedAdmin Role Specific Users
featureSelectionRole	The minimal role required for feature selection.	privateOnly Role admin Role unmoderatedAdmin Role Specific Users
TatSelectionRole	The minimal role required for TAT selection.	privateOnly Role admin Role

		unmoderatedAdmin Role Specific Users
speakerSelectionRole	The minimal role required for speaker selection.	privateOnly Role admin Role unmoderatedAdmin Role
dashboardAccessRole	The minimal role required to approve task requests.  Once a user/group is added in dashboardAccessRole, a new menu item displays for them on the User menu in KMS - "Services Request".	Specific Users admin Role unmoderatedAdmin Role
requestApprovalRole	The minimal role required to approve task requests.	Specific Users admin Role unmoderatedAdmin Role
notifiedUsers	Select specific users who will receive email notifications about items pending moderation. To customize notifications, go to <a href="#">email notifications</a> configuration.	Enter the user name. Existing users may be found using the autocomplete feature: type in the first three characters of the user's name.
trustedUsers	Select users who do not need approvals for their requests.	
categoryRuleOrderRole	Select who can order on category level.	Channel Manager Channel Owner
captionEditRole	This role is required to open captions editor	privateOnly Role admin Role unmoderatedAdmin Role Co-Editor Owner
allowProfilePermissions	Allow individual profile configurations.	Select Yes and then configure values for each profile according to the values in this article.

## Recorder module

 This article is designated for administrators.

### About

[Kaltura Express Capture](#) requires the Recorder module to be enabled on your partner. The Kaltura HTML recorder allows you to use your webcam and audio devices to record video or audio entries directly from your browser. (The browser must support webRTC.) Please see [supported browsers and more information here](#).

This module is used to enable recording media.

## Configure

**enabled** - Enable the Recorder module.

**allowedRole** - Select the users allowed to use this tool.

**maxRecordingTime** - Set the maximum allowed recording time in seconds. (Leave empty to remove limit).

**browserNotSupportedText** - Select the text to display when a user reaches the tool from a non supported browser. Use HTML to add links ( `<a>tag`).

**ConversionProfileId** - Fill in a custom conversion profile ID for recordings. Leave the field empty to use the default conversion profile.

**playerId** - Enter the id of the player that will be used to view recorded media before upload. The Player version must be v3.

**addNewLabel** - Select a label for the 'Add New'/Create menu items. If left empty 'Express Capture' will be used.

**recorderOpenInNewTab** - Select 'Yes' to launch the recorder in a new browser tab. Select 'No' to open in the same browser tab.

**enableScreenCapture** - Enable the screen recording option.

## Related Modules


[Player Module](#)

## Recyclebin module

 This article is designated for administrators.

### About

With the recycle bin module, you can activate a recycle bin for your KMS/LMS, empowering users to restore deleted items within a specified timeframe. Deleted items are temporarily stored in the recycle bin before permanent deletion. Once enabled, the recycle bin option will automatically appear in your video portal's navigation menu and as a button in your LMS.

 If you don't see the Recyclebin module on your instance, please contact your account representative to have it enabled.

## Configure

1. Go to your KMS or KAF admin page, and navigate to the **Recyclebin module**. Your link should look like this:  
`https://{your_KMS_URL}/admin/config/tab/recyclebin`.

Reach  
Recorder  
**Recyclebin**  
Related  
Replacemedia  
Robots

The Recyclebin window displays.



## Recyclebin

**Module Info**

**description** The recycle bin module allows you to enable or disable a recycle bin for your KMS/LMS. When enabled, deleted media items will be temporarily stored in the recycle bin for a specified number of days before being permanently deleted. Once enabled, the recycle bin navigation will appear automatically under the navigation in your KMS, and as a button in your LMS. The recycle bin gives you and your users the ability to recover deleted items within the designated time frame. By having the recycle bin feature, deleted items are no longer immediately lost. Note: This module applies to both KMS and KAF.

---


**enabled** Yes ▾ Enable the Recyclebin module.

---

Save

2. Set **enabled** to 'Yes'.

3. Click **Save**.

 Please contact your Kaltura account management or the Customer Care team if you encounter the following error message: *Saving Configuration: FAILED - An error occurred while saving your configuration: You must enable this feature for the partner. Please check the logs for details.*

## Related


 This article is designated for administrators.

## About

Use the **Related** module to display related media items on the media page in KMS and KAF applications. Entries are displayed in a vertical list, in descending order from top to bottom, according to the entry's weight. For example, when displaying related videos by the number of matching tags per entry, an entry with three matching tags will appear above an entry with two matching tags.

Entries are categorized as related based on the following criteria:

- Entries that are published to galleries and channels, that are under the same root category.
- Entries a user is entitled to see.
- Entries with at least one identical tag to the main entry (excluding the main entry itself).
- Entries published to a restricted category (a category to which all logged-in users can view its content and only members or admin roles can contribute content to) are not displayed as related media.

 In Kaltura's Video Portal, the 'Related Media' sidebar is the only place where weight-based ordering is applied. This sidebar utilizes the 'BM25' ranking algorithm from Sphinx. To learn more about how Sphinx determines relevance, you can check out the article [How Sphinx relevance ranking works](#).

## Setup

1. Go to your KMS/KAF configuration management.
2. Navigate to the **Related** module, or simply go to [https://\[Your\\_domain\].kaltura.com/admin/config/tab/related](https://[Your_domain].kaltura.com/admin/config/tab/related).
3. Select **Yes** to enable the module.
4. Enter a number to **limit** the related videos displayed on the media page.
5. Click **Save**.

## Related

**enabled** Yes ▾ Enable the Related module.

---


**limit** 10 How many related videos can be displayed?

---

Save

## Example

The graphic below demonstrates the related media on the media page.



## Replacemedia

### ReplaceMedia

Media owners can replace their media, while keeping metadata, URL and analytics in place. The same functionality as in the KMC is available in KMS and is configurable in the Replacemedia module.

⚠️ Only video entries may be replaced. Any time-based metadata on the entry will be kept in place and may be out of sync with the new media, The metadata should be manually adjusted.

Field	
enabled	Enable the Replacemedia module.

## Robots

This module allows advanced MediaSpace admins to configure the rules that search engines will follow when crawling the sites. When this module is enabled, the site exposes the "robots.txt" file (with the content as configured by the admin).

For more information, please visit:

<http://www.robotstxt.org/robotstxt.html>

[https://en.wikipedia.org/wiki/Robots\\_exclusion\\_standard](https://en.wikipedia.org/wiki/Robots_exclusion_standard)

⚠️ This module is not relevant when the site is closed only for logged-in users, thus search engines cannot crawl it anyway.

## SAML

Please see the [Kaltura MediaSpace™ SAML Integration Guide](#) for the setup configuration.

This module allows you to allow users to Authenticate into MediaSpace using the SAML 2.0 standard.

1. In the SAML module configuration, select Yes to enable the SAML module.
2. Enter values for the following:

Parameter	Description
metadataMode	Select Manual or Automatic.
enableMultildp	Enable using multiple IDPs (requires MultiAuth to be enabled)
loginRedirectUrl	The URL to redirect the user when authentication is required (relevant only if metadata mode is set to Manual).
logoutRedirectUrl	<p>The URL to redirect the user after logo.</p> <p>NOTE: This field is only applicable if useInternalLogoutPage is set to "No" and metadataMode is set to "Manual". When the MediaSpace session expires, the user is redirected to this URL, along with a SAML logout request. This request is made via POST request.</p> <p>MediaSpace does not expire login session from the identity provider. For the logout request, MediaSpace uses the value that was provided in the NameID element in the SAML login request.</p>
relayStateUrlParam	The parameter name that the IdP uses to pass the URL to redirect the user back after a successful login. This defines the default place to redirect the user to in case it is not passed as part of request. For example for PingFederate it would be TARGET. For other SAML providers it is typically RelayState.
enableMetadataEndPoint	Customers that require a standard XML response that exposes the metadata configured on the Service Provider side, can use this configuration. This will expose the configured parameters of the SAML module through the following URL: <a href="http://[MediaSpace Server]/saml/index/sp-metadata">http://[MediaSpace Server]/saml/index/sp-metadata</a>
useInternalLogoutPage	<p>If set to "Yes" logout will expire the MediaSpace session and display message to user but will not redirect to IdP logout page. For example:</p> <div style="background-color: #ffffcc; padding: 5px;"> <p><b>You have signed out from MediaSpace.</b> For improved security, we recommend that you close all browser windows at the end of your online session.</p> </div>
allowKeepAlive	When Yes, session will be extended upon user's interaction. Default is No.
logoutText	If useInternalLogoutPage is set to Yes you can define a custom message to users. You can use HTML tags to display a message.
shouldNestRelayState	Select whether to concatenate the relay state as query-string or as URL-encoded query string.
shouldPost	When set to Yes, the SAML request will be posted instead of using get. Default is No.
shouldDecodeRelayState	When set to Yes, RelayState will be decoded before redirect..

name	The entity ID of the service provider (MediaSpace) as it was configured in your Identity Provider. For example: <code>https://partner_id.mediaspace.kaltura.com</code> (this will be used as the SP entity ID).
host	The host of the MediaSpace instance. For example: <code>partner_id.mediaspace.kaltura.com</code> .  NOTE: The host may be configured only with a single URL per KMS instance. If you are using your own alias for MediaSpace (for example: <code>video.company.com</code> ) you should use that alias.
relayState	The value for the relative URL to redirect the user after login if a relay state is not passed as part of the authentication request. The default is <code>"/</code> .
nameIdFormat	<div style="border: 1px solid black; padding: 2px; width: fit-content;">Transient</div> <p>This field is used for SP initiated mode only and will not work if the NameID is not released.</p> <ul style="list-style-type: none"> <li>Transient - Recommended for Shibboleth setup</li> <li>Persistent - Preferred setup.</li> <li>None - set to remove the NameIDPolicy element from the SAML request.</li> </ul>
certificate - (optional)	<p>When encryption is required for the SAML response, enter the certificate information. Paste the content of the crt file without the comments line. See <a href="#">Generating a Certificate Workflow</a>.</p> <p>NOTE: You should paste the content without the 2 comment lines:  (<code>-----BEGIN...</code> and <code>-----END...</code>)</p> <p>All text should be in a single line with no spaces, so remove all the breaklines in the generated file</p> <p>The certificate value is used to encrypt the response provided by the IdP. The following example shows how the crt file would look including the comment lines and the extra line breaks that should be removed:</p> <pre>-----BEGIN CERTIFICATE----- MIICsDCCAhmGAWIBAgJjALM+uZK9gWbQMA0GCSqGSIb3DQEBAQUAMEUxGzAIBgNV BAYTAkFVMRMwEQYDVQIQEwptb211LVN0YXRIMSEwHwYDVQQKEWhbnRlcm5idCBX aWRnaXRzIFB0eSBMdGQwHhcNMTMwNDI0MDgzOTU1WhcNMjMwNDI0MDgzOTU1WjBF MQswCQYDVQQGEwJBTETMBEQA1UECBMKU29tZS1TdGF0ZTEhMB8GA1UEChMYMS50 ZXJlZG90LmVudC0yBQdHkgTHRkMIGfMA0GCSqGSIb3DQEBAQUAA4GNADCBiQKB gQC3Pkd3p+a9YyOTFHuw6trDlxhKwa0FAwrGIBnJcW4V+XgL5JajmRqCo1Vrk3 MEXFD1hf5GuG175m1CXA02XAdzJMemr8RcLj5dqAPP+6ZZ+3JM9owjvy1LRhMMP wCUBDeCl3WNvmNDCpnoj+mBlgyZpr87ecgaCt2626CRKQIDAQABo4GnMIGkMB0G A1UdDgQWBBTODBaXbjmbUJ1+gnD7CFKECmp9jB1BgNVH5MEbjBsgBTODBaXbjmb JUJ1+gnD7CFKECmp9jFjPecwRTELMAKGA1UEBHMCMQVUxEzARBNVBAgTCINvbWUt U3RhdGUxITAFBgNVBAoTGEIudGVybmV0IFdpZGpdHMgUHR5IEEx0ZlJALM+uZK9 gWbQMAwGA1UdEwQFMAMBAF8wDQYJKoZIhvcNAQEFBQADgYEAo6LDQVkjODxoL7N/ CXTDMdnZ74gLnZfOWh4RSQZzg/N5JpHt7RH4KTkpc/uWf0cUVRhUED4Vx3K/hlO rr8I7lh6hpD2T8Ecmimx8XieGrVU5ZulsMaFxDjFelvzq6+KtYz+Zalx2wc6tj RCe3NZLDKW3WvwjKdY+YyOkTs= -----END CERTIFICATE-----</pre>
privateKey - (optional)	<p>(Optional) SP Private Key PEM format. The privateKey value is used to decrypt the response provided by the IdP.</p> <pre>-----BEGIN RSA PRIVATE KEY----- MIICXQIBAAKBgQC3Pkd3p+a9YyOTFHuw6trDlxhKwa0FAwrGIBnJcW4V+XgL5Ja ymRqCo1Vrk3MEXFD1hf5GuG175m1CXA02XAdzJMemr8RcLj5dqAPP+6ZZ+3JM9 owjvy1LRhMMPwCUBDeCl3WNvmNDCpnoj+mBlgyZpr87ecgaCt2626CRKQIDAQAB AoGAURW1+JTJ3bQTFexSb4EwcUcBid3IMZdNayVVRvtl63xPGHNxwJuy58lwZUVD2 1Hz/4ptP98T1a9NuSTXL+RbeXaOFI5nPXQVlV62IsOVRg1I1SkKedkWK3EPesx iACqtC3xOaV+kjDS1R7x5MNXroMHM/tOKg9xfjmIckisyEQCQDwRh0NSTNGKHEA gNA6tQ03X4G9VkyWE1/KT9Mq2c41LrKLXD9nd39kgHb7lkoqz5r+KmVNo2nki3 mqjZ0aTAKEAwzyYQik8pRkFIBH/UDYLj96wuGrqYjvQO+94WWzWCZXPBPBIOY5g KG+I5WmfipvHwsbd0PaZeCax0INW6LCOwJATRNauIVVFiuvymTIEdpXlMrTTI sKwwWza2DzmdFRqy+6qIfD8w3bOMMY5+WzEdYnlwbEj4wVtcDBVjm1PrwJBALu/ VrAXfaeys0GcOQI6n+m8ZfdCoZJL6kjo1bQxThczW4/dWYqK1v+rtj45HvHaGrS9 Ju2BGvHjlxRM+amli8CQQCHQNWlyVzmvjxnlHG00S204vKPs4xSVegYmOL3JPOT Rr7FMzBMRp46C5a6p38k4ZnAqP7LvoWWWci/AvKvjz/xE -----END RSA PRIVATE KEY-----</pre>

host	The entity ID of the identity provider. For example: https://openidp.feide.no
issuer	The entity ID of the identity provider. For example: https://openidp.feide.no
name	Friendly display name for the Identity
certFilePath	Provider (only for self-hosted MediaSpace) The absolute file system path of the crt file provided by Identity Provider.
certFileContent	The content of the certification file provided by Identity Provider that is used to validate the signature of the response.

Complete the following values in the attributes section:


Parameter	Description
userIdAttribute	The SAML attribute containing the user ID. When blank, NameID element will be used.
firstNameAttribute	The SAML attribute containing the first name.
lastNameAttribute	The SAML attribute containing the last name.
emailAttribute	The SAML attribute containing the email.
logoutUrlAttribute	The SAML attribute containing the logout URL. When configured, if useInternalLogoutPage is set to No, the value passed in the attribute will be used instead of the value set in logoutRedirectUrl.

Complete the following values in the defaultRole section:

Parameter	Description
defaultRole	The default role for authenticated SAML user.
allowDefaultRole	Select Yes or No.
role	Select the default role that should be assigned to each user that is authenticated.

Complete the following values in the roleAttributes section:

Parameter	Description
roleAttributes	Map attribute values to KMS roles.
attribute	The SAML attribute name.
value	The SAML attribute value
role	Mapped KMS role.

 If more than one attribute value is found (a user belongs to multiple groups) the user will be mapped to the role that was defined in the last roleAttribute found.

Complete the following values in the roleAttributesCsv section:

Parameter	Description
roleAttributesCsv	Map attribute values to KMS roles. Each CSV row should contain 3 values: attributeName,attributeValue,mediaSpaceRole. Invalid MediaSpace roles would not be saved.
Load new CSV	Click to upload a CSV with role attributes.
storageDataEntryId	Data entry ID that stores the parsed csv data

In the blockAuthorizationAttributes (optional) map individual groups and values that are returned in the SAML response and should lead to unauthorizing an authenticated user from using MediaSpace. Complete the following values in the blockAuthorizationAttributes section: (Optional)

Parameter	Description
blockAuthorizationAttributes	Mapping of attributes and values that blocks authorization
attribute	The SAML attribute name.
value	The SAML attribute value

The unauthorizedBehavior is applicable only if the blockAuthorizationAttributes is used. If usersuseInternalUnauthorizedPage is in use (set to 'yes') you can optionally set the text to be presented to the unauthorized user. If usersuseInternalUnauthorizedPage is not used, you can specify the URL where the user will be redirected to. Complete the following values in the unauthorizedBehavior section: (Optional)

Parameter	Description
unauthorizedBehavior	Mapping of attributes and values that blocks authorization
useInternalUnauthorizedPage	Default is 'Yes'. If set to 'No' unauthorizedRedirectUrl will be used.
unauthorizedRedirectUrl	(Optional) The URL to redirect the authenticated, but unauthorized users. Should be used only in cases where the customer wants authenticated users to be redirected to his self hosted page.
unauthorizedText	(Optional) Text to be shown in the internal unauthorized page, leave empty to use the default text.

From the MediaSpace Configuration Management, Go to the [Auth](#) module.

For SP Initiated configuration enter:

- Saml\_Model\_SplInitiated in the authNAdapter text box and click Add custom value
- Saml\_Model\_SplInitiated in the authZAdapter text box and click Add custom value

For IdP Initiated configuration enter:

- Saml\_Model\_IdpInitiated in the authNAdapter text box and click Add custom value
- Saml\_Model\_IdpInitiated in the authZAdapter text box and click Add custom value

## Samlgroupsync

Please see the [Kaltura SAML Group Sync Administrator's Guide](#) for the setup configuration.

## Scheduling

Use the Scheduling module to:

- Set Entry's publish schedule to categories or channels.
- Sort and filter entries by scheduling range in my-media.

Field	Description
enabled	Enable the Scheduling module.
dateFormat	Define the date format for the time presented.

## Securitytxt

Use the Securitytxt module to enable the "/security.txt" file in the site.

The security.txt file is a standard for websites' security information that is meant to allow security researchers to easily report security vulnerabilities. You can read more about it, and also create your own security text in [securitytxt.org](https://securitytxt.org).

Field	Description
enabled	Enable the Securitytxt module.
configSecurityTxt	Enter the content for the security.txt file.

## Sidemymedia

### Limitations

Only **one** module's sidebar is shown in KAF.

### Sidebars from other modules

[Related](#) module for KMS, [Hostedrelated](#) module for KAF.

Field	Description
enabled	Enable the Sidemymedia module.
limit	How many Sidemymedia items can be displayed?
showInCategory	Should the module render the sidebar if in category context?

### Sideplaylists

Field	Description
enabled	Enable the Sideplaylists module.
limit	How many items can be displayed in a side playlist?
items	Define playlists to display on the right side next to the player.
label	Enter the playlist label.
id	Enter the ID of the playlist to display.

### Ssogroupsync

Please see the [Kaltura SSO Group Sync Administrator's Guide](#) for the setup configuration.

### Staticpages

You can add static/content pages to your MediaSpace site. Static pages can be used, for example, to create help pages, privacy policies, etc. From the KMS Admin, enable the *Staticpages* module. After you enable the module, you can add multiple pages to your site. Each page should include a customized HTML code and can be identified by the slug field (the extension added to the MediaSpace link that refers to the page).

Find the fields and description below:


Field	Description
Module Info	
description	Create custom static pages in KMS.
styling	It is best to use <a href="#">Bootstrap</a> css classes in the markup.
custom styling	Use inline styles, or consider using the <a href="#">cssupload</a> Module.
enabled	Enable the Staticpages module.
title	The title of your page to display as the page header
pageSlug	What is the <b>unique</b> semantic <b>slug</b> for your page? (e.g. <a href="#">www.yourvideoportal/&lt;slug&gt;</a> ) The unique identifier for the page to be accessed as a URL. For example, if you provide 'privacy' as a slug, you can add links to your static page as [MediaSpace URL]/privacy. You can add these links in <a href="#">Navigation</a> or <a href="#">Headermenu</a> modules or anywhere you want to include links to your pages within the MediaSpace site.
permission	Select the minimum role allowed that can access this page. Set as anonymousRole to keep this page public. Use the "guest override" field to allow anonymous users to access static pages even if anonymous is turned off in KMS.
content	What is the content of this page? You can use <a href="#">HTML</a> and <a href="#">Bootstrap</a> .


## Styling

 This article is designated for administrators.

### About

The Styling Module for Video Portal (aka MediaSpace) and KAF administrators, provide the ability to create a new style based on most common use cases. With the Styling module, admins can view the newly generated theme, and share it with other admins before setting it up on production.

 This guide demonstrates the V2UI Styling capabilities, for the new Theming Feature Set, see [Theming](#).

 For advanced theme creation, for which a deep CSS understanding is required, please use Kaltura's [Ccssupload](#) Module

### Custom CSS Fonts

**Enable** - Select Yes to enable the Styling module

**Fonts** - Select **+Add"fonts"** These fonts will be available in custom CSS and in the Font selectbox on the styling page

- **familyName**- Font family name that will be used in CSS and will be appended to the Font select box on the styling page.
- **fallbackFonts**- Font families and font types which should be used as a fallback when the desired font family is not ready or doesn't exist (comma-separated list, like in CSS specifications).

Specifying generic font type (like `serif` or `monospace` ) is mandatory.

Example: `"Helvetica Neue",Arial,sans-serif`

- **type** - Font assets source type:
  - **System font** - use worldwide supported font by name
  - **Import from URL** - use an external font service (like Google Fonts)
  - **Upload files** - upload your own font asset files

**isCssApplied** - This field indicates whether the style created in the Styling Module is applied on the site or not. Click Reset to



clear all previously set styles.

## The Styling Configuration Page

The **Styling Configuration** page provides administrators with an interface where they can modify look and feel attributes like text color, background color, and fonts.

Use the [link](#) provided in the description to access the new Styling Page.

### Styling

**Module Info**

name	Styling
description	<p>Click <a href="#">here</a> to go to the Styling Page.</p> <p>Use this module to create a new style for your site. Use the link provided in the Description field to access the new Styling Page. You can preview and share the new settings with other admins before applying the changes to the site.</p>

The **Styling Configuration** page displays.

### Styling Configuration

[Fonts & Text](#) | [Page Elements](#) | [Menus](#) | [Extras](#) | [Information](#)

[Preview](#) [Actions](#)

Font ⓘ

Lato (default) ▼

Text Color ⓘ

#333333 ■

Links Color ⓘ

#00b4d1 ■

Links Color (:hover) ⓘ

#00a1bc ■

Tool Tips Text Color ⓘ

#ffffff ■

Home Playlist Title Color ⓘ

#000000 ■

Thumbnails Title Color ⓘ




#ffffff ■

Here is a list of the items that can be modified in the Styling module:

Tab Location	Attribute	Description	Visual
Fonts & Text	Font	This modifies the default MediaSpace font.	
Fonts & Text	Text Color	This modifies the default text color within MediaSpace.	
Fonts & Text	Links Color	This modifies the color of hyperlinked text within MediaSpace, as well as certain icons and other dominant UI elements.	
Fonts & Text	Links Color (:hover)	This modifies the	

Tab Location	Attribute	color of Description hyperlinked text	Visual
		that is currently being interacted with by the end user, as well as certain icons and other dominant UI elements that are being interacted with by the end user	
Page Elements - Buttons	Buttons Color	This modifies the text color and border color of buttons.	
Page Elements - Buttons	Buttons Color (:hover)	This modifies the text color of buttons when they are active or being hovered by a user.	
Page Elements - Buttons	Primary Buttons Color	This modifies the background color and border color of primary buttons.	
Page Elements - Buttons	Primary Buttons Color (:hover)	This modifies the background color of primary buttons when they are active or being hovered by a user.	
Page Elements - Buttons	Danger Buttons Color	This modifies the background color and border color of danger buttons.	
Page Elements - Buttons	Danger Buttons Color (:hover)	This modifies the background color of danger buttons when they are active or being hovered by a user.	
Page Elements - Background	Header Background	This modifies the background color of the KMS header. This area that contains the logo and primary navigation.	
Page Elements - Background	Footer Background	This modifies the background color of the KMS Footer at the bottom of	

Tab Location	Attribute	each page. Description	Visual
Page Elements - Background	Page Background Color	This Modifies the background color of the primary content wrapper.	
Page Elements - Background	Tags Color	This modifies the border as well as font color of any tags associated to videos.	
Menus - Header Navigation	Header Navigation Text	This modifies the color of both the text and the underline effect on the primary navigation.	
Menus - Header Navigation	Header Navigation Text (:hover)	This modifies the color of both the text and the underline effect on the primary navigation when hovered.	
Menus - Dropdown Menus	Dropdown Menu Text	This modifies the color of the text and icons in dropdown menus	
Menus - Dropdown Menus	Dropdown Menu Text (:hover)	This modifies the color of the text and icons in dropdown menus when that element is actively hovered.	
Menus - Dropdown Menus	Dropdown Menu Background Color	This modifies the background color of a dropdown menu.	
Menus - Dropdown Menus	Dropdown Menu Background Color (:hover)	This modifies the background color when a child element of a dropdown menu is hovered or clicked.	
Extras	Black & White Home Page Thumbnails	This applies a black and white filter to the home page playlist thumbnails below the carousel. On hover, filter is removed, and thumbnail will come back to full	

Tab Location	Attribute	Description	Visual
Extras	Black & White Home Carousel Thumbnails	This applies a black and white filter to the home page carousel background thumbnails. The small thumbnail in the carousel will keep its color.	
Extras	Black & White Channel/Galleries Thumbnails	This applies a black and white filter to the gallery thumbnails, and the channel's playlist and media thumbnails as well (but not to the header). On hover, filter is removed, and thumbnail will come back to full color.	
Extras	Black & White Channel Thumbnails	This applies a black and white filter to the channel' thumbnails within the All-Channels and My-Channels pages. On hover, filter is removed, and thumbnail will come back to full color.	<p>Sort by Media Count ▾</p> 
Extras	Remove Media Type Icon	Remove the little icon indicating the media type from the thumbnails top left corner.	
Extras	Carousel Buttons Always On	Set the left and right buttons of the home carousel to always show. When off, the buttons will be displayed only when hover.	

## Templatepages module

 This article is designated for administrators.

## About

Administrators can use the **Templatepages** module to create multiple pages containing different components suitable for each page. Once a template page has been configured, use the [CustomPages](#) module and set it with its own unique URL and permissions.

✔ To learn more, visit [Create and use a template page](#).

⚠ Applies exclusively to the Video Portal. The [Theming](#) module must be enabled.

## Configure

Go to your KMS admin page, and navigate to the **Templatepages** module. Your link should look like this: [https://{{your\\_site\\_url}}/admin/config/tab/templatepages](https://{{your_site_url}}/admin/config/tab/templatepages)

- Staticpages
- Styling
- Templatepages**
- Theming
- Thumbnails

**enabled** - Set to 'Yes' to enable the module.

**previewPlayerId** - This is the player ID that will be used for hero and single player components across all pages. The player will be automatically created upon enabling the module.

**heroPlayerAnalytics** - By default, player analytics for the hero banner on template pages are disabled because the player operates in a "gif" mode. To activate analytics for the hero carousel player, simply set to 'Yes' to enable this option.

## Create a template page

Click the **+Add TemplatePage** button. This will allow you to create a page from any of the template pages.

**TemplatePage**

Click the "Add TemplatePage" button to create a template page to be used in the site.

[+ Add TemplatePage](#)

At the top of your new template page there are three general page fields:

**pageName** - Enter a name for your page. This name will be presented in other modules when prompted to select a template page from a drop-down list. For example, in the [Custompages](#) module.

**pageTitle** - Enter a title for the page. This title will show on the browsers' tabs names.

**pageHeader** - Enter a header for the page (optional field). This header will show on the top of the page only when using a [Hero](#) unit.

—

pageName	<input style="width: 90%;" type="text" value="Interiors"/>	Enter a name for your page. This name will be presented in other modules when prompted to select a template page.
pageTitle	<input style="width: 90%;" type="text" value="Interior design"/>	Enter a title for the page. This title will show on the browsers' tabs names.
pageHeader	<input style="width: 90%;" type="text" value="Design your home"/>	Enter a header for the page (optional). This header will show on the top of the page.

## Page elements

There are three types of elements on the page that as a page builder you can choose from:

- [Navigation Bar](#)
- [Hero Unit](#)
- [Components](#)

Below you will find the information on each type.

### Navigation bar

For each page, a navigation bar will be presented. You can choose from two types of navbars: Site Navigation or Clean NavBar.

**navbarSettings** Collapse

Choose a navigation header bar for your page.

**navbarType** Site Navigation ▼ Choose the type of navigation bar of your page. Select the 'Site Navigation' to use the base site navigation, controlled from the [navigation](#) module. Select 'Clean Navbar' to have a simplified navigation, with only a call to action button and a custom logo.

Site Navigation

Site Navigation

Clean Navbar

### Site navigation

This navbar will present the same navbar as the site's navigation. This navbar is controlled from the [navigation](#) module, and will be the same on all the site's pages.

### Clean navbar

This navbar will provide simplified and clean navigation. Limited to a call to action button and a custom logo, this will provide different settings for the page.

If you choose a clean navbar, an additional window displays:

**customLogo** Collapse

Leave any of the fields below empty to use settings from the same field in the header module.

**logoImageUpload**

Upload Remove

Upload an image to use at the top of the login and registration pages. Suggested logo size is 325px wide X 41px high. Note that the size of the logo image affects the layout of the page and header menu.  
Leave empty to use settings from the header module.

---

**logoAltText**

Enter alternate text for the logo. Leave empty to use settings from the header module.

---

**logoLink**

Select the click behavior of the logo on this page:  
 [1] Enter 'false' if you do not want the logo to be clickable;  
 [2] Enter 'home' to display the home page (displayed when MediaSpace opens);  
 [3] Enter a full URL (starting with https://) to open a different page in a new browser tab;  
 [4] Leave empty to use settings from the header module.

Configure the following fields:

**logoImageUpload** - Upload your own or use the site's logo.

**logoAltText** - enter alternate text for the logo

**logoLink** - Select the click behavior of the logo

If you'd like to present a call to action button, fill in the **callToAction** section.

**callToAction** Collapse

**ButtonText**  Enter the text to display on the button.

---

**ButtonAction**

Enter the URL to launch when users click the button. Use relative path to open in same browser tab, or absolute path, to open a new browser tab.

If you'd like to present the language selector (assuming it is available on the site), set the **showLanguageSelector** field to 'Yes'.

showLanguageSelector

No ▾

Enable the site's language selector on the page.


## Hero unit

A hero unit is a component that can only be available at the top of the page. This is for a few reasons, mainly because of the interaction with the navbar and its transparency. It's not mandatory to have a hero unit on the page.

You can select from two types of hero units: **Player Carousel** or **Text & Counter**.


### Player carousel

This hero will present a dynamic carousel, playing back a list of live or VOD media on a muted player to create a feeling of a live site and moving elements. The video is muted, and cannot be played in the ordinary way - you could consider it as a carousel of GIFs.


 Note the [heroPlayerAnalytics](#) option above. By default, player analytics for the hero banner on template pages are off due to the "gif" mode. To turn on analytics for the hero carousel player, just set it to 'Yes'.

There are three sets of media that can be displayed on the carousel: Live events, VOD playlist, or Images.


- **liveCategory** - select the category from which the live sessions will show. Leave it empty to not show live media on the banner.


 When choosing a category is name/ID, entitlements may apply and hide any media not published in the site.

Select a **fallback option** - 'VOD Playlist' or 'Images and CTA list' (see how to configure these below below).



- **VOD list** - Select a playlist to show using the **vodPlaylist** section. Note that the available playlist types include a custom playlist and a channel playlist. If no VOD list is selected, the hero unit will not show on the page. Live media will be presented at their scheduled time. Meaning, if the event is not live, the player and carousel will not show. If no media is live at that moment, the hero will fall back to present either on the player the VOD list of media or the images.



 Scheduled Room type media is not supported.

- **Image List** - You can add up to 8 images to the hero carousel. In the **imageCarousel** window, configure the following:

- **uploadHeroImage** - Upload the image you want in your hero.
- **imageAlt** - Add an alt text string (this will be shown if the image doesn't load immediately)
- **Title** - Add a title or wording you want to be shown on the image.
- **Description** - Add short description to be shown on the image (optional).
- **Add a CTA url** - Add a link for the users to navigate to when they click the CTA button.
- **callToActionText** - Add text you want to show on the CTA button.

imageCarousel

1 **DELETE**

uploadHeroImage  Mandatory field - upload image for hero unit

imageAlt  Add an alt text string.


title  Title to be shown upon the image.

description  Description to be shown upon the image.

callToActionUrl  Add a link to navigate the users to.


callToActionText

You can add more images to the hero carousel by clicking **+Add "ImageCarousel"** repeating the steps above.




For more than one image, you will need to type the carousel transitions interval (in seconds) in the **carouselInterval** field. For best results, it's recommended to have a 30-second transition time.

carouselInterval  Select the interval (in seconds) between transitions. It is recommended to select a number higher than 5sec.


 **UI/UX** - Note that users can always skip between elements, and for accessibility reasons, the carousel transitions can always be stopped by the end user.

The image below is our hero with the 'imageCarousel' configuration:



### Text & Counter

This hero will show static texts and selected background at the top of the page with the option to add a time counter.

 All elements on this hero unit are optional and can be hidden by leaving the fields empty.



heroUnit Collapse

Enable the hero banner to select between the hero options and show a large component at the top of the page.

HeroType: Text & Counter Select the 'Text & Counter' unit to show texts with background at the top of the page.

Title:  Enter the hero unit's header title.

Description:  Enter the hero unit's description.

DateStart:  Insert a start date to display below the description. Must also fill DateEnd to show the date on the page. Format: Unix Timestamp (Example: 1580518923) or exact date and time in string format under the UTC time zone (Example: 2020-02-01T01:02:03).

DateEnd:  Insert an end date to display below the description. Must also fill DateStart to show the date on the page. Format: Unix Timestamp (Example: 1580518923) or exact date and time in string format under the


1. Enter the **Title** and **Description** to show at the top of the unit.
2. Fill in a **Start and End Date**(fill in both or none) to show a "from...to" element on the screen below the description. Acceptable date formats:
  - o Unix Timestamp - Example: 1580518923 (look for 'unix timestamp converter' in any browser)
  - o String format under the UTC time zone (Example: 2020-02-01T01:02:03)
3. Add a **Call-to-Action** button. You can add one or two buttons, that will show up as a Primary and Secondary.
4. Add a **Time Counter** to your hero unit, counting down to a specific time and date. The counter will disappear once it reaches the deadline.
5. Upload a **Background** atmospheric image for the hero. We recommended a 1920x1080 resolution, with no text to prevent clashing with the formatted text on the hero.

The image below shows the hero with the 'Text & Counter' configuration:



## Components

Click **+Add "components"** to create a new component.



All components have a few shared fields:

**Type** - Select the type of component you want: **Text only**, **Single Playlist**, **2 Images Side by Side**, **News Images**, **Registration**, **Collection of channels**, **Banner & CTA** or **Group of users**.

DELETE

---

type

---

order


---

**allowedGroups**

Limit the component to only show to the selected groups. For users who are n


**Order** - Fill in a number (larger than 0) for the order in which the components will appear on the page, for example 1 = highest position on the page. However, we suggest using large, non-consecutive numbers such as 10, 20, 30, as this will allow for simple changes in the future. For example, if you want to add a new component between the first and the second component, you can call it 15 and you won't have to renumber all your components.

**Allowed Groups** - This feature allows you to limit the visibility of each component to a selected set of users in a group/s. Leave empty to show to all users.

 Note that the page is not limited to one component type per page. You can add many components of a single type of the page. However, please note that adding too many components will cause the page to load slower (for example, adding 100 playlists to the page will slow it down, and is not a good UX anyway).

## Text only


This component is simple text which is centered on the page. The text color and background can be set (as shown in the example below).

 Line breaks and other capabilities can be achieved using html tags (e.g. <br>)

Settings example:

<b>textColor</b>	<input type="text" value="Blue"/>	Select the color of the text.
<hr/>		
<b>backgroundColor</b>	<input type="text" value="White"/>	Select the color of the component background.
<hr/>		

Settings result:



This is an example of text only on our landing page. This is an example of text only on our landing page. This is an example of text only on our landing page.

## Single playlist

This component shows a list of media in the form of a carousel.

**headerText** - Enter a title to show at the top left of your playlist(s).

**headerLinkText** - If you don't enter any text, the default "**See All**" is automatically set and will take the users to the playlist page.

<b>headerText</b>	<input type="text" value="Recommended for you"/>	Select the text for the component header (simple text).
<hr/>		
<b>headerLinkText</b>	<input type="text" value="Visit our playlist page"/>	Select the text for the component header link (simple text). Leave empty to use the default text.

Select the content of the playlist from the **playlist** section. (If you choose **Custom playlist**, see note\* below.)

playlist Collapse

Select the playlist to show on the component.


type Most Recent - All published Select content for the lists

forceShowContent No Select 'Yes' to force the playlist to show all the content in it, overriding entitlements and displaying the media metadata (thumbnails, title, and more) to all users. The component will become unclickable to prevent users from reaching access denied pages, however, you have the option to choose a different link for the component's items.

itemsPerPage 2 Select how many thumbnails are viewable on page load.

timeShift  The playlist will shift playlist's thumbnails one item to the left periodically. Enter duration in minutes, leave empty to disable.

The **forceShowContent** will allow you to override entitlements for the playlist. However, the content will not be clickable. (The "See All" link will also be removed or redirected to a link of your choosing in the **headerLinkAction** field.)

 This feature is mainly used for external pages, where the site guests (unauthenticated users) will be able to get a sneak peek of the content.

\*If you select **Custom Playlist**, you have additional configurations:

**playlistID** - Enter the ID for your custom playlist.

**PlaylistDisplay** - Choose how the playlist is displayed when the viewer clicks "See All" - as a grid layout or as the playlist player page with the list of other entries in the playlist.

playlist Collapse

Select the playlist to show on the component.

type Custom Playlist Select content for the lists

playlistid 1\_7tv0ryeu Enter custom playlist ID


forceShowContent No Select 'Yes' to force the playlist to show all the content in it, overriding entitlements and displaying the media metadata (thumbnails, title, and more) to all users. The component will become unclickable to prevent users from reaching access denied pages, however, you have the option to choose a different link for the component's items.

PlaylistDisplay Player Choose to display the list of media as a grid or a playlist player.

**itemsPerPage** - Select how many thumbnails you want to display on the page.

**Time Shift** - Set a time in minutes where the the media will shift one thumbnail to the left. Leave empty to disable.

The image below shows a playlist configuration with three thumbnails:



## User interaction with single playlist component

### Channel Content Playlist:

- When a user clicks " **See All** ", they're directed to the channel page where they can explore all content.
- When a user clicks a **thumbnail**, they're directed to the selected video in the single entry player.

### Manual Custom Playlist:

- When user clicks " **See All** ", they're navigated to either grid or player view, depending on what was configured in [PlaylistDisplay](#).
- When a user clicks a **thumbnail**, they're navigated to that item either in the playlist player or the entry page, depending on what was configured in the [Playlistpage](#) module > [ThumbLink](#) field.

### Dynamic Playlist ('Most Recent', 'Recently Watched', etc. excluding 'Recently Watched' and 'Continue Watching'):

- When a user clicks " **See All** ", they're navigated to the grid view to browse the playlist. (Clicking a thumbnail there directs them to the single entry page.)
- When a user clicks a **thumbnail**, they're navigated to the entry page of that item.

## Two images side by side

Configure the left and right images using one of the following three options: **image entry ID**, **image URL** or **image upload**.

✔ For best results, the aspect ratio of the image should be 16:9.

**callToActionUrl** - Add a link to navigate the users to. The link will open in a new tab. If left empty, the image will not be clickable.

**AnalyticsString** - This adds the "data-analytics" to the image tag. Enter a keyword or intuitive description, for example, 'tools'.

Not to forget - **Alt Text** for accessibility.

The image below shows two images side by side:

This is an example of text only on our landing page. This is an example of text only on our landing page. This is an example of text only on our landing page.



## News images


This component shows images with texts in the form of a carousel. Each element on the carousel will open to an article. For information on creating news images, visit our article [News Images playlist](#).

You can change the background color using the **modalBoxMaskColor** field.

After you have created a News Images playlist, enter the **playlist ID**.

<b>modalBoxMaskColor</b>	<input type="text" value="pink"/>	Select the modal box mask color. Leave the field empty to use the default color.
<b>playlistId</b>	<input type="text" value="1_9fny5cmk"/>	What is the Playlist ID with content to show in this component.

Example of our configuration of two News images:



## Registration

This component makes registering quick and easy for users. By clicking the "Register" button, the registration page opens on the side of the page for easy completion. No need to navigate elsewhere!

**title** - Enter a title for your registration page, for example, *Register for the event*.

**buttonText** - Add any text you want. If you leave the field empty, the default text *Register* will display.

**scheduleTimeFrom** - Enter the time you want registration to begin in unix time. Leave empty if you don't want to show a time.

✓ Unix time is a common computer timestamp system. It counts seconds from 00:00:00 UTC on January 1, 1970, known as the Unix epoch, without considering leap seconds. You can use the on-line [EpochConverter](#) tool to convert your times.


**scheduleTimeTo** - Enter an end time (unix time). Leave empty if you don't want to show a time.

**inScheduleText** - Enter text that you'd like to display while registration is open.

**outofScheduleText** - Enter text to display after registration has closed.

⚠ If the [SiteRegistration module](#) is disabled, this component won't be visible to users. In addition, if the `registrationClosed` function in the [SiteRegistration module](#) is set to 'Yes', the component won't appear.

Below is an example of the Registration component on a MediaSpace site.



### Register for our Hall of Fame event

You have 30 days to register!


September 30, 2023 4:26 PM > October 30, 2023 4:26 PM IST

Register



## Collection of channels


This feature gives users an easy way to explore and access channel collections. Clicking 'See All' will take users to your channel collection page. If you don't have any channel collections yet, you can set them up in the [ChannelCollections module](#).

 If the ChannelCollections module is disabled, this component won't be visible to users.

**headerText** - Type in any name you'd like for the component header, for example, 'Our channel collections'.

**headerLinkText** - Select the text for the component header link (simple text). Leave empty to use the default text.

**timeShift** - This determines how often each thumbnail in the collection will move to the left. Simply enter a duration in minutes (e.g., 1, 2, 3, 4) or leave empty to disable. The channels will appear on the page in the order specified in the ChannelCollections module's 'sortBy' field (the default sort you chose for your channel collection). The timeshift feature ensures that all channels will be displayed over time.

 This shift occurs when the page is refreshed.

In the **collection** window, choose the channel collection you want to display on the page. All your channel collections appear in the drop-down menu.

**collectionSlug**

Choose a collection from the available

trends ▾

- trends
- outdoors
- news

**forceShowContent** - Choose 'Yes' to display all collection content to every user, regardless of entitlements. This makes the component unclickable, but you can still choose a different link for the component's items, for example if you want to use this templatepage as an external page / landing page that everyone can see.

**headerLinkAction** - This is where you can add a link to take your users to the page you choose.

**channelsInLine** - Choose how many channels you'd like to display on one line - 6 or 8. (Choosing 8 will reduce the size of each circle.) The thumbnails come from your channel. If you've added a banner icon (see our [Edit a Channel](#) article), it becomes the thumbnail. Otherwise, the thumbnail uses the banner's central background.

**maxLinesNumber** - Choose how many lines of channels to display from the drop-down menu. The default is 2 lines.

**channelsInLine**  ▾


Select how many channels to display per line.

---

**maxLinesNumber**  ▾

Enter the max number of lines to display. Default is 2 lines.

Below is an example of the Collection of Channels component on a Video Portal site in 2 rows of 8:




## Banner & CTA

This component provides a banner with text, a call-to-action button and background image.


**HeaderText** - Add the text that you want to appear as a title on the banner.

**DescriptionText** - Add a description or text that you want to display below the header.


 The more text you add, the bigger the banner will become.

**Banner image** - You have 3 options for adding an image: **entryID**, **imageURL** or **imageupload**. Feel free to upload any image size - the system adjusts it to fit perfectly. It's best to use atmospheric images instead of those with text.


**Button** - Enter text for the CTA button and the URL that will redirect users when they click it. (Note: If you have text but no URL, the button will not appear on the banner.)

 All fields are optional. If you don't add an image, the banner will automatically use the design system colors.

Banner with a short description:



Banner with a long description:



### Group of users

This component highlights a group of individuals, such as speakers or presenters, on your site's landing page. It presents a row of thumbnail images (or initials if no image is provided). Clicking on See All opens the group page (configured in the grouppage module) itself. Clicking on a group member's thumbnail opens a window displaying their bio, along with details of their previous or upcoming sessions. To navigate to that person's profile page, simply click on either "See profile page" or "See all sessions".

⚠ This component requires the [Grouppage](#) module and [Personalprofile](#) module to be enabled.

**headerText** - Add the text that you want to appear as a title (for example "Meet our Speakers").

**headerLinkText** - Type the text you want to display on the right for users to click. Leave empty to use the default text "See All".

**group** - Choose a group from the allowed groups in the Grouppage module to display its users on the page. Only the first 20 people will show on the page.

⚠ If no group is chosen, the component will be empty, and won't be displayed on the page.

**uiType** - Select how to display group members:

- **Carousel** - (default) People are displayed in a carousel format with right and left arrows for navigation. Users can scroll left to reach the last user on the list (round-robin).
- **Side by Side** - People are displayed horizontally next to each other without a carousel.

**usersToShow** - Select an option:



- **Group list** - Displays the first 20 people from the chosen group on the page, ordered alphabetically by name (A-Z).
- **Promoted users only** - Displays only the promoted people from the selected group on the page, following the manual ordering as set on the group page.

**timeShift** - The group members list will periodically shift by one person to the left. You can specify the duration of the shift in minutes. For example, if you have a group with 30 users and set a 1-minute shift interval, initially users 1 to 20 will be displayed. After 1 minute, users 2 to 21 will be displayed, and this pattern will continue until all users are displayed. Please note that **the change will only take effect upon refreshing the page**. If you want to disable this feature, simply leave the duration field empty.


⚠ This feature is only active when "Group list" is selected in the **usersToShow** field.

Below is an example of a Group of Users component. Clicking **See All** displays the group page, which is configured in the [grouppage](#) module:





Once you have finished configuring, click the **Save** button, which will save your new page, and will also save and clear the cache for the module and site.


 To set up a homepage for your site, visit our article [Setting up a homepage with Theming](#).

## Theming module

 This article is designated for administrators.

### About

The Theming module lets you customize the appearance of your Video Portal with a unique set of pages and features. Using the theme builder, you can create and preview multiple themes to find the perfect look for your site's aesthetic or branding. Some pages are exclusive to Theming, while others can toggle between Theming and the non-Theming system. Check out the list below for Theming-based pages and features available to you.

 **KMS and KAF module.** Enabling the module will set a different look and feel for the site's header. For KMS instances with custom CSS or styling, please contact your Kaltura representative.

### Related modules

Enabling the Theming module is a prerequisite for the following modules:

1. [Custom Pages module](#)
2. [Template Pages module](#)
3. [Help Page module](#)
4. [Personal Profile module](#)
5. [Footer module](#)
6. [ListPage module](#)
7. [Login module](#)
8. [Upload Media module](#)
9. [Channel Theming UI module](#)
10. [Channel Collections module](#)
11. [Playlist Page module](#)
12. [Search module](#)
13. [Groups Page module](#)

## 14. Add New module

### Working with themes

#### Enable and choose a theme

To get started, enable the module using the *enable* field.

There are two default themes available for use - Dark and Light. All the theming pages that are set to 'Yes' in the *features* section, will be affected by the theme selected.



To create your own custom theme, use the **Themes** section.

#### Create a theme

To create a custom theme

1. Navigate to the Themes section, and click the + **Add Themes** button.

\* **DELETE**

name

Edit Preview

---

mode  The basic theme on which the theme is based on.

+ Add "Themes"

2. Click **Edit**.  
The Theme Builder displays.

< Edit theme
Cancel Save


Pick an accent color that reflect your brand.

Brand color  
#006EFA


Customize backgrounds, texts, icons and lines.

Mode  
 Dark  Light


Variations



Neutral



Monochromatic




Custom

Font Family  
 Presets  Web font

Lato

Roundness  
Slightly Rounded

This preview is not an accurate representation of your site and its current configuration


Live stage

Put your brand in the forefront

When customizing your event site, begin by selecting a primary color for the main buttons and highlights.

Additionally, choose a dominant mode for the site background. Get into the details by exploring various options for color variations, fonts, and the roundness of the site elements such as buttons and fields.

Call to action
Secondary button

 Select button
 ▼

Chat
Q&A
Feed

Updates

Live stage

Private chat

HC Celine Garnier  
Hello there!

HC Julian Lang  
So excited to be here!

HC Julia Brice  
Thanks everyone for joining the session!

HC James Li  
Hello everyone!


Write your message

You can create and manage your theme from the Theme Builder. For more information, about creating and customizing themes, read our article [Theme Builder](#).

After you have customized a theme, you can set it as your site's default theme from the **CurrentTheme** dropdown.

Copyright © 2024 Kaltura Inc. All Rights Reserved. Designated trademarks and brands are the property of their respective owners. Use of this document constitutes acceptance of the Kaltura Terms of Use and Privacy Policy.

106




### Preview your theme

Click **Preview** to test your theme without changing the site's UI for all users.

After clicking **Preview**, you will be redirected to the site and be presented with a preview banner below the navbar, indicating that you are in preview mode. This is a local view preview only (based on a temp cookie in your browser), and won't affect any other users.


To exit the Preview mode, click **Turn Preview Off** in the preview banner.



### Additional information

#### Custom CSS

To add Custom CSS for Theming-based features and pages, use the **themingAdditional** field under the **cssupload** module.

 Certain pages, like the **customPages** feature set, cannot be disabled and will always be turned on.

#### Features section

Choose which of the Theming features and pages to enable. Once a feature is set to 'Yes', the Theming-based page layout and design will be applied to all users, and be affected by the selected theme in the **CurrentTheme** field. Keep a feature set to 'No' to be able to preview it before enabling using the Preview feature, as the 'Preview' feature will show all pages as if they are set to Yes.

Some Theming-based pages and features won't be shown in the list, as they are Theming-based only and cannot be used without the Theming module enabled (see [module description](#) for list of pages).

**features** Collapse

Choose which of the theming features and pages to enable. Once a feature is set to **Yes**, the theming based page layout and design will be applied to all users, and be affected by the selected theme in the **Current Theme** field. Keep a feature set to **No** to be able to preview it before enabling using the **Preview** feature, as the **'Preview'** feature will show all pages as if they are set to **Yes**.

**NOTE:** Some theming based pages and features won't be shown in the list, as they are theming based only and cannot be used without the theming module enabled (see module description for more pages)

header	<input type="checkbox"/> Yes	The header feature is a must when using any of the theming features and pages set. Keeping it set to No will result in different headers in different pages on the site.
login	<input type="checkbox"/> Yes	Configured from the <a href="#">login</a> section
mediapage	<input type="checkbox"/> Yes	Turn on the theming based media page design for all types of media, including draft, video, audio, image, ivq, live, kwebcase, interactive (path), meeting rooms, and playlist. Note: Only player v7 is supported on these pages. Please make sure to update all players to the v7 player version.
globalsearch	<input type="checkbox"/> Yes	Turn on the theming based global search page.
playlistsgrid	<input type="checkbox"/> Yes	Turn on the theming based playlist grid page design. Note: Only player v7 is supported on this page. Please make sure to update your playlist player to the v7 player version from the <a href="#">playlistPage</a> module.
mymedia	<input type="checkbox"/> Yes	Turn on the theming based my-media page design.
playlist	<input type="checkbox"/> Yes	Turn on the theming based playlist playback page design. Note: Only player v7 is supported on this page. Please make sure to update your playlist player to the v7 player version from the <a href="#">playlistPage</a> module.
channels	<input type="checkbox"/>	Configured from the <a href="#">channelthemingui</a> module
personalprofile	<input type="checkbox"/> Yes	Configured from the <a href="#">personal profile</a> module
registration	<input type="checkbox"/> Yes	Configured from the <a href="#">registration</a> module
channelcollections	<input type="checkbox"/> Yes	Configured from the <a href="#">channelcollections page</a> module

**⚠** The **Features** section is an advance settings section, and should only be used by a Kaltura representative. Note, that when preview is enabled, it will display the site and all Theming pages with the previewed theme, regardless of the settings in the **Features** section.

**header** - The header feature is a must when using any of the Theming features and pages set. Keeping it set to 'No' will result in different headers in different pages on the site.


**login** - This is configured in the [login](#) module.

**mediapage** - Turn on the Theming-based [media page](#) for all types of media, including draft entry, video, audio, image, video quiz, live, kwebcase, interactive (path) video, meeting rooms, and playlist.

**⚠** Only **player v7** is supported on these pages. Please make sure to [update all players to the v7 player version](#).

**globalsearch** - This turns on the Theming-based [global search page](#).

**playlistsgrid** - This turns on the Theming-based [playlist grid page](#) design. When a user clicks **'See All'**, they will be redirected to that playlist in grid view, as shown below:



⚠️ Only **player v7** is supported on this page. Please make sure to update your playlist player ID to the v7 player version on the [playlistPage](#) module.

**mymedia** - This turns on the Theming-based [My Media page](#) design

**playlist** - This turns on the Theming-based [playlist playback page](#) design.

⚠️ Only **player v7** is supported on this page. Please make sure to update your playlist player ID to the v7 player version on the [playlistPage](#) module.

**channels** - These are configured in the [channelthemingui](#) module.

**personalprofile** - This is configured in the [personalprofile](#) module.

**registration** - This is configured in the [Siteregistration](#) module.

**channelcollections** - This is configured in the [channelcollections](#) module.

**footer** - This is configured in the [footer](#) module.

**helppage** - This is configured in the [helppage](#) module.

**kcapture** - This is configured in the [kalturacapture](#) module.

**recorder** - This is configured in the [recorder](#) module.

## Thumbnails

Field	Description
enabled	Enable the Thumbnails module.
extensionWhitelist	Define allowed extensions, example: jpg, png, jpeg, gif (one item per extension)

## Twitter

### Important Note:

Twitter requires that every domain is approved by them.

The Twitter approval process includes testing the experience across various platforms, as well as re-validating it periodically.

More information and how this can be done can be found [here](#).

The Twitter module enables metadata tags such that the thumbnail, entry name, and other metadata tags can be posted in the Tweet. Without this module enabled, only the KMS link will be posted because Twitter can't pick-up the metadata.

The player id (tPlayerId) set in the module is for the player used in th Tweet. Using this player, the video can be embedded in the Tweet and played from there.

For information on how to setup the player for viewing Twitter media in MediaSpace, please see [Setting up Twitter share for MediaSpace for Admins](#).

Field	Description
enabled	Enable the Twitter module.
tPlayerId	What is the player ID (uiConf ID) of the player that plays videos on Twitter? This should be a V2 play.
siteUserName	@username of website, to be used as value for twitter:site meta tag
useHighestQuality	Use the best quality flavor that can be played in Facebook.
siteDescription	Enter the text to send on the 'twitter:description' property for the shared link for non-player pages.
shareImageUrl	Enter a link to an image you would like to use when users share content for non media pages (such as home page). Leave empty to use the site logo.


## Uploadmedia module

🔒 This article is designated for administrators.

### About

The **Uploadmedia module** enables users to upload, share, and edit media via the [+Create menu](#) in the navigation bar. With our Theming-based feature, users can bulk upload, edit, and set privacy statuses all at once, without waiting for uploads to complete.

 A user with an application role of privateOnlyRole and higher (adminRole, unmoderatedAdminRole) can upload content to the video portal.


 This module is supported in both KMS and KAF applications and requires the [Theming module](#) to be enabled.

## Prerequisites

1. Enable the [Theming module](#) and set the header configuration to 'Yes' to upgrade the video portal header appearance to the new design.
2. Enable the [AddNew module](#). Use this module to manage the [+Create menu](#) options.


## Configure

1. Go to your Configuration Management console and click on the **Uploadmedia** module. You can also navigate to it directly using a link: [https://{your\\_site\\_url}/admin/config/tab/uploadmedia](https://{your_site_url}/admin/config/tab/uploadmedia).



The Uploadmedia page displays.

## Configuration Management



The screenshot shows the 'Uploadmedia' configuration page. On the left is a sidebar with a menu of categories: Server Tools, Global, Client, Debug, EmailService, EmailTemplates, Gallery, and Header. The main content area is titled 'Uploadmedia' and contains a 'Module Info' section with a description and a note. Below this is a control for the 'enabled' status, currently set to 'Yes', and a 'Save' button.


Module Info	
Description	This module provides bulk upload capacities. Once admins enable the module, users will be able to bulk upload, bulk edit, and more while uploading the content.
Note	KMS and KAF Module. Depends on the <a href="#">Theming module</a> .

enabled  Enable the Uploadmedia module.

2. Set **enabled** to 'Yes' to enable the module.
3. Click **Save**.

## User experience

After the module is enabled, users can and upload and share videos, audio files, and images.

 For more information, visit our article [Upload media - Theming](#).




## Upload Media

3 Ready

**Drag and drop files to upload**

All common video, audio and image formats in all resolutions are accepted.

[Select Files](#)

3	All Media	<a href="#">My Media</a> <a href="#">Set Privacy to All</a> <a href="#">Edit All</a>
	<b>Walkthrough</b> Ready	<a href="#">Media Page</a> <a href="#">Private</a> <a href="#">Edit</a>
	<b>Virtual Event Demo</b> Ready	<a href="#">Media Page</a> <a href="#">Private</a> <a href="#">Edit</a>
	<b>Product Tour</b> Ready	<a href="#">Media Page</a> <a href="#">Private</a> <a href="#">Edit</a>



### Userreports module


 This article is designated for administrators.


#### About

When enabled, this module allows generating reports for [My Content Analytics](#) and user analytics for media such as [quizzes](#).

#### User analytics:


- Channel / course managers can measure and analyze user engagement and contributions.
- Answer questions like: What are the most popular videos? Who watches the most and what is their drop-off rate? Who contributes the most media?
- The Userreports module and its mediaAnalytics field must be enabled to display the **Analytics** option.
- Access the **Analytics dashboard** from the 'Actions' drop-down of the [media page](#):

- Add to playlist
- Edit
- Add to watch list
- Analytics 
- Reach captions & enrich
- Launch editor
- Delete

 The analytics report is identical to the analytics for the entry in the KMC. To learn more, please visit [Entry Level Analytics](#).


#### My Content Analytics:

- Content creators can get detailed metrics on their content to make informed decisions.
- Track and optimize content using various parameters.
- The Userreports module and its mediaAnalytics and userAnalytics fields must be enabled (refer to our article [Configure My Content Analytics](#) for instructions).
- Access the **My Content Analytics** dashboard from the site's user menu:



## Configure

- Go to your Configuration Management page, and navigate to the Userreports module. Your link should look like this: [https://{your\\_KMS\\_URL}/admin/config/tab/userreports](https://{your_KMS_URL}/admin/config/tab/userreports).



The Userreports module displays.

## Userreports

<b>enabled</b>	<input type="text" value="Yes"/>	Enable the Userreports module.
<b>mediaAnalytics</b>	<input type="text" value="Yes"/>	Enable media analytics for media owner
<b>userAnalytics</b>	<input type="text" value="Yes"/>	Provide an analytic page for content owners to view analytics for their content. Note: Only users with the privateOnly role and higher will be granted the ability.
<b>num_days</b>	<input type="text" value="30"/>	Default number of days. Only relevant for Quiz analytics OR Live Analytics OR Custom Reports.
<b>page_size</b>	<input type="text" value="20"/>	Default page size. Only relevant for Quiz analytics OR Live Analytics OR Custom Reports.

- Configure the following fields:

**enabled** - Set to 'Yes' to enable the module.

**mediaAnalytics** - Set to 'Yes' to enable media analytics for media owner.

**userAnalytics** - Set to 'Yes' to enable an analytics page for content owners to view analytics for their content.

⚠ Only users with the privateOnly role and higher will be granted this ability.

**num\_days** - default number of days

⚠ This field is only relevant for Quiz analytics OR Live Analytics OR Custom Reports.

**page\_size** - default page size

⚠ This is only relevant for Quiz analytics OR Live Analytics OR Custom Reports.

- Click **Save**.



## Watchlater

This module controls the ability to add videos to a Watch Later playlist. Users can set up a queue of clips as a playlist, that will be ready to watch whenever they have time.

See [Create and Add Media to a Playlist](#).

Field	Description
enabled	Enable the Watchlater Module.
profileTabTitle	Reset to Default.

[template("cat-subscribe")]

---