

EmailTemplates module

Last Modified on 04/28/2026 9:12 am IDT

 This article is designated for administrators.

About

Use this module to set up email templates that are sent based on different module settings. Templates can be used in:

- [registration modules](#)
- the [iCalendar module](#)
- the [RSVP module](#)

Examples include post-registration confirmations, calendar invites, and reset password emails.

Tokens

You can use tokens in email templates to automatically fill in user, site, and session details.

User tokens

- `{FIRSTNAME}`
- `{LASTNAME}`
- `{TITLE}`
- `{COMPANY}`
- `{COUNTRY}`
- `{EMAIL}`

Site tokens

- - links to the service that triggered the email (e.g., registration confirmation, login, forgot password).

Session tokens

(for iCalendar and RSVP emails)

- `{SESSIONNAME}` - session title
- `{SESSIONSTARTDATE}` - session start date and time (format matches session cards)

- {SESSIONDESCRIPTION} – session description
- {SESSIONURL} – session link
- {SESSIONMAGICLINK} – authenticated link to the session (available if email login is enabled)

Authentication tokens

(available if the [EmailLogin module](#) is enabled)

- {MAGICLINK} – authentication link to the site. You can add &ref=[relative path] to link to a specific page.
- {TINYMAGICLINK} – a shortened version of {MAGICLINK}. Recommended when using plain-text content, such as the bodyAsText field in calendar invites.
- {SESSIONMAGICLINK} – authentication link that redirects directly to the session page.
- {TINYSESSIONMAGICLINK} – a shortened version of {SESSIONMAGICLINK}. Recommended when using plain-text content, such as the bodyAsText field in calendar invites.

In-person tokens

(available if the [InPerson module](#) is enabled)

- {QRCODE} – used for in-person attendance verification.

Configure

1. Go to your Configuration Management console, and click the **EmailTemplates** module. You can also navigate directly using a link:

https://{your_KMS_URL}/admin/config/tab/emailtemplates.

Channels

Client

Debug

EmailService

EmailTemplates

Gallery

Header

Languages

The 'EmailTemplates' page displays.

Configuration Management

Server Tools

- Backup Configuration
- Player replacement tool

Global

- Application
- AddNew
- Auth
- Categories
- Channels
- Client
- Debug
- EmailService
- EmailTemplates**
- Gallery
- Header
- Languages
- Login
- MediaCollaboration
- Metadata
- Moderation
- My-media
- Navigation
- Player
- PlaylistPage
- Recaptcha
- Search
- Security
- SharedRepositories
- Widgets
- TimeAndDate
- Modules

EmailTemplates

Module Info

Info Create email templates that will be used throughout the site for user triggered emails (such as registration). Make sure to configure the way emails are sent from the **EmailService** module.

template

Localized versions of a specific email template

1 **DELETE**

templateName The template name - used to identify the template

localizedTemplate

Templates for a specific locales. When no locale fit - the template for En will be used.

1 **DELETE**

languageCode The template language code. Default is En, used when no other selection fit.

subject The email subject.

bodyThe email body in html. This field supports custom tokens from the language module, and also the following local tokens: {FIRSTNAME} {LASTNAME} {TITLE} {COMPANY} {COUNTRY} {EMAIL} {URL} {QRCODE}. If you are using **emailLogin** module, you can use {MAGICLINK} as an authentication link to the site and {MAGICLINK}&ret=[relative path] to link to a specific URL.

2. Configure the following:

+Add "template" - Click to add a template per locale. Configuring this section adds localized versions of a specific email template.



An additional section displays. Configure the following:

templateName - Enter a template name that will be used to identify the template, for example: *Confirm registration and set password*.

localizedTemplate - Click to add templates for specific locales. When no locale matches, the En (English) template is used.

Additional fields display:

languageCode - Select the language of the email from the drop-down menu. The default is English (En), and is used when no other selection fits.

subject - Enter the email subject line, for example, "Confirm registration and set password".

body - Enter the email body in HTML. This field supports custom tokens from the language module, and also the following local tokens: {FIRSTNAME} {LASTNAME} {TITLE} {COMPANY} {COUNTRY} {EMAIL} {QRCODE}



You can use an HTML editor of your choice, such as [Create a New Pen](#) or [W3Schools online HTML editor](#).

bodyAsText - This is for **calendar invites** only. This field contains the plain text that appears in the calendar invite itself. Tokens can still be used.



For authentication links, use `{TINYMAGICLINK}` or `{TINYSESSIONMAGICLINK}`, as shorter links display better in plain-text formats like calendar invites.



Do not use HTML in the **bodyAsText** field. Some calendar apps don't support HTML and show raw code to users. Use plain text only.

bodyAsText

Used for the calendar invites only. This field is used in the body of the calendar invites. Text should be entered without any HTML. See module description for full list of supported tokens.

The [siteRegistration module](#) is further configured to support this type of invitation.

iCalTitle - This field is used for calendar invites only. It defines the title that appears on the calendar (e.g., "Make sure to join the event on `{date}!`"). This content is visible in the calendar app, but not in the email. Enter plain text only - no HTML.

iCalLocation - This field is used for calendar invites only. It defines what appears in the **location field** of the calendar event. Enter plain text only (no HTML). Only `{SESSIONURL}` and `{TINYSESSIONMAGICLINK}` tokens are supported. Use short text, as some calendar providers may limit this field to around 250 characters.



- To enable the "Send by email" calendar option for users, configure the [iCalendar module](#) and select the relevant email template.

- To learn how to customize the calendar download, check out the [icalendar module](#).

3. Click **Save**.

HTML examples used in the body of the email

Confirm registration and set password

```
Hi {FIRSTNAME} {LASTNAME} <br><br>
```

```
Click on the <a href=> following link</a> to confirm your account registration and to  
set your password. <br>
```

```
<br><br>
```

```
Thank you!
```

Registration complete

```
Hi {FIRSTNAME} {LASTNAME} <br><br>
```

```
Thank you for registering for the session. <br>
```

```
Please log into the <a href=""> session</a> <br><br>
```

```
Thanks!
```

Reset your password

```
Please <a href=""> click here </a> to reset your password <br><br>
```

```
Please note: This link will expire after 30 minutes. <br><br>
```

Reset password confirmation

```
Hi {FIRSTNAME} {LASTNAME} <br><br>
```

```
Your password has been reset <br>
```

```
Please login to the <a href=""> KMS </a><br>
```

```
Thanks!
```