



Kaltura Video Integration with Hive

This article describes how to enable Hive for Kaltura webcasting, including enabling and configuring the Hivestreaming module and enabling Hive when creating a webcast.

 This guide is intended for MediaSpace Administrators and Webcast Administrators charged with enabling Hive for Kaltura webcasting.

 [Click here](#) for the Hive product update.

Introduction

Kaltura and Hive Streaming have developed an integration that allows Kaltura Webcasts to be streamed on Hive-enabled networks. This integration requires the enablement and configuration of a Kaltura MediaSpace plugin. This plugin allows Webcasts to be designated as “Hive-enabled”. This article includes instructions on the following:

1. Enabling and configuring the Hivestreaming module in the Configuration Management section of MediaSpace, as a MediaSpace Administrator.
2. Enabling Hive when creating and scheduling a webcast event in MediaSpace as a Webcast Administrator.
3. Troubleshooting tips and instructions.

Prerequisites

MediaSpace Administrators should create a Hive Customer organization in the Hive portal and obtain the customerId of the organization.

Technical Requirements

The current version of Kaltura’s integration with Hive supports working with the Java client and webRTC. When working with the Java client, you should ensure that the Hive client is installed across your organization, or on those computers where you will be testing Hive.

You must have a valid Hive account. Your Hive account manager will provide you with your customerID.

Technical Limitations

A technical limitation currently prevents the use of Hive with Webcasts that have multiple audio streams. If you are using Kaltura Cloud Transcode and your transcoding


profile includes multiple “Audio only” flavors for different language streams, disable these audio flavors.

<input checked="" type="checkbox"/>	HD/720 - WEB/MBL (...)	43	mp4
<input type="checkbox"/>	Audio only - English	100	mp4
<input type="checkbox"/>	Audio only - Spanish	101	mp4
<input type="checkbox"/>	Audio only - French	102	mp4

Enable and Configure the Hivestreaming Module

! If the Hivestreaming module is not in your MediaSpace application, please contact your Kaltura representative to inquire about adding it.

1. Follow instructions in Section 1 of [Kaltura MediaSpace User Manual](#) to log into MediaSpace Admin (by going to your MediaSpace URL and adding /admin at the end).
2. Login using your Kaltura user ID and password.
3. Click **Sign In**. The Configuration Management Section of MediaSpace displays.



4. In the list of configurable items on the left of your screen, locate and click on Hivestreaming. The Hivestreaming item will be crossed out because it is disabled by default.

MANAGE CONFIGURATION
MANAGE USERS
MANAGE GROUPS
KNOWLEDGE BASE
CLEAR THE CACHE
LOG VIEWER
GO TO SITE

Configuration Management

Developer Tools
Export configuration to a file
Import configuration from a file
Create uiConf for Widgets
Create Custom Metadata profiles
Global
Application
Auth
Categories
Channels
Client
Debug
Gallery
Header
Languages
Metadata
Moderation
Navigation
Player
Security
SharedRepositories

Hivestreaming

Module Info

name	Hivestreaming		
description	Module for Hive P2P streaming integration		
version	1.2.3		

enabled
No

Enable the Hivestreaming module.

partnerId
9065

Set to the Hive Partner ID for your account. Contact your Kaltura account manager to obtain this value.

customerId

Set to your Hive Customer ID. This value is available in the Hive Admin Tool, or you may contact your Kaltura account manager to obtain this value.

techOrder
HiveJava,HiveJS,StatsJS


Comma-separated names of Hive techs. If empty, the default stack will be used.

Save

The Module Info box displays the module name, a description of the module (what enabling this module allows users to do), and a version number.

- In the enabled pull-down list, select **Yes** to enable the Hivestreaming module.
- Other configurable items following the enabled pull-down list are as follows.

Field Name	Description	Default
enabled	Enable/disable the module	No
partnerId	ID used to identify MediaSpace association with Hive services. The default value should not be changed unless otherwise instructed by Hive.	9065
customerId	Customer ID used to identify your account on Hive services. You may obtain this value from the Hive Admin dashboard (see screen shot below). You may also contact your Kaltura or Hive account manager to obtain this value.	
techOrder	Comma-separated names of peer-to-peer technology, in order of fallback. Advanced users may consult the techOrder table below. Consult with your Hive account manager before changing this field.	HiveJava, HiveJS, StatsJS



The number before the slash is the partnerId. The string after the slash is the customerId. In the screenshot above, the partnerId is 1234 and the customerId is a0b1c2d3.


7. Click **Save**. You receive a notice that your configuration for Hivestreaming was saved and the cache was cleared.


⚠ The order of the techOrder items determine the fallback sequence. As an example, for techOrder 'HiveJava, HiveJS, StatsJS' the plugin will first check if a Java client is installed. If not, then the plugin will check if the current browser support webRTC. If not, then the player will play directly from the account CDN.

Technology Ordering Options

The following options are available for the techOrder configuration. Consult with your Hive account manager to understand which option is right for your account.


techOrder Option	Description	
HiveJava, HiveJS, StatsJS	<p>Attempt to use a local HIVE P2P agent.</p> <p>Fallback to WebRTC if a local agent is not available.</p> <p>Fallback to the account CDN if neither option is available, and collect HIVE Insights analytics.</p>	
HiveJava, StatsJS	<p>Attempt to use a local HIVE P2P agent.</p> <p>Fallback to the account CDN if a local agent is not available, and collect HIVE Insights analytics.</p>	
HiveJS, StatsJS	<p>Attempt to use WebRTC for P2P connectivity.</p> <p>Fallback to the account CDN if WebRTC fails, and collect HIVE Insights analytics.</p>	
StatsJS	<p>Use the account CDN and collect HIVE Insight analytics.</p>	

 When the HIVE P2P Agent is installed, it is best to use it first in the tech order (HiveJava) since it is more mature and more “tuned up” for the specific customer network.


 HIVE silent testing is supported only with the HIVE Agent, so HiveJava should be in the tech order to support silent testing.


Enable Hive When Creating and Scheduling a Webcast Event

1. Follow instructions in Section 1 of [Kaltura MediaSpace User Manual](#) to log into MediaSpace.
2. Login using your Kaltura user ID and password.
3. Click **Sign In**. The home page of MediaSpace displays.



4. In the upper right corner of the screen, click **Add New** and select **Webcast Event**. The Schedule a Webcast Event Screen displays.
5. Follow instructions in [Scheduling Management - Adding Events](#) to create a webcasting event. In addition, you will notice a Hive enabled checkbox. Leave this checked (as it is by default) to enable Hive.
6. Save the Webcast.



 If you are having trouble creating a Hive-enabled Webcast, please reference the [Troubleshooting](#) section.


Confirm Hive Streaming Details


Event View Page

1. Find the relevant Webcast in My Media.
2. View the Event Page.
3. For Hive-enabled Webcasts, the following indicator will be displayed: Hive Enabled Webcast

This indicator is visible only to the Webcast owner and any co-editors.

Event Edit Page

1. Find the relevant Webcast in My Media.
2. Enter the Webcast's Edit page by clicking the  button.
3. Select the "Hive Streaming" tab.
4. Confirm that "Enabled" is checked and ensure that the HIVE Ticket URL is listed.

 You may change whether a Webcast is Hive-enabled or not up until the start of the event.

Access HIVE Analytics

Owners of a Hive-enabled Webcast events can access Hive's Insights analytics page:

1. Access the Webcast event edit page. See [Event Edit Page](#).
2. Click on the HIVE Insights URL link.

Details	Options	Collaboration	Thumbnails	Presenters	<u>Hive Streaming</u>	Captions
Live Stream Details		Timeline	Replace Media			
Enabled: <input checked="" type="checkbox"/>						
Hive ticket URL:		https://api.hivestreaming.com/v1/events/9065/90dec02e/1_b7prjw2b/ZxGfjkTtVI9O2CKZ				
Hive Insights URL:		https://admin.hivestreaming.com/streams/9065/90dec02e/1_b7prjw2b/LovvImO1b2ykogfB5OCm_A				
Save		Go To Media				

Troubleshooting

Symptom	Resolution	
HIVE Streaming is not shown as enabled after a Webcast is created.	Check the Hivestreaming module configuration in MediaSpace Configuration Management (see Enable and Configure the Hivestreaming Module). Ensure that the partnerId, customerId, and apiToken values are entered correctly – without any extraneous spaces or characters.	
Webcast does not play after the stream has begun.	Check the selected flavors of the account’s Cloud Transcode profile. Ensure that no “Audio only” language flavors are selected (see Technical Limitations).	
HIVE Client is installed, but a HIVE-enabled Webcast is not streaming using the HIVE Client.	Confirm that no HIVE-enabled streams are playing in any browser. The HIVE Client can only support a single Webcast or other HIVE-enabled stream at a time.	

[template("cat-subscribe")]