

Embed code differences between V2 and V7 players

Last Modified on 08/23/2025 4:55 pm IDT

 This article is designated for administrators.

About

This reference guide explains the embed code types supported in Kaltura and shows how they differ between Player V2 and Player V7. For most use cases, Kaltura recommends using **auto embed** with the V7 player.

Embed code types

Each embed method has advantages depending on your setup. Use the side-by-side examples below to see how V2 and V7 embed codes differ.

Auto embed

Auto embed is the recommended embed code for the Kaltura Player. It uses precise code and is good for getting a player or widget onto the page quickly and easily without any runtime customizations.

Auto embed is optimized for packing lots of resources into the initial request, allowing the player to be rendered quickly.

It is possible to control the configuration passed to the player by adding query strings params. The parameter name should be `config[CONFIG_SECTION_NAME]`. The `CONFIG_SECTION_NAME` possible options are playback, provider, and plugins. The value of the configuration passed should be in JSON Format and the JSON keys should be quoted Strings. Make sure to pass only URL valid characters, so URL encode before - The configuration will be decoded properly to the original characters. Basic Auto embed codes look like this:

V2 Auto Embed	V7 Auto Embed
<pre><script src="https://cdnapisec.kaltura.com/p/4834032/sp/4834032100/ embedIframeJs/uiconf_id/51010522/partner_id/4834032? autoembed=true& entry_id=1_w9cch3ri&playerId=kaltura_player_1668426277 &cache_st=1668426277&width=400&height=333"> </script></pre>	<pre><div id="kaltura_player_791458787 "style="width: 560px;height: 395px"> </div> <script type="text/javascript" src='https://cdnapisec.kaltura.com/p/4834032/embe uiconf_id/50952692autoembed=true& targetId=kaltura_player_791458787&entry_id=1_w9 </script></pre>

Dynamic embed

Dynamic embed is recommended for cases where you want to control runtime configuration dynamically and/or have more control over the embed call.

Basic dynamic embed codes look like this:

V2 Dynamic Embed	
<pre><div id="kaltura_player_1657529534" style="width: 560px; height: 395px;"></div> <script> kWidget.embed({ "targetId": "kaltura_player_1657529534", "wid": "_2068231", "uiconf_id": 50380002, "flashvars": {}, "cache_st": 1657529534, "entry_id": "1_zdyx07u4" }); </script></pre>	

V7 Dynamic Embed

```
<script type="text/javascript" src="https://cdnapisec.kaltura.com/p/2068231/embedPlaykitJs/uiconf_id/50575592">
</script>
<script type="text/javascript">
  try {
    var kalturaPlayer = KalturaPlayer.setup({
      targetId: "kaltura_player_621319997",
      provider: {
        partnerId: 2068231,
        uiConfId: 50575592
      }
    });
    kalturaPlayer.loadMedia({entryId: '1_zdyx07u4'});
  } catch (e) {
    console.error(e.message)
  }
</script>
```

Iframe embed

The iframe embed is good for sites that don't allow third-party JavaScript to be embedded in their pages. This makes the iFrame embed a better fit for sites that have stringent page security requirements.

It is possible to control the configuration passed to the player by adding query strings params (This is same as the Auto Embed configuration)



Note that if you use the iframe-only embed mode, the page won't be able to access the player API.

Basic iframe embed codes look like this:

V2 IFrame Embed	V7 IFrame Embed
<pre><iframe id= "kaltura_player_1657529513" src="https://cdnapisec.kaltura.com/p/2068231/sp/206823100/ embedIframeJs/uiconf_id/50380002/partner_id/2068231 iframeembed=true &playerId=kaltura_player_1657529513 &entry_id=1_zdyx07u4" width="560" height="395" allowfullscreen webkitallowfullscreen mozAllowFullScreen allow="autoplay *; fullscreen *; encrypted-media *" frameborder="0"> </iframe></pre>	<pre><iframe type= "text/javascript" src='https://cdnapisec.kaltura.com/p/2068231/ embedPlaykitJs/uiconf_id/50575592? iframeembed=true&entry_id=1_zdyx07u4' style= "width: 560px; height: 395px "allowfullscreen webkitallowfullscreen mozAllowFullScreen allow= "autoplay *; fullscreen *; encrypted-media *" "frameborder="0"></iframe></pre>