


How to remove cue points via API?

Last Modified on 11/27/2024 3:33 pm IST

 This article is designated for administrators.


The following guide will walk you through how to delete Chapters/Cue points of an entry.

1. Go to the API console at <https://developer.kaltura.com/console/> (Sign In) or http://www.kaltura.com/api_v3/testme.
2. Generate a KS (relevant when Testme Console is used)
See [How to Start a Kaltura Session using the TestMe Console](#).
3. **Session Service:** cuePoint
4. **action:** list
5. Click on the **Edit** next to "**filter (KalturaCuePointFilter):**" and insert the entry ID into the '**entryIdEqual**' field.
6. Click **Send**.



The screenshot shows the Kaltura API console interface. On the left, the 'Kaltura API session (string):' field contains 'djJ8MTQyfJUseI_bx07_LD_ZISRLsYn' with a checkmark. Below it, 'Select service:' is set to 'cuePoint' and 'Select action:' is set to 'list'. The 'filter (KalturaCuePointFilter):' dropdown is set to 'KalturaCuePointFilter' with an 'Edit' button and a checkmark. The 'pager (KalturaFilterPager):' dropdown is set to 'KalturaFilterPager'. A 'Send' button is at the bottom. On the right, the 'entryIdEqual (string):' field contains '0_yiluz368' with a checkmark. Other filter fields like 'entryIdIn (string)', 'createdAtGreaterThanOrEqual (int)', 'createdAtLessThanOrEqual (int)', and 'updatedAtGreaterThanOrEqual (int)' are empty.

7. Locate the Chapter item you wish to delete by its cue point "startTime" parameter (in milliseconds) and copy its ID.



clientTag (string):
testme

apiVersion (string):
17.9.0

Impersonated partner id (int):

Kaltura API session (string):
djJ8MTQyfJUSeI_bx07_LD_ZISRLsYn

Select service:
cuePoint

Select action:
list

filter (KalturaCuePointFilter):
KalturaCuePointFilter

pager (KalturaFilterPager):
KalturaFilterPager

Send

```

645 <subType>1</subType>
646 </item>
647
648 <item>
649 <objectType>KalturaThumbCuePoint</objectType>
650 <relatedObjects>
651 </relatedObjects>
652 <id>0_uzg119uz</id>
653 <intId>282223</intId>
654 <cuePointType>thumbCuePoint.Thumb</cuePointType>
655 <status>1</status>
656 <entryId>0_y:7m8</entryId>
657 <partnerId>1112</partnerId>
658 <createdAt>1635516054</createdAt>
659 <updatedAt>1635516434</updatedAt>
660 <triggeredAt>
661 </triggeredAt>
662 <tags>
663 </tags>
664 <startTime>792000</startTime>
665 <userId>batchUser</userId>
666 <partnerData>
667 </partnerData>
668 <partnerSortValue>3</partnerSortValue>
669 <forceStop>
670 </forceStop>
671 <thumbOffset>
672 </thumbOffset>
673 <systemName>
674 </systemName>
675 <isMomentary>0</isMomentary>
676 <copiedFrom>
677 </copiedFrom>
678 <assetId>0_yixouu72</assetId>
679 <description>Chief Financial Office</description>
680 <title>Fr...</title>
681 <subType>1</subType>
682 </item>

```

8. **Select Service** > cuePoint
9. **Select Action** > delete
10. Insert the ID of the cue point you wish to delete in ' **Id**' field.
11. Click '**Send**'.