

Set up Kaltura LMS Video integration LTI 1.3 in Canvas at the sub-account level

Last Modified on 02/28/2026 12:01 pm IST

 This article is designated for administrators.

About

This article explains how to set up the Kaltura LMS Video integration for Canvas with LTI version 1.3 at the sub-account level.

The integration uses a set of LTI external tools, manually added through LTI Developer Keys in Canvas. The keys are populated using a JSON block to enable the LTI Tool Provider and configure tool placements within Canvas.



For more information on hierarchical structure of Canvas accounts, visit this Instructure article [What is the hierarchical structure for Canvas accounts?](#)

Canvas LTI tool placement restrictions

When adding third-party applications at the sub-account level, the following restrictions apply:

1. **Global navigation** placement is not available for sub-account-level applications.
2. A Canvas LTI Developer Key supports only **one** tool placement.

These limitations affect the placement of Kaltura's [My Media](#) and [Media Gallery](#) tools in Canvas. This guide outlines Kaltura's recommended approach to address these restrictions, which includes creating two LTI Developer Keys and one LTI API Key in Canvas.

Prerequisites


1. Kaltura administrator account
2. Kaltura LMS Video integration for Canvas, version 5.99.46 or later
3. Canvas administrator account

Step 1 - Backup your configuration


1. Log into your Configuration Management console

(https://{your_KAF_base_URL}/admin).

- Under **Server Tools**, click **Backup Configuration**.




- On the Backup Configuration page, click **Save Backup**.



A confirmation message displays: *Are you sure you want to save current configuration? Remember that previous backups will be deleted.*

- Click **Yes, Save**.



Once the backup is complete, you'll see a confirmation message: *Configuration file was saved successfully.*



The backup page will display the 'last configuration save date', which reflects the date when the configuration settings were last modified, not the date the backup was performed.

Step 2 - Enable LTI 1.3

1. In your Configuration Management console, navigate to the [Hosted module](#).
2. On the Hosted module page, locate the **authMethod** field and select **Iti1.3** from the dropdown.



An additional section displays exposing the Kaltura LTI 1.3 configuration settings.



3. Configure the following fields:



The value for “your_Canvas_Domain” will be the domain displayed when a user is working in your Canvas instance, for example, canvas.myuniversity.edu.


- **Iti13PlatformOidcAuthUrl** = `https://{your_Canvas_Domain}/api/Iti/authorize_redirect`
- **Iti13AuthTokenUrl** = `https://{your_Canvas_Domain}/login/oauth2/token`
- **Iti13KeysUrl** = `https://{your_Canvas_Domain}/api/Iti/security/jwks`

4. Scroll down to the **LTi3service** section and click **Generate key pair here** to generate private and public keys.



5. In the Certificate Generator window, click **Use** to save the key pairs to

the **Iti13ServicePrivateKey** and **Iti13ServicePublicKey** fields.



6. Scroll to the bottom of the Hosted module page and click **Save**.

Step 3 - Generate the Canvas LTI developer key JSON




If you are using a KAF domain other than `.kaltura.com`, such as a vanity domain or alias, make sure to use it as the input for your `_KAF_URL`.

- Enter the following URL in your browser:
https://{your_KAF_URL}/canvas/config/create-json-for-instance. Example:
<https://12345.kaf.kaltura.com/canvas/config/create-json-for-instance>


The JSON that is displayed will be used in the next steps to populate the LTI 1.3 Configuration field in the LTI developer keys.

Step 4 - Create a Canvas LTI developer key for all Kaltura tools except My Media


1. Log into your Canvas instance as an administrator.
2. Click the **Admin** tab.
3. In the Admin navigation panel click on the top-level account for your Canvas hierarchy.
4. In the Account navigation panel click the **Developer Keys** tab.




The **Developer Keys** page displays.



5. Click **+Developer Key** and select **+ LTI Key** from the drop-down list.



The **Key Settings** page displays.



6. Configure the following:

- **Key Name** - Enter the key name (Example: `Kaltura LTI 1.3 - no My Media`).
- **Owner email** - optional
- **Redirect URIs** - Enter `https://{your_KAF_URL}/hosted/index/oauth2-launch`. Example: `https://12345.kaf.kaltura.com/hosted/index/oauth2-launch`



If you are using a KAF domain other than `.kaltura.com`, such as a vanity domain or alias, make sure to use it as the input for your KAF_URL.

- **Notes** - optional
- **Method** - Select **Paste JSON** from the drop-down list.

Key Settings

Key Name:

Owner Email:

*** Redirect URIs:**

Notes:

Configure

Method

Paste JSON

Manual Entry

Paste JSON

Enter URL

7. For the **LTI 1.3 Configuration** field, go to the browser tab used in [Step 3 - Generate the Canvas LTI developer key JSON](#), and copy the JSON code between the first and last brackets { }, then paste it between the brackets in the LTI 1.3 Configuration field.

```

{
  "title": "Penn State University Testing",
  "scopes": [
    "https://purl.imsglobal.org/spec/lti-ags/scope/lineitem",
    "https://purl.imsglobal.org/spec/lti-ags/scope/lineitem.readonly",
    "https://purl.imsglobal.org/spec/lti-ags/scope/result.readonly",
    .
    .
    .
  ],
  "target_link_uri": "https://psudiscovery-test1.kaf.kaltura.com",
  "oidc_initiation_url": "https://psudiscovery-test1.kaf.kaltura.com/hosted/index/oidc-init"
}


```

Copy from here → (points to the opening curly brace)

← **To here** (points to the closing curly brace)


8. Scroll to the bottom of the page and click **Save**.

The new LTI developer key will now be listed on the Developer Keys page. If the **State** is set to off (red), it means the key is disabled. To enable the key, click the toggle (green).




Step 5 - Configure the Kaltura LTI 1.3 – no My Media LTI developer key

1. Edit the LTI developer key you created in [Step 4](#) by clicking on the **pencil icon** to the far right of the key.



The **Key Settings** page displays.

2. In the **Method** field, change to **Manual entry**
3. Update the **Title** field.
4. Update the **Description** field.
5. Scroll down to the **LTI Advantage Services** section and click to expand the section.



▼ LTI Advantage Services


Services must be supported by the tool in order to work. Check with your Tool Vendor to ensure service capabilities.

- Can create and view assignment data in the gradebook associated with the tool.
- Can view assignment data in the gradebook associated with the tool.
- Can view submission data for assignments associated with the tool.
- Can create and update submission results for assignments associated with the tool.
- Can retrieve user data associated with the context the tool is installed in.
- Can update public jwk for LTI services.
- Can lookup Account information.
- Can view Progress records associated with the context the tool is installed in.
- Can view the content of a page the tool is launched from.

6. Make sure the following **LTI Advantage Services** are turned on in addition to others that are enabled:

- *Can create and view assignment data in the gradebook associated with the tool.*
- *Can view assignment data in the gradebook associated with the tool.*
- *Can view submission data for assignments associated with the tool.*
- *Can create and update submissions for assignments associated with the tool.*
- *Can retrieve user data associated with the context the tool is installed in.*
- *Can update publish jwk for LTI services.*

7. Click **Additional Settings** to expand the section.



▼ Additional Settings

Domain:

Tool Id:

Icon Url:

Text:

Selection Height:

Selection Width:

Custom Fields

custom_canvas_user_id=\$Canvas.user.id
 custom_canvas_course_id=\$Canvas.course.id
 custom_canvas_user_login_id=\$Canvas.user.loginid

One per line. Format: name=value

8. Review the following fields:

- **Domain** - your KAF domain without `https://`
- **Tool Id** - your KAF URL including `https://`
- **Icon Url, Text, Selection Height, Selection Width** - leave blank
- **Custom Fields** - Include the following three custom parameters
 - `custom_canvas_user_id=$Canvas.user.id`

- `custom_canvas_course_id=$Canvas.course.id`
- `custom_canvas_user_login_id=$Canvas.user.loginId`

9. Remove the Global Navigation Placement by clicking on the Global Navigation bubble.


10. Review and edit the **Text** field for each tool placement as needed:

- **Link Selection:** For the Kaltura Browse Search and Embed tool, used to create video pages.
- **Course Navigation:** For the Kaltura Course Media Gallery.
- **Editor Button:** For the Kaltura Browse Search and Embed tool in the Canvas Rich Content Editor.
- **Assignment Selection:** For the Kaltura Interactive Video Quiz in the Canvas Assignment tool.


11. Scroll to the bottom of the page and click **Save**.

Step 6 - Create a Canvas LTI developer key for My Media


1. Log into your Canvas instance as an administrator.
2. Click the **Admin** tab.
3. In the Admin navigation panel click on the top-level account for your Canvas hierarchy.
4. In the Account Navigation panel click the **Developer Keys** tab.




The **Developer Keys** page displays.



5. Click **+Developer Key** and select **+ LTI Key** from the drop-down list.



The **Key Settings** page displays.



6. Configure the following:

- **Key Name** - Enter the key name, Example: `Kaltura LTI 1.3 - My Media only`).
- **Owner email** - optional
- **Redirect URIs** - Enter `https://{your_KAF_URL}/hosted/index/oauth2-launch`

Example: `https://12345.kaf.kaltura.com/hosted/index/oauth2-launch`



If you are using a KAF domain other than `.kaltura.com`, such as a vanity domain or alias, make sure to use it as the input for `your_KAF_URL`.

- **Notes** - optional
- **Method** - Select **Paste JSON** from the drop-down list.

Key Settings

Key Name:

Owner Email:

*** Redirect URIs:**

Notes:

Configure

Method

Paste JSON

Manual Entry

Paste JSON

Enter URL


7. For the **LTI 1.3 Configuration** field, go to the browser tab used in [Step 3 - Generate the Canvas LTI developer key JSON](#), and copy the JSON code between the first and last bracket { } and paste it between the brackets in the LTI 1.3 Configuration field.

```

Copy from here → {
  "title": "Penn State University Testing",
  "scopes": [
    "https://purl.imsglobal.org/spec/lti-ags/scope/lineitem",
    "https://purl.imsglobal.org/spec/lti-ags/scope/lineitem.readonly",
    "https://purl.imsglobal.org/spec/lti-ags/scope/result.readonly",
    .
    .
    .
  ],
  "target_link_uri": "https://psudiscovery-test1.kaf.kaltura.com",
  "oidc_initiation_url": "https://psudiscovery-test1.kaf.kaltura.com/hosted/index/oidc-init"
}
→ To here
  
```


8. Scroll to the bottom of the page and click **Save**.

The new LTI developer key will now be listed on the Developer Keys page. If the **State** is set to off (red), it means the key is disabled. To enable the key, click the toggle (green).



Step 7 - Configure the Kaltura LTI 1.3 – My Media only LTI developer key

1. Edit the LTI developer key you created in [Step 6](#) by clicking on the **pencil icon** to the far right of the key.



The **Key Settings** page displays.

2. In the **Method** field, change to **Manual entry**
3. Update the **Title field**.
4. Update the **Description field**.
5. Scroll down to the **LTI Advantage Services** section and click to expand the section.

6. Make sure the following **LTI Advantage Services** are turned on in addition to others that are enabled:

- *Can create and view assignment data in the gradebook associated with the tool.*
- *Can view assignment data in the gradebook associated with the tool.*
- *Can view submission data for assignments associated with the tool.*
- *Can create and update submissions for assignments associated with the tool.*
- *Can retrieve user data associated with the context the tool is installed in.*
- *Can update publish jwk for LTI services.*

7. Click **Additional Settings** to expand the section.

8. Review the following fields:

- **Domain** - your KAF domain without the `https://`
- **Tool Id** - your KAF URL including `https://`
- **Icon Url, Text, Selection Height, Selection Width** - leave blank
- **Custom Fields** - include the following three custom parameters
 - `custom_canvas_user_id=$Canvas.user.id`

- `custom_canvas_course_id=$Canvas.course.id`
- `custom_canvas_user_login_id=$Canvas.user.loginId`

9. Remove all the Placements except the Global Navigation Placement by clicking the placement bubbles.

10. Review and edit the **Text** field for the Global Navigation placement as needed:

- **Global Navigation:** For the Kaltura My Media tool in the global left-hand navigation.

11. Scroll to the bottom of the page and click **Save**.


Step 8 – Configure the Canvas API Developer Key

Option 1 – Inherited API Key



If your KAF domain is on `*.kaltura.com`, you can use the existing inherited Kaltura key without creating a new API key. You may, however, prefer to use a Scoped API Developer Key. In that case, jump to **Option 2** below.

1. Log into Canvas as an administrator.
2. Navigate to the **Developer Keys** page.
3. On the **Developer Keys** page, click the **Inherited** tab.



The screenshot shows the Kaltura Developer Keys interface. The 'Inherited' tab is selected, indicated by a red arrow. The interface includes a search bar, a 'Clear' button, and a '+ Developer Key' button. A table lists the developer keys with columns for Name, Owner Email, Details, Stats, Type, State, and Actions.

Name	Owner Email	Details	Stats	Type	State	Actions
Kaltura Video Plugin	No Email	2265000000000390 Show Key	Access Token Count: 0 Created: Oct 14 at 6:47pm Last Used: Never			

4. Scroll down and click **Show All Keys**.

Developer Keys

Account		Inherited				
All	Search by name, email, or	Clear	+ Developer Key			
Name	Owner Email	Details	Stats	Type	State	Actions
Kaltura Video Plugin Trif 2	No Email	22650000000000390 <a>Show Key	Access Token Count: 0 Created: Oct 14 at 6:47pm Last Used: Never	API	<input type="checkbox"/>	
Kaltura Video Plugin Trif	andrei.vladtrifan@kaltura.com	22650000000000389 <a>Show Key	Access Token Count: 0 Created: Oct 10 at 5:25pm Last Used: Never	API	<input checked="" type="checkbox"/>	
Kaltura Support EDU	No Email	22650000000000388 <a>Show Key	Access Token Count: 0 Created: Oct 7 at 11:19pm Last Used: Never	API	<input checked="" type="checkbox"/>	
Kaltura Scoped Key KN	khalil.natour@kaltura.com	22650000000000387 <a>Show Key URI: https://4288433-27.kaf.kaltura.com	Access Token Count: 9 Created: Sep 11 at 11:59am Last Used: 2024-09-23T13:28:21Z	API	<input checked="" type="checkbox"/>	
Kaltura Video Plugin KN	khalil.natour@kaltura.com	22650000000000386 <a>Show Key	Access Token Count: 0 Created: Sep 11 at 11:46am	API	<input checked="" type="checkbox"/>	

5. Scroll to the listing for the Kaltura key and click the toggle to enable it.



A confirmation message displays: *Are you sure you want to change the state of the developer key [name]?*

6. Click **Switch to On**. When the key is enabled, it turns green.




Continue to [Step 9](#).

Option 2 – Scoped API developer key

If your KAF domain is not on `*.kaltura.com`, or you prefer added security, you'll need to create a Scoped API Developer Key.

1. Log into Canvas as an administrator.
2. Navigate to the **Developer Keys** page.
3. On the **Developer Keys** page, click on **+ Developer Key** and select **+ API Key** from the drop-down list.



The **Key Settings** page displays.

Key Settings

Key Name:

Owner Email:

Redirect URIs:

Redirect URI (Legacy):

Vendor Code (LTI 2):

Icon URL:

Notes:


Test Cluster Only

Client Credentials Audience ⓘ

4. Enter the following:

- **Key Name** - Kaltura Scoped Key
- **Owner Email** - optional
- **Redirect URLs** - Enter your KAF URL starting with `https://`. Use your vanity domain if you have implemented one.

- **Redirect URL (Legacy)** - Enter your KAF URL starting with `https://`. Use your vanity domain if you have implemented one (the value should be the same as used in the **Redirect URLs** field).
 - **Vendor Code (LTI 2)** - leave blank
 - **Icon URL** - optional
 - **Notes** - optional
 - **Test Cluster Only** - leave unchecked
 - **Client Credentials Audience** - Canvas should be selected.
5. Scroll to the top and click on **Enforce Scopes** to display all the available scopes.



Key Settings


Key Name: ✕ Enforce Scopes

Owner Email:

Redirect URLs:

Redirect URI (Legacy):

The Enforce Scopes section expands.



Enforce Scopes Search endpoints


Allow Include Parameters ⓘ

Read only get

- > Access Tokens
- > Account Calendars
- > Account Domain Lookups
- > Account Notifications
- > Account Reports
- > Accounts
- > Admins
- > Analytics
- > Announcement External Feeds
- > Announcements
- > API Token Scope

Leave **Allow Include Parameters** unchecked

6. Scroll down to **Courses** and click to expand.



- 7. Check the following scopes:
 - `url:GET|/api/v1/courses`
 - `url:GET|/api/v1/courses/:id`
- 8. Scroll down to **Users** and click to expand.
- 9. Check the following scope:
 - `url:GET|/api/v1/users/:user_id/profile` - required for Kaltura to retrieve the user profile. If this scope isn't enabled, users may be prompted to reauthorize when switching between multiple Canvas environments or Kaltura tools in the same Canvas account.

10. Click **Save**.

11. Click the toggle to enable the key.




A confirmation message displays: *Are you sure you want to change the state of the developer key [name]?*

12. Click **Switch to On**. When the key is enabled, it's green.




Step 9 – Add the LTI Developer Keys to your KAF

1. In Canvas, navigate to the **Developer Keys** page (https://{your_Canvas_base_URL}/accounts/1/developer_keys).
2. On the **Developer Keys** page, locate the listing for the developer key you created in Step 4 - Create a Canvas LTI developer key for all Kaltura tools except My Media and copy the **Client ID** from the **Details** column.



Name	Owner Email	Details	Stats	Type	State	Actions
Kaltura Video Plugin	No Email	2265000000000390 Show Key	Access Token Count: 0 Created: Oct 14 at 6:47pm Last Used: Never		✔	

3. Log into your KAF Configuration Management page (https://{your_KAF_base_URL}/admin).
4. Navigate to the Hosted module (https://{your_KAF_base_URL}/admin/config/tab/hosted).
5. Scroll down to the **Iti13ClientID** field and paste in the **Client ID**.




6. Scroll down to the **ItiAdditionalIntegrations** section and click on **+ Add "ItiAdditionalIntegrations"**



7. Configure the following fields within the **ItiAdditionalIntegrations** section:

 The value for “your_Canvas_Domain” will be the domain displayed when a user is working in your Canvas instance. Example. canvas.myuniversity.edu.

- **Iti13PlatformOidcAuthUrl** = `https://{your_Canvas_Domain}/api/lti/authorize_redirect`
- **Iti13AuthTokenUrl** = `https://{your_Canvas_Domain}/login/oauth2/token`
- **Iti13KeysUrl** = `https://{your_Canvas_Domain}/api/lti/security/jwks`



8. Return to the Canvas Developer Key page and locate the listing for the developer key you created in [Step 6 - Create a Canvas LTI developer key for the Kaltura My Media tool](#) and copy the **Client ID** from the **Details** column.

9. Return to the Hosted module's **ItiAdditionalIntegrations** settings and paste in the **Client ID to the Iti13ClientId value.**

10. Scroll to the bottom of the Hosted module and click **Save.**

Step 10 – Add the API Developer Key to your KAF



Only complete this step if you used [Option 2 - Scoped API developer key](#) above.


1. Log into your KAF Configuration Management page (https://{your_KAF_base_URL}/admin).
2. Navigate to the Canvas module (https://{your_KAF_base_URL}/admin/config/tab/canvas).
3. In the **useScopedKey** field, set to 'Yes'.



The screenshot shows a configuration form with three fields: **useScopedKey**, **customAppId**, and **customAppKey**. The **useScopedKey** field is a dropdown menu currently set to "Yes", with a red arrow pointing to it. To the right of this field, there is a note: "Your key should cover the scopes below: url:GET]/api/v1/courses url:GET]/api/v1/courses/:id". The **customAppId** and **customAppKey** fields are empty text input boxes.

This will expose the **customAppId** and **customAppKey** settings.

4. Fill in the **customAppId** and the **customAppKey** fields using the **Key ID** and the **Key for the API Developer Key** you created in [Option 2](#) above. You can locate the keys by navigating to the **Developer Keys** page and locate the Canvas API developer key you created.



The screenshot shows the "Developer Keys" page. At the top, there are tabs for "Account" and "Inherited". Below that is a search bar with "All" selected, a search input "Search by name, email, or", a "Clear" button, and a "+ Developer Key" button. A table lists the keys with columns: Name, Owner Email, Details, Stats, Type, State, and Actions. One key is highlighted: "Kaltura Video Plugin" with "No Email" as the owner. The "Details" column shows a "Client ID" of "22650000000000390" and a "Show Key" button. The "Stats" column shows "Access Token Count: 0", "Created: Oct 14 at 6:47pm", and "Last Used: Never". The "Key" column shows a long alphanumeric string: "e3MY3THc4rZ9QuvuPhH9NHyaKuLh4AV2ZXENVy3RuYvFXFTHVwReULPBFhv9FDQ". A red arrow points from the "Show Key" button to the key string. There is also a "Hide Key" button below the key string.


5. Copy the Client ID and paste into the **customAppId** field in the Canvas module.
6. Click **Show Key**, copy the key and paste it into the **customAppKey** field.

useScopedKey	Yes ▾	Your key should cover the scopes below: url:GET /api/v1/courses url:GET /api/v1/courses/id
customAppId	22650000000000390	
customAppKey	3uYvFXFTHVwReULPFhv9FDQ	

7. Scroll to the bottom of the Canvas module and click **Save**.

Step 11 – Add the Kaltura Apps in your Canvas sub-account


1. Log into Canvas as an administrator and navigate to the **Developer Keys** page.



The screenshot shows the 'Developer Keys' page in Canvas. The page has a sidebar with navigation options like Courses, People, Permissions, Sub-Accounts, Terms, Authentication, Themes, Developer Keys, My Media Talia account navigation, ePortfolio, Moderation, and Settings. The main content area is titled 'Developer Keys' and has tabs for 'Account' and 'Inherited'. Below the tabs is a search bar and a '+ Developer Key' button. A table lists three developer keys:


Name	Owner Email	Details	Stats	Type	State	Actions
Kaltura Video Plugin	No Email	22650000000000390 Show Key	Access Token Count: 0 Created: Oct 14 at 6:47pm Last Used: Never	API	Active	Edit Delete
Kaltura Video Plugin	andrei.vladtrifan@kaltura.com	22650000000000389 Show Key	Access Token Count: 0 Created: Oct 10 at 5:25pm Last Used: Never	API	Active	Edit Delete
Kaltura Support	No Email	22650000000000388 Show Key	Access Token Count: 0 Created: Oct 7 at 11:19pm Last Used: Never	API	Active	Edit Delete

2. On the **Developer Keys** page, locate the [Kaltura LTI 1.3 – no My Media LTI Developer Key](#) you created and copy the **Client ID** from the **Details** column.
3. In the Account navigation panel select **Sub-Accounts**, and then click on the Sub-account you want to add the Kaltura Apps to.
4. In the Sub-Account navigation panel scroll to the bottom and click on the **Settings** tab (https://{your_Canvas_base_URL}/accounts/1/settings#tab-settings).




The Settings page displays.

5. On the Settings page, click the **Apps** tab.




The External Apps page displays.

6. Click **View App Configurations**.




A list of apps displays.


7. Click **+App**.



The **Add App** page displays.



8. Click on the **Configuration Type** drop-down menu and select **By Client ID**.



9. Paste the Client ID copied in [Step 4 - Create LTI developer key](#) into the **Client ID** field.



10. Click **Submit**.
11. Return to the Canvas **Developer Keys** page, and locate the **Kaltura LTI 1.3 – My Media only LTI Developer Key** you created and copy the **Client ID** from the **Details** column.
12. Repeat steps **3-10** of **Step 11**.

Step 12 - Configure the Kaltura user ID value



The default Kaltura User ID is your Canvas User ID, which is often the same as the user's email address. If your organization uses a different value for User IDs, please refer to [Configuring the Kaltura User ID Value to Use with Your LMS Integration](#) before proceeding.

With the Kaltura LMS Video integration, user ID records are passed from the LMS to Kaltura during the LTI Launch. When using LTI 1.3 authentication, admins can configure which LTI attribute to use for the user ID in the Hosted module.

Kaltura uses a custom parameter in Canvas to store the User ID value. To set this up:

1. Log into your Configuration Management page (https://{your_KAF_base_URL}/admin).
2. Navigate to the Hosted module (https://{your_KAF_base_URL}/admin/config/tab/hosted).
3. Scroll down to the **ItiUserIdAttribute** setting.
4. Set **ItiUserIdAttribute** to `custom_canvas_user_login_id`.

ItiUserIdAttribute	<input type="text" value="custom_canvas_user_login_id"/>
The LTI attribute from which to take the user ID from. If not specified, user_id will be used.	

5. Scroll to the bottom of the Hosted module and click **Save**.



- For roles and permissions, see [Manage roles and permissions in LMS Video integrations](#).
- For account-level setup, see [Kaltura LMS Video integration for Canvas - Installation and setup \(LTI 1.3\)](#).