

Configure components for landing pages

Last Modified on 05/09/2026 3:46 pm IDT

 This article is designated for administrators.

About

Landing page components populate the body of a landing page with media, text, banners, playlists, registration flows, and interactive content.

Components are added and configured in the components section of the [Templatepages module](#) and can be used to create dynamic landing page experiences for events, campaigns, showcases, and branded destinations.

Components can be used to:

- Display playlists or featured media
- Show content from channels or categories
- Highlight trending or recently added content
- Display banners, text, and calls to action
- Promote registration and event sessions
- Highlight speakers or featured users



Applies exclusively to [Content Hubs](#) and requires the [Theming module](#) to be enabled.

Access component settings

1. Go to your Configuration Management console, and select the **Templatepages** module. You can also navigate directly using a link:
`https://{your_site_url}/admin/config/tab/templatepages.`

Staticpages

Styling

Templatepages

Theming

Thumbnails

The 'Templatepages' page opens.

Configuration Management

- Server Tools
- Backup Configuration
- Player replacement tool
- Global
- Application
- AddNew
- Auth
- Categories
- Channels
- Client
- Debug
- EmailService
- EmailTemplates
- Gallery
- Header
- Languages
- Login
- MediaCollaboration
- Metadata
- Moderation
- My-media
- Navigation
- Player

Templatepages

Module Info

Description This module provides admins with the ability to create template pages that can be used in other modules, specifically, the **CustomPages** module. In this module, the admin can create multiple pages, each may contain many components. Each template page can then be used in the **CustomPages** module to be set with its own unique URL and permissions.

Note KMS only Module. Depends on the **Theming** module.

enabled Yes Enable the Templatepages module.

previewPlayerId The Player ID that will be used in all pages' Hero and single player components. Player will be automatically created upon enabling the module.

heroPlayerAnalytics No Choose to send analytics on the hero carousels player. Since that player is in a "gill" mode, default is disabled.

TemplatePage

Click the "Add TemplatePage" button to create a template page to be used in the site.

[+ Add TemplatePage](#)

- Click **Edit** next to an existing page template to open it, or click the **+Add TemplatePage** button to create a new one.

To learn how to create and publish a landing page, see [Templatepages module](#).

TemplatePage

Click the "Add TemplatePage" button to create a template page to be used in the site.

[+ Add TemplatePage](#)

SAVE CANCEL

pageName Enter a name for your page. This name will be presented in other modules when prompted to select a template page.

pageTitle Enter a title for the page. This title will show on the browsers' tabs names.

pageHeader Enter a header for the page (optional). This header will show on the top of the page.

navbarSettings

Choose a navigation header bar for your page.

navbarType Choose the type of navigation bar of your page. Select the 'Site Navigation' to use the base site navigation, controlled from the **navigation** module. Select 'Clean Navbar' to have a simplified navigation, with only a call to action button and a custom logo.

heroUnit

Enable the hero banner to select between the hero options and show a large component at the top of the page.

HeroType Add a component at the top of the page called 'Hero' Component.


components

Click the "Add Component" button to add a section to your page choosing from a list of components.

[+ Add "components"](#)

SAVE CANCEL

- In the **TemplatePage** section, scroll down to the **Components** section and click **+Add "components"**.



pageHeader Enter a header for the page (optional). This header will show on the top of the page.

navbarSettings

Choose a navigation header bar for your page.

navbarType Choose the type of navigation bar of your page. Select the 'Site Navigation' to use the base site navigation, controlled from the **navigation** module. Select 'Clean Navbar' to have a simplified navigation, with only a call to action button and a custom logo.

heroUnit

Enable the hero banner to select between the hero options and show a large component at the top of the page.

HeroType Add a component at the top of the page called 'Hero' Component.

components

Click the "Add Component" button to add a section to your page choosing from a list of components.

In the type drop-down menu, select the component type you want to configure then follow the setup instructions below.

Shared component settings

All component types share the following fields:

- **Order** - Defines the order in which components appear on the page. Lower numbers appear higher on the page. We recommend using non-consecutive values such as 10, 20, and 30 to simplify future reordering.
- **Allowed Groups** - Limits component visibility to selected user groups. Leave empty to display the component to all users. You can add multiple components of the same type to a landing page.




You can add many components of a single type to the page. However, note that adding too many components may impact page load time and overall user experience.

Component types

Available component types include:

- [Text only](#)
- [Single playlist](#)
- [Two images side by side](#)
- [News images](#)
- [Registration](#)
- [Collection of channels](#)
- [Banner & CTA](#)

- Group of users
- Sessions



Text only

This component displays centered text content on the landing page. The text color and background can be set (as shown in the example below).




Rich text content can be added in the form of basic HTML only: `div`, `br`, `strong`, `em`, `u`, `a`, `ul`, `ol`, `li`. Note that adding `body` or `footer` tags will break the component. If you need more elaborate HTML, use the dedicated HTML component instead. (If you paste content from another tool, remove extra formatting and HTML before saving.)

Settings example:

<code>textColor</code>	Blue	Select the color of the text.
<code>backgroundColor</code>	White	Select the color of the component background.

Settings result:



This is an example of text only on our landing page. This is an example of text only on our landing page. This is an example of text only on our landing page.

Single playlist

This component displays media in a carousel layout.

headerText - Defines the title displayed above the playlist.

headerLinkText - Defines the link text displayed on the right side of the playlist. If left empty, the default text 'See All' is used.

headerText	<input type="text" value="Recommended for you"/>	Select the text for the component header (simple text).
headerLinkText	<input type="text" value="Visit our playlist page"/>	Select the text for the component header link (simple text). Leave empty to use the default text.

Select the content of the playlist from the **playlist** section.

- If you choose **Custom playlist**, see [note about Custom playlist](#) below.
- If you choose **Channel content**, see [note about Channel content](#) below.

playlist Collapse

Select the playlist to show on the component.

type	<input type="text" value="Most Recent - All published"/>	Select content for the lists
forceShowContent	<input type="text" value="No"/>	Select 'Yes' to force the playlist to show all the content in it, overriding entitlements and displaying the media metadata (thumbnails, title, and more) to all users. The component will become unclickable to prevent users from reaching access denied pages, however, you have the option to choose a different link for the component's items.

itemsPerPage	<input type="text" value="2"/>	Select how many thumbnails are viewable on page load.
timeShift	<input type="text"/>	The playlist will shift playlist's thumbnails one item to the left periodically. Enter duration in minutes, leave empty to disable.

forceShowContent

- Set to 'No' to respect entitlements. Content will not be clickable, and the "See All" link will either be removed or redirected based on the URL specified in the headerLinkAction field.
- Set to 'Yes' to display media metadata to all users, including guests.

When you select 'Yes', an additional field appears:

- **clickableThumbs** - Makes thumbnails clickable and allows users to navigate directly to media pages.

i This feature is commonly used on public landing pages for unauthenticated users.

If you select **Custom Playlist**, you have additional configurations:

playlistID - Enter the ID for your custom playlist.

PlaylistDisplay - Defines how the playlist opens when users click 'See All'.

playlist Collapse

Select the playlist to show on the component.

type Select content for the lists

playlistId Enter custom playlist ID

forceShowContent

Select "Yes" to force the playlist to show all the content in it, overriding entitlements and displaying the media metadata (thumbnails, title, and more) to all users. The component will become unclickable to prevent users to reaching access denied pages, however, you have the option to choose a different link for the component's items.

PlaylistDisplay Choose to display the list of media as a grid or a playlist player.

Note: A red arrow points to the PlaylistDisplay dropdown menu.

If you choose **Channel content**, an additional field displays:

contentType - This feature allows you to filter channel content, specifying VOD only or other types of content.

playlist Collapse

Select the playlist to show on the component.

type Select content for the lists

channelId Enter channel ID

contentType Show all the content of the channel, or show scheduled sessions only, or, select which types of media to show.

forceShowContent

Select "Yes" to force the playlist to show all the content in it, overriding entitlements and displaying the media metadata (thumbnails, title, and more) to all users. The component will become unclickable to prevent users to reaching access denied pages, however, you have the option to choose a different link for the component's items.

Note: A red arrow points to the contentType dropdown menu.

Choose from the drop-down options:

contentType

Show all the content of the channel, or only, or, select which types of media to

forceShowContent

Note: A dropdown menu is open showing options: All channel content, Scheduled sessions only, Choose from list.

If you select the **Choose from list** option, an additional field displays:

mediaType - Select the types of media to show in the list.


contentType Choose from list ▾

Show all the content of the channel, or show scheduled sessions only, or, select which types of media to show.

mediaType


VOD
 Images
 Documents

Select which type/s of media to show on the list.



itemsPerPage - Select how many thumbnails you want to display on the page.

Time Shift - Defines how often playlist thumbnails shift to the left. Leave empty to disable automatic shifting.



User interaction with single playlist component

Channel Content Playlist:

- When a user clicks "**See All**", they're directed to the channel page where they can explore all content.
- When a user clicks a **thumbnail**, they're directed to the selected video in the single entry player.

Manual Custom Playlist:

- When user clicks "**See All**", they're navigated to either grid or player view, depending on what was configured in [PlaylistDisplay](#).
- When a user clicks a **thumbnail**, they're navigated to that item either in the playlist player or the entry page, depending on what was configured in the [Playlistpage](#) module > [ThumbLink](#) field.

Dynamic Playlist ('Most Recent', 'Recently Watched', etc. excluding 'Recently Watched' and 'Continue Watching'):

- When a user clicks "**See All**", they're navigated to the grid view to browse the playlist. (Clicking a thumbnail there directs them to the single entry page.)
- When a user clicks a **thumbnail**, they're navigated to the entry page of that item.

Two images side by side

Configure the left and right images using one of the following three options:

- image entry ID
- image URL
- image upload




For best results, the aspect ratio of the image should be **16:9**.

callToActionUrl - Defines the destination URL for the image CTA. The link will open in a new tab. If left empty, the image will not be clickable.

AnalyticsString - Defines the data-analytics value added to the image tag. Enter a keyword or intuitive description, for example, 'tools'.

Alt Text - Defines alternative text for accessibility.

This is an example of text only on our landing page. This is an example of text only on our landing page. This is an example of text only on our landing page.




Two images side by side

News images

This component displays images and text in a carousel layout. Each element on the carousel will open to an article. For information on creating news images, visit our article [News Images playlist](#).

You can change the background color using the ***modalBoxMaskColor*** field.

After you have created a News Images playlist, enter the **playlist ID**.



Registration

This component displays a registration CTA that opens the registration flow in a side drawer.

title - Enter a title for your registration page, for example, *Register for the event*.

buttonText - Add any text you want. If you leave the field empty, the default text *Register* will display.

scheduleTimeFrom - Enter the time you want registration to begin in Unix time. Leave empty if you don't want to show a time.



You can use the on-line [EpochConverter](#) tool to convert your times to Unix time.

scheduleTimeTo - Enter an end time (unix time). Leave empty if you don't want to show a time.


inScheduleText - Enter text that you'd like to display while registration is open.

outofScheduleText - Enter text to display after registration has closed.



If the [Siteregistration module](#) is disabled, this component won't be visible to users. In addition, if the **registrationClosed** function in the [Siteregistration module](#) is set

to 'Yes', the component won't appear.



Collection of channels

This component displays channel collections on the landing page. Clicking 'See All' will take users to your channel collection page.

If you don't have any channel collections yet, you can set them up in the [ChannelCollections module](#).



If the **ChannelCollections module** is disabled, this component won't be visible to users.

headerText - Type in any name you'd like for the component header, for example, 'Our channel collections'.

headerLinkText - Select the text for the component header link (simple text). Leave empty to use the default text.


timeShift - Defines how often channel thumbnails shift to the left. Enter a duration in minutes or leave empty to disable.

The channels will appear on the page in the order specified in the ChannelCollections module's 'sortBy' field (the default sort you chose for your channel collection). The time shift feature ensures that all channels will be displayed over time.



Updated channels appear after the page is refreshed.

In the **collection** window, choose the channel collection you want to display on the page. All your channel collections appear in the drop-down menu.



forceShowContent - Choose 'Yes' to display all collection content to every user, regardless of entitlements. This makes the component unclickable, but you can still choose a different link for the component's items, for example if you want to use this templatepage as an external page / landing page that everyone can see.


headerLinkAction - This is where you can add a link to take your users to the page you choose.

channelsInLine - Choose how many channels you'd like to display on one line - 6 or 8. (Choosing 8 will reduce the size of each circle.) The thumbnails come from your channel.

If you've added a banner icon (see our [Edit a Channel](#) article), it becomes the thumbnail. Otherwise, the thumbnail uses the banner's central background.

maxLinesNumber - Choose how many lines of channels to display from the drop-down menu. The default is 2 lines.

Below is an example of the 'Collection of Channels' component in two rows of eight:



Banner & CTA

This component provides a banner with text, a call-to-action button and background image.

HeaderText - Add the text that you want to appear as a title on the banner.

DescriptionText - Add a description or text that you want to display below the header.



The more text you add, the bigger the banner will become.

Banner image - You have three options for adding an image: **entryID**, **imageURL** or

imageupload. Uploaded images are automatically resized to fit the component layout.




Avoid using images with text as the text may be cut off on different screen sizes. Opt for atmospheric, text-free images for the best display.

Button - Enter text for the CTA button and the **URL** that will redirect users when they click it. (Note: If you have text but no URL, the button will not appear on the banner.)


OpenLinkInNewTab - Select 'Yes' to open button link in a new tab, or 'No' to open it in the same window.



All fields are optional. If you don't add an image, the banner will automatically use the design system colors.



Banner with a short description



Banner with a long description

Group of users

This component highlights a group of individuals, such as speakers or presenters, on your site's landing page. It presents a row of thumbnail images (or initials if no image is provided).

Clicking a thumbnail opens a window displaying their bio, as well as any previous or upcoming sessions of theirs. Users can navigate to the profile page or session page from the profile window.



This component requires the [Grouppage](#) module and [Personalprofile](#) module to be enabled.

headerText - Add the text that you want to appear as a title (for example "Meet our Speakers").

headerLinkText - Type the text you want to display on the right for users to click. Leave empty to use the default text "See All".

group - Choose a group from the allowed groups in the Grouppage module to display its users on the page. Only the first 20 people will show on the page.



If no group is chosen, the component will be empty, and won't be displayed on the page.

uiType - Select how to display group members:

- **Carousel** - (default) People are displayed in a carousel format with right and left arrows for navigation. Users can scroll left to reach the last user on the list (round-robin).
- **Side by Side** - People are displayed horizontally next to each other without a carousel.

usersToShow - Select an option:


- **Group list** - Displays the first 20 people from the chosen group on the page, ordered alphabetically by name (A-Z).
- **Promoted users only** - Displays only the promoted people from the selected group on the page, following the manual ordering as set on the group page.

timeShift - Automatically shifts displayed users after a configured number of minutes. Leave empty to disable automatic shifting. Updated users appear after the page is refreshed.




This feature is only active when 'Group list' is selected in the **usersToShow** field.

Below is an example of a 'Group of Users' component. Clicking **See All** displays the group page, which is configured in the [grouppage](#) module:



Group of users on homepage




Group page with promoted users at the top

Sessions

This component displays scheduled sessions as interactive session cards.

The **Add to Calendar** button automatically changes to **Join Now** a set number of minutes before the session begins (15 minutes by default). You can adjust this timing in the [Widgets module](#) using the `SessionCardJoinNowIndication` setting.

 This component requires the **eventplatformcore module** to be enabled.


Content - This is the source of the content. Once selected, an additional section displays:

content Collapse

Select the source content of the component.

contentType	<input type="text" value="Custom Playlist"/>	Choose a collection from the available collections list.
playlistId	<input type="text" value="Select Source Type..."/>	
	<input type="text" value="Custom Playlist"/>	Enter Playlist ID
	<input type="text" value="Channel Content"/>	
tagsFilter	<input type="text"/>	
Enter comma separated tags to further filter the playlist/channel content, displaying sessions only if they are tagged with any of the entered tags (Meaning, content in the channel AND with either tag X or Y).		
tagsFilterType	<input type="text" value="Media with all selected tags"/>	
Choose how multiple tags will be applied to the filter. With <u>any</u> of the entered tags (OR), or <u>all</u> the selected tags (AND).		
forceShowContent	<input type="text" value="No"/>	
Select 'Yes' to override entitlements and show the sessions cards (displaying the media metadata, thumbnails, title, and more) to all users including guests.		

- **contentType** - Select the content of the component (custom Playlist / Channel Content) by entering the playlist ID or searching for the channel.
- **tagsFilter** - Enter comma separated tags to further filter the playlist/channel content, displaying sessions only if they are tagged with any of the entered tags (meaning content in the channel AND with either tag x or y).
- **tagsFilterType** - Select from the drop-down list how multiple tags will be applied to the filter: media with any of the entered tags or media with all selected tags.
- **forceShowContent** - Select 'Yes' to override entitlements and display session cards (including media metadata, thumbnails, title, and more) to all users, including guests. Select 'No' to respect entitlements.

 For guests, session links are disabled.

headerText - Add the text that you want to appear as a title on the top left (for example 'Agenda').

LinktoSessionsText - Enter text to show at the top-right of the component as a text or link. To make it a link, enter a link URL in the **LinktoSessionsUrl** field (below). Leave empty to hide.

LinktoSessionsUrl - Enter a link to show at the top-right of the component. It will open in a new tab.


scheduleOrder - Choose how sessions are ordered:

- Earliest to Latest

- o Latest to Earliest



The maximum number of session cards that will display is 50.



The image shows three example session cards from a Kaltura event. Each card includes the following information:

- Time and Date:** 10:00 AM - 10:30 AM EST, February 2
- Title:** Opening keynote: Cloud inside and out
- Category:** Keynote
- Description:** Kaltura Events lets you create, host, and optimize all your events on one, innovative yet intuitive platform. With top-tier video quality and cutting-edge technology, it'll make your life easier, your work smarter, and your audience...
- Speaker:** Amelia Carter, Creative Specialist at Kaltura
- Actions:** Watch On-Demand, Add to watch list, and an information icon.

The second card is for a live event:

- Time and Date:** 10:30 AM - 11:00 AM EST, February 2
- Title:** The future of business: Technology trends driving change
- Category:** Tech, Enterprise
- Description:** Explore the cutting-edge technology trends that are revolutionizing the enterprise landscape. This event delves into the innovations driving digital transformation, from AI and blockchain to cloud computing and IoT, providing i...
- Speakers:** Alexander Reed (Chief Marketing) and Noah White (Customer Success Manager) at Kaltura
- Actions:** Add to watch list and an information icon.

The third card is also for a live event:

- Time and Date:** 11:00 AM - 11:30 AM EST, February 2
- Title:** Strategies for corporate social responsibility: impactful enterprise for sustainable futures
- Category:** Strategy
- Description:** Join Kaltura Co-founder, Chairman & CEO Ron Yekutieli and officially kick off Kaltura Connect! Hear the latest news from Kaltura, celebrate some customer successes, get a glimpse of the future of video...and expect a few sur...
- Speakers:** Ava Taylor (Senior Graphic Designer) and Aiden Mitchell (Head of Trends) at Kaltura
- Actions:** Join now, Add to watch list, and an information icon.

Example of interactive session cards

displayType - Choose how sessions are displayed:

- o **Show all** (default) – Displays all sessions.
- o **Upcoming only** – Displays only future sessions.
- o **Toggle Upcoming & Past sessions** – Allows users to switch between viewing upcoming sessions and all sessions.

When **Upcoming only** is selected, past sessions aren't shown. If no upcoming sessions exist, the component isn't displayed.

When **Toggle Upcoming & Past sessions** is selected, the default view shows upcoming sessions. Users can switch between upcoming sessions and all sessions.

Once you have finished configuring your template page, click the **Save** button at the

very bottom, which will save your new page, and will also clear the cache for the module and site.



To set up a homepage for your site, visit our article [Set up a homepage in Content Hubs](#).