

Kaltura Video Package V4 for Moodle Setup Guide

Version: 4 for Moodle

Kaltura Business Headquarters

250 Park Avenue South, 10th Floor, New York, NY 10003

Tel.: +1 800 871 5224

Copyright © 2016 Kaltura Inc. All Rights Reserved. Designated trademarks and brands are the property of their respective owners.

Use of this document constitutes acceptance of the Kaltura Terms of Use and Privacy Policy.

Contents

Preface	5
About this Guide	5
Audience	5
Prerequisite Reading	5
Document Conventions	5
Section 1 Prerequisites	6
Section 2 Understanding the Setup Process	8
The Kaltura Application Framework (KAF) Admin Console	8
KAF Modules	8
Mandatory Configuration	9
Global	10
Modules	10
Modules/Channels	10
Modules/Entry Types	10
Modules/Custom/Core/KAF	11
Moodle KAF Administration: Actions and Configurable Fields	11
General Settings	11
Configuration Management: Global	12
Application	12
Channels	13
Client	13
Debug	14
Gallery	14
Metadata	15
Moderation	15
Player	15
Widgets	16
Search	17
MediaCollaboration	17
Configuration Management: Modules	17
Addcontent	17
Attachments	17
Captions	18
Clipper	18
Comments	18
Customdata	19
Disclaimer	19
Downloadmedia	20
Embed	21
Sidemymedia	22
Thumbnails	22
Userreports	22
Configuration Management: Channel Modules	22

Channelmoderation.....	22
Authoring Methods	23
Audioentry	23
Imageentry	24
Screencapture.....	24
Videopresentations	24
YouTube.....	24
Enabling Course Playlists	25
Renaming the Playlists Tab	25
PlaylistPage	25
Embedplaylist.....	26
Custom/Core Modules/KAF	27
Browseandembed	27
Moodle.....	27
Hosted	28
Section 3 Roles and Permissions.....	29
Introduction to Role Mapping	29
Assign a Moodle Course-level Role	29
Moodle Sends the Corresponding LIS Role to Kaltura	30
KAF Grants Permissions According to the Mapping.....	30
Common Use Cases of Role Configuration	32
Allowing Students to Upload Content	32
Allowing Faculty Only to Upload and Create New Content	32
Creating a Teachers Only Shared Repository	34

Preface

This preface contains the following topics:

- [About this Guide](#)
- [Audience](#)
- [Prerequisite Reading](#)
- [Document Conventions](#)

About this Guide

This guide describes how to setup the Kaltura Video Package for Moodle. Instructions are provided for setting up the package behavior and how to control user roles and permissions using the Kaltura Application Framework (KAF) Admin Console.



NOTE: Please refer to the official and latest product release notes for last-minute updates. Technical support may be obtained directly from: [Kaltura Customer Care](#).

Contact Us: Please send your documentation-related comments and feedback or report mistakes to knowledge@kaltura.com. We are committed to improving our documentation and your feedback is important to us.

Audience

This guide is intended for Moodle and Kaltura administrators.

Prerequisite Reading

- [Kaltura Video Plugin v4 for Moodle User Manual](#)
- [Kaltura Video Package V4 for Moodle Installation and Upgrade Guide](#)

Document Conventions

Kaltura uses the following admonitions:

- Note



NOTE: Identifies important information that contains helpful suggestions.

- Workflow



Workflow: Provides workflow information.

1. Step 1
2. Step 2

Prerequisites

The following items are required to setup the Kaltura Video Package for Moodle:


- Access to a Moodle environment with site administrator role.
- A Kaltura account - Please contact your Kaltura representative for your Kaltura account details.
- Installation of the Kaltura Video Package for Moodle on your Moodle environment. For installation instructions, see [Kaltura Video Package V4 for Moodle Installation and Upgrade Guide](#).
- KAF Admin Console – please ask your Kaltura representative for credentials to access your KAF Admin Console instance.

Before You Begin

You will need to create a Moodle root category in the KMC, if not already created for you by your Kaltura representative.


To create the Moodle root category in the KMC

1. Log into the KMC.
2. Select the **Content** tab and then select the **Categories** tab.
3. Click **Add Category**.
4. On the New Category window, select the position of the root category and save your new category.



5. Click **Next**.
6. In the metadata tab, enter metadata for your new category and click Save.

Before You Begin



The screenshot shows a web browser window titled "New Category". The form is divided into several sections:

- Metadata:** A sidebar on the left with a "Metadata" tab.
- Name:** A text input field containing the word "Books".
- Description:** A large text area.
- Tags:** A list of text input fields.
- Reference ID:** A text input field.
- Default:** A section containing:
 - Key:** A text input field with a blue "New" button to its right.
 - Value:** A text input field.
- Buttons:** At the bottom of the form are "Save" and "Save & Close" buttons.

Understanding the Setup Process


The Kaltura Video Package for Moodle offers an out-of-the-box solution that enables users to view, record, upload, publish, search, and share video directly from their Moodle environment. This translates into time and money saved for your organization, improved student engagement, creativity and learning results, as well as ease of use for students, faculty and teaching assistants.

The Kaltura Application Framework (KAF) Admin Console

The Kaltura Video Package for Moodle is implemented on top of the Kaltura Application Framework (KAF), a feature rich framework that allows flexible and streamlined integration of Kaltura’s video solutions and products into 3rd party applications such as Moodle. KAF is hosted and served directly from the Kaltura cloud servers and once integrated into your Moodle environment, presents different video components and workflows to users.

At the backend, the Kaltura Application Framework provides a flexible and extensible administration panel, called “KAF Admin Console”. The KAF Admin Console offers full control over the user experience and when interacting with videos inside Moodle. Nearly all configuration aspects of the Kaltura Video Package for Moodle are configured through the KAF Admin Console.

You can find a link to your KAF Admin Console from within your Moodle site, by going to Site Administration → Plugins → Local plugins → Kaltura package Libraries and clicking the URL at top of the page.



KAF configuration

<http://12345678.kaf.kaltura.com/admin>

KAF URI Default: Empty
Type in the server URI of your KAF instance.

Server URI Default: www.kaltura.com
Type in the server URI you want to connect to. Otherwise just type in the default settings (This setting is used for migration purposes).

Partner id Default: Empty
Enter the partner id for your account.

Admin secret Default: Empty
Enter the admin secret for your account.


Enable trace logging Default: No
If enabled, all requests and responses to and from Kaltura are logged. These logs can be used by Kaltura support to diagnose any problems encountered. Enabling this setting may affect Moodle performance. You may download a CSV file of the logs from [here](#).

Data from your account needs to be migrated in order to be used with this version of the plug-ins. Go to the [Migration page](#) to begin the process.

KAF Modules

Your KAF instance is composed of multiple **KAF modules**, such as “Application”, “Player”, and “Auth”. Each module controls a different aspect of your Kaltura Video Package for Moodle instance. A KAF module is composed of a set of **configuration fields**. All KAF modules are listed on the left menu in

your KAF Admin Console instance.



NOTE: Your KAF Admin Console may display modules and configuration fields that are not listed in this guide, some of which may be disabled. It is important that you do not modify the configuration of the disabled modules (and not enable them) without consulting with your Kaltura representative.

Mandatory Configuration

After installing the Kaltura Video Package for Moodle you will need to specify the root category you **created** under the Categories module.

Module	Fields	Description
Categories	RootCategory	Select the category you created in the KMC.



NOTE: The root category should not be changed after the plugin is configured. It is okay to change the name of the root category in the KMC. It will automatically update in the KAF Admin Console.

Be certain that the sharedRepositoryCategoryId field is updated in the **Hosted** module. If it is not updated the following message is displayed:

sharedRepositoryCategoryId 23011851

Your shared repository category requires mandatory update!
[Click here to update](#)

Press “Click here to update” to update the Shared Repository.



NOTE: This step is only required one time after installation or migration of the Kaltura Video Package for Moodle.

The following KAF modules are required for configuring the Kaltura Video Package for Moodle and are

described in this guide:

Global

- [Application](#)
- [Auth](#)
- [Channels](#)
- [Client](#)
- [Debug](#)
- [Gallery](#)
- [Metadata](#)
- [Moderation](#)
- [Player](#)
- [Security](#)
- [SharedRepositories](#)
- [Widgets](#)
- [Search](#)
- [MediaCollaboration](#)
- [Playlist Page](#)

Modules

- [Addcontent](#)
- [Attachments](#)
- [Captions](#)
- [Clipper](#)
- [Comments](#)
- [Disclaimer](#)
- [Downloadmedia](#)
- [Embed](#)
- [EmbedPlaylist](#)
- [Screencapture](#)
- [Sidemymedia](#)
- [Thumbnails](#)
- [Userreports](#)

Modules/Channels

- [Channelmoderation](#)

Modules/Entry Types

- [Audioentry](#)
- [Imageentry](#)
- [Videopresentations](#)
- [Youtube](#)

- [ChannelPlaylist](#)

Modules/Custom/Core/KAF

- [Browseandembed](#)
- [Moodle](#)
- [Hosted](#)

Moodle KAF Administration: Actions and Configurable Fields

Your KAF account comes pre-configured with the following settings. Items marked with * should not be changed.

General Settings

Your KAF account comes pre-configured with the following settings. Items marked with * should not be changed.

Module	Fields	Description
Application	InstanceId, privacyContext, userRoleProfile	Internal constant identifiers of your KAF instance. Please note that privacyContext should be empty.
Auth	sslSettings	All site (set to None if SSL is not used)
Debug	serviceUrl	https://www.kaltura.com (set to http://www.kaltura.com if SSL is not used)
	VerifySSL	Yes (set to No if SSL is not used)
Security	allowLoadInframe	Yes*
SharedRepositories	enabled	Yes (set to No if you want to disable the Shared Repository which is used for cross-site shared functionality)
Addcontent	enabled	Yes*
Userreports	enabled	Yes*
Publish	enabled	Yes*
Browseandembed	enabled	Yes*
Moodle	enabled	Yes*
Hosted	enabled	Yes*
	enableLike	Yes/No
	enableViews	Yes/No
	allowEditPublished	Set to <i>No</i> if you want to prevent users from editing entries after they have been published to a course Media Gallery or embedded using the Browse, Search and Embed module.
	allowEditPublished	Set to <i>No</i> if you want to prevent users from deleting entries after they have been published

Module	Fields	Description
		to a course Media Gallery or embedded using the Browse, Search and Embed module.
	enableEntryDelete	Set to <i>No</i> to completely prevent users from deleting entries
	manPublish	Yes*
	authMethod	Lti

Configuration Management: Global



NOTES:

1. Some fields are displayed only when you select a specific value for a different field.
2. The group's configurable fields follow the group name.



To modify KAF configuration modules

- In the KAF Admin window select the Manage Configuration tab.



NOTE: Related KAF modules: Application, Auth, Client, Security, Categories, Addcontent, Publish, Browseandembed, Moodle, Hosted

Application

Field	Description
instanceId	Unique string to identify that installation of Moodle. This value can be set during installation only.
privacyContext	String used to be set as privacy context on root category. This value can be set during installation only.
userRoleProfile	Metadata Profile ID for user's role per KAF installation instance
title	What is your Moodle website title? The website title is displayed in the browser's title bar and usually is displayed in search engine results. Page titles consist of the name of the currently loaded media and the website title. For example, if a page has a video called 'My Video' and 'Moodle is the website title, the page title is: 'My Video – Moodle
footer	What is your Moodle footer text? default is: Moodle video portal by Kaltura
language	Which language should KAF use? Note: Language files are in /locale/kms/{LANG}/default.po. See here for the list of supported KAF localization languages. Fr = French Jp= Japanese SR= Serbian Pt-Br Portuguese Brazilian En = English Es- Spanish

Field	Description
	D2L = custom language for LMS En_Custom = custom language Ar = Arabic De = German Da - Danish
enableLike	Enable the 'Like' feature for entries. This should be configured in the Hosted module.
enableWebcam	Enable or Disable the Webcam upload.
enableEntryTitles	Include the media title in the URL of the media page when browsing the site and sharing a link to the media.
allowEditPublished	Enable editing of published entries. This should be configured in the Hosted module.
allowDeletePublished	Enable deletion of published entries. This should be configured in the Hosted module.
enableEntryDelete	Enable deleting the media from Moodle.. This should be configured in the Hosted module.
enableViews	Enable showing number of views per entry. This should be configured in the Hosted module.
showPageTitles	Show page titles. This should be configured in the Hosted module.
enableUnlisted	Enable setting entries as unlisted. An unlisted entry can be viewed by anyone with the link to the entry page. Unlisted media can be accessed by anyone with a direct link to the media page and will not be displayed in search results. This is not relevant for KAF applications including Moodle
timezone	Which timezone should Moodle use to present times and dates.
assetConsolidationEnabled	Enable assets (js/css) consolidation and minification.

Channels

Field	Description
entriesPageSize	How many entries can be displayed on each channel/course page? (The default is 15)
pagerType	Which kind of paging mechanism should be used in the channel/course page?

Client

Field	Description
serviceUrl	The URL of the service for API calls. Modify the URL if you use the Kaltura On-Prem Edition.
CDNUrl	The CDN regular URL Used for Player and html5lib. Leave empty for default.

Field	Description
	You can change the Kaltura Server CDN URL used by the Kaltura HTML5 player and player embeds. The default value is http://cdnapi.kaltura.com . To update your CDN URL, add the URL in this field. Note: When configuring a KMS site to HTTPS, also change the CDN URL to https://cdnapisec.kaltura.com .
SecuredCDNUrl	The CDN secured URL. Used for Player and html5lib. Leave empty for default.
partnerId	Copy your Kaltura account's Partner ID from the Kaltura Management Console (KMC): KMC->Settings->Integration Settings.
secret	Copy your Kaltura account's user secret from KMC->Settings->Integration Settings (http://www.kaltura.com/index.php/kmc/kmc4#account integration). Kaltura uses your user secret to create secure sessions to access the Kaltura API.
adminSecret	Copy your Kaltura account's administrator secret from KMC->Settings->Integration Settings (http://www.kaltura.com/index.php/kmc/kmc4#account integration). KAF uses your administrator secret when you need an 'admin' session, which allows more actions than a user secret session.
verifySSL	Set to No, if you want to use SSL with a self-signed certificate.

Debug

Field	Description
logLevel	Debug level of the KAF Log File (logs/kms.log)
kalturaDebug	Enable debug log of requests to the Kaltura API (logs/apidebug.log)
kalturaStats	Enable stats log of requests to the Kaltura API (logs/api.log)
emailErrors	Enable sending emails in case of errors

Gallery

Field	Description
pageSize	How many entries can be displayed on each gallery page? (The default is 10.)
pageSizeWide	How many entries can be displayed on each gallery page in the Wide gallery view (for example, search results, playlists)? (The default is 24.)
pageCount	How many page links can be displayed in the gallery pager? (Dots represent page links that are not displayed.)
pagerType	Which kind of paging mechanism should be used in the gallery page?
sortMediaBy	By default, how should media in the gallery be sorted?
globalSearchSortMediaBy	By default, how should media in the global search be sorted?
thumbnailRotator	Enable thumbnail image rotation on mouse over in galleries
categoryDefaultView	Default view for categories. You can define optional view modes for

Field	Description
	media items inside Galleries. Choose from Grid, Collapsed view or Detailed view.
categoryExplicitDateFormat	Explicit date format.

Metadata

Field	Description
descriptionRequired	Require users to fill in the 'Description' field when uploading or editing media?
tagsRequired	Require users to fill in the 'Tags' field when uploading or editing media?
readMoreEnabled	Enable/disable read more for entry description - shortening to 500 characters. Notice : channel and category description is always shortend.
metaDataInReadMore	If enabled metadata is hidden until clicking on 'read more...' works for all descriptions - entry/channel/category
basicNameFieldHelperText	Tooltip comment for the Name field when uploading or editing an entry.
basicDescriptionFieldHelperText	Tooltip comment for the Description field when uploading or editing an entry.
basicTagsFieldHelperText	Tooltip comment for the Tags field when uploading or editing an entry.
showDescriptionInTooltipMeta	Choose whether to display field's description as a tooltip

Moderation

Field	Description
reasonSex	Please provide the reasons Moodle users can choose for flagging media. (If none are provided, the default Kaltura reasons will be used)
reasonViolence	Please provide the reasons Moodle users can choose for flagging media. (If none are provided, the default Kaltura reasons will be used)
reasonHarmful	Please provide the reasons Moodle users can choose for flagging media. (If none are provided, the default Kaltura reasons will be used)
reasonSpam	Please provide the reasons Moodle a reasons will be used)

Player

Kaltura Video Package for Moodle instances are automatically created using the [Kaltura v2 Player](#).

Module	Fields	Description
Player	playerId	What is the player ID (uiConf ID) of the player that plays the embedded video?
	playerBarHeightPixels	The height (in pixels) of the player ui which is not part of the actual video (for example - the bottom bar)
	playerVideoRatioPercent	The ratio (in percent) of the video inside the player. Standard values: 16:9 = 56.25 , 4:3 = 75 , 16:10 = 62.5

Module	Fields	Description
	playerEditId	What is the player ID (uiConf ID) of the player that edits entries?
	autoPlayOnLoad	When KAF loads, should the video that is loaded in the player begin playing automatically? Notes: (1) Autoplay is triggered when KAF starts and each time a new page loads, such as when switching from My Playlists to a gallery page. (2) The player always begins playing automatically when a user clicks a video in a gallery, regardless of whether autoPlayOnLoad is enabled.
	playback	<p>Which Playback method should KAF use? Kaltura Auto' is the default playback option for a new KAF instance.</p> <p>KAF administrators can select additional playback options. From <i>Player > playback</i>, select any of the following options:</p> <ul style="list-style-type: none"> • Auto - Kaltura server chooses between HTTP Progressive Download and Akamai's HTTP Adaptive Streaming, based on entry duration and available flavors. Auto gives you the best video delivery and playback quality for your entry. • HTTP Progressive Download – Allows you to pause the video playback and wait for the content to download. Typically used where viewers have very limited bandwidth and might experience more buffering than adaptive bitrate. • HTTP Streaming (HDS) - HTTP streaming based on Adobe technology. Allows adaptive bitrate so the player can adjust the video quality on the fly based on network and CPU conditions. • HTTP Streaming (Akamai HD) – HTTP streaming based on Akamai's technology. Allows adaptive bitrate so the player can adjust the video quality on the fly based on network and CPU conditions, formally called Akamai HD. • RTMP Streaming – RTMP streaming based on Adobe technology. Allows adaptive bitrate so the player can adjust the video quality on the fly based on network and CPU conditions. • Secure Transport (RTMPE) - RTMP encrypted using Adobe's security mechanism which wraps the RTMP session in a lighter-weight encryption layer.
	playerModerationId	What is the player ID (uiConf ID) of the player shown in moderation pages?

Widgets

Field	Description
ksuld	What is the uiConf ID of the Kaltura Simple Uploader (KSU)? KAF uses KSU to upload videos, images, and audio files.
krecordId	What is the uiConf ID of the kRecord widget? KAF uses kRecord to record and upload video from a webcam.
rtmpUrl	What is the URL of your RTMP Server? The URL is required for Webcam recording.
krecordDefaults	Configure recording details. Select Yes, to expose additional fields to configure the webcam widget quality.
emailErrors	Enable sending emails in case of errors.

Search

Field	Description
entriesPageSize	How many entries to show in search results.
inVideoPageSize	How many in-entry search results to show.

MediaCollaboration

Field	Description
mediaCollaborationEnabled	Enable MediaCollaboration module.
changeOwnerEnabled	This field is available when the MediaCollaboration module is enabled. The change owner feature has a special configuration for the co-editor/co-publisher and can be set to enable or disable the co-editor or co-publisher without any dependencies.

To add a user as co-editor or co-publisher, the user must log in to KAF prior to using this feature.

Enable this module to change the media owner and edit co-editors and co-publishers.



NOTE: If configuration is set to 'no' after it was set to 'yes' and in the interim, entries were added with co-editors and co-publishers, all co-editors and co-publishers will lose their ability to view, edit or publish those entries.

Configuration Management: Modules



NOTES:

1. Some fields are displayed only when you select a specific value for a different field.
2. Field group names are in bold. The group's configurable fields follow the group name.

Addcontent

Field	Description
enabled	Enable the Addcontent module.

Attachments

Enable this module to:

- allow media owners to attach files of any type to their media,
- Enable media viewers to download the file before, during or after viewing.

Field	Description
enabled	Enable the Attachments module.

Captions

Field	Description
enabled	Enable the Captions module.
captionsKsuld	What is the uiConf ID of the Kaltura Simple Uploader (KSU) used for captions? KAF uses KSU to upload .SRT and .DFXP caption files.
thumbnailRotator	Enable thumbnail image rotation on mouse over in captions search results
entriesPageSize	How many entries are displayed as captions search results on each page? (The default is 10)
captionsPageSize	How many caption lines are displayed for each entry in search results? (The default is 5)

Clipper

Enable this module to create a Clip button in the Edit Media page. The Create Clip feature allows media owners to create clips directly from the Edit Media page.

Field	Description
enabled	Enable the Clipper module.
showClipAttribution	Should a clipped entry page contain an attribution to the original entry.
clipKdpUiconfId	What is the uiConf ID of the clipper kdp.
clippAppUiconfId	What is the uiConf ID of the clipp App.
clipperProfileId	The clipper custom data profile id.)

Comments

Field	Description
enabled	Enable the Comments module.
channelCommentsProfileId	Custom Metadata profile Id for channels
entryCommentsProfileId	Custom Metadata profile Id for entries
entryCommentsCountProfileId	Custom Metadata profile Id for entry comments count
commentsAllowed	Who can add comments?
pageSize	Number of comments to display
sort	Sort comments by newest or oldest first?
sortReplies	Sort replies by newest or oldest first?

Field	Description
allowClose	Allow content owners to disable/close comments for particular entries
showInGalleries	Enable/disable showing of comments for entries in the gallery page
showInChannels	Enable/disable showing of comments for entries in the channels page
showInChannelsOnly	Show comments on media entries to users only in the context of a channel/gallery. In this case, users will not be able to see media comments if browsing to the media from search results, my media or any other context that doesn't include the context of the channel/gallery. To enable this feature, from the KAF Admin > Comments set showInChannelsOnly to Yes.
showAddTimedCommentsCheckbox	Show Add comment at mm:ss checkbox.
showPrivateCommentsConfig	Show configuration for setting private comments per gallery/channel

Customdata

Use the Customdata module to choose a custom metadata profile:

Module	Fields	Description
Customdata	enable	Enable the Customdata module.
	profileId	The ID of the custom metadata. Copy the custom data schema ID from KMC > Settings > Custom Data. (http://www.kaltura.com/index.php/kmc/kmc4#account metadata)
	dateFormat	The format of the date for the date picker.
	requiredFields	The custom data fields required before publishing media. Use custom data system names from KMC > Settings > Custom Data (http://www.kaltura.com/index.php/kmc/kmc4#account metadata)
	privateFields	The custom data fields that are not displayed in Moodle. Use custom data system names from KMC > Settings > Custom Data (http://www.kaltura.com/index.php/kmc/kmc4#account metadata). Note: Private custom data fields are not hidden when the media owner accesses media from My Media.

Disclaimer

KAF administrators can enforce the Terms of Agreement text and checkbox for end-users to review and/or accept before uploading or publishing content.

Field	Description
enabled	Enable the Disclaimer module.
disclaimerProfileId	The disclaimer custom data profile id.
disclaimerField	Which custom data field is required to be checked when uploading or publishing media?.
disclaimerText	Text to show when explaining user the reason for this checkbox.

Field	Description
agreeText	The text to display next to the checkbox that the user accepts the terms of agreements.
displayArea	<p>Before Upload - Terms of agreement are displayed to the user before they can contribute content. Only after the user agrees, the upload, launch screen recorder and other buttons are displayed. After checking the box, the button (or other option to upload) is enabled and the checkbox is disabled so it cannot be unchecked.</p> <p>Before Publish - Terms of agreement are presented as part of metadata in the upload screen and in the edit media screen. The checkbox can be configured as a required field preventing the user from publishing media if the checkbox is not selected (This is the same behavior as when required metadata is not completed). After terms are agreed to by the user (The checkbox is selected and saved) the field turns into view only and select cannot be unchecked,</p>
agreeRequired	This is relevant only if selected to show before publish. In this case the module displays the text of the terms of agreement and does not display a checkbox for the user to select.

Downloadmedia

Enable this module to configure downloadable versions of the media for viewers to download from the media page.

Field	Description
enabled	Enable the Downloadmedia module.
downloadRoles	Select one or more roles that can use the Downloadmedia module.
downloadFlavors	Click Add Download Flavors to configure the flavors that will be visible to the media owner to choose from. You, the admin, choose as many flavors as you want from the list of the transcoding profiles, as they appear in the KMC. You then can name the flavors as they should be displayed to the media owner. If no name is given, the flavor default name in Kaltura is used as the default name. The final list that is displayed to the media owner includes the list that was chosen by the admin, the flavors that are actually set (in the KMC) for this KAF instance and all other available flavors on the specific entry. It is advised that the KAF admin will verify with KMC admin what flavors are checked for the account beforehand.

Example of Downloadmedia Configuration

downloadFlavors

1 DELETE

flavorId ▼
 Select a flavor which will be available to be downloaded via the native app.

name
 Enter the label for the flavor.

2 DELETE

flavorId ▼
 Select a flavor which will be available to be downloaded via the native app.

name
 Enter the label for the flavor.

3 DELETE

flavorId ▼
 Select a flavor which will be available to be downloaded via the native app.

Embed

Field	Description
enabled	Enable the Embed module.
showMediaURL	Show link to media page.
emailShare	Sharing by email
allowEmbedIframeShare	Allow/Restrict sharing using 'iframe'. This configuration is only supported for non v2 supported players
embedAllowed	Select one or more roles that can use the Embed module. Use 'Ctrl' to select multiple roles. End-users can share Kaltura unlisted and published media via Email. This is available in share tab, like media grab embed and page link. The media will be shared by the default mail client on the machine.
embedSkins	Define skins that can be used for embedded players.
name	What is the name of the skin? The skin name is displayed when the user selects an embed skin.
imgFile	What is the relative path to the image file on the server? The image file represents how the skin looks.
uiConfId	What is the numerical value of the player ID to use in the embed code?
embedSizes	Define sizes that can be used for embedded players. Define the player size in the following format: {width}x{height}
large	608x402

Field	Description
medium	400x285
small	304x231

Sidemymedia

Field	Description
enabled	Enable the Sidemymedia module.
limit	How many Sidemymedia items can be displayed?

Thumbnails

Field	Description
enabled	Enable the Thumbnails module.
thumbnailsKsuld	What is the uiConf ID of the Kaltura Simple Uploader (KSU) used for thumbnails upload? KAF uses KSU to upload thumbnails files.
extensionWhitelist	Define allowed extensions, example: jpg, png, jpeg, gif (one item per extension)

Userreports

Channel/Course Managers can measure and analyse the user engagement and contribution to their channels/courses. These contextual analytics allow channel/course managers to answer important questions such as: What are the most popular videos in the channel/course? Who are the members that watch the most videos and what is their drop off rate? Who are the members that contribute the most media to the channel/course?

The mediaAnalytics field should be enabled to display the Analytics page. The Analytics page is accessed from the 'Actions' drop down of the entry page. The Analytics report is identical to the analytics for the entry in the KMC.

Field	Description
enabled	Enable the Userreports module.
mediaAnalytics	Enable media analytics for media owner
num_days	Default number of days
page_size	Default page size

Configuration Management: Channel Modules

Channelmoderation

You can define whether new Media Galleries that are created should be moderated by default. In addition, Moodle administrators can configure if the moderation option can be disabled by Media Gallery managers, to comply with use cases where moderation must be enforced. In the *Channelmoderation* module, you can set the *moderationDefaultValue* to define if the moderation option should be enabled or not by default when Media Galleries are created.

- If forceModeration = None then the moderationDefaultValue comes into play and the default value is set accordingly
- If forceModeration = Moderated or Not Moderated then this field is the stronger one and sets the default behavior.

Module	Fields	Description
Channelmoderation	enabled	Enable the Channelmoderation module.
	forceModeration	Force moderation on every new Media Gallery creation.
	moderationDefaultValue	Default value when moderation checkbox is enabled

Configuration Management: Entry Type Modules

Authoring Methods




Related KAF modules: Widgets, Screencapture, Videopresentations, Captions, Metadata, Customdata

The KAF Admin Console provides great flexibility in configuring different authoring methods users can utilize for creating new content. To date, the following methods are available (with additional methods to be added in the future):

- Uploading media from a local machine
- Capturing a video from a webcam using the Kaltura Webcam Recorder (KRecord)
- Adding a Video Presentation
- Creating a new screencast using the Kaltura Screen Recorder (KSR)

Please refer to the [Kaltura Video Package for Moodle User Manual](#) for more details about each of these methods.



Audioentry

Field	Description
customPlayerId	What is the player ID (uiConf ID) of the player that plays audios? Leave blank to use the default player.
playerBarHeightPixels	The height (in pixels) of the custom player ui which is not part of the actual video (for example - the bottom bar). Leave blank to use the default player value.
playerVideoRatioPercent	The ratio (in percent) of the audio inside the player.

Field	Description
	Standard values: 16:9 = 56.25 , 4:3 = 75 , 16:10 = 62.5. Leave blank to use the default player value.
embedSizes	Define sizes that can be used for embedded players. Define the player size in the following format: {width}x{height}. This setting requires a custom player. If a custom player is not specified, the audio entry uses the default video player.

Imageentry

Field	Description
imagePlayerId	What is the player ID (uiConf ID) of the player that shows images?
imageWatermarkUrl	What is the URL of the image that should be used as watermark?

Screencapture

Field	Description
enabled	Enable the Screencapture module.
ksrId	What is the widget ID (uiConf ID) of the Kaltura Screen Recorder Widget (KSR) used in Moodle?
videoBitrate	The video bitrate quality (in kbps) to use for the capture. For example 2000
advancedOptionsEnabled	Enable the option to select frames per second by the user
limitationNoteEnable	Show limitation note?
limitationNote	Configure limitation note.

Videopresentations

Field	Description
enabled	Enable the Videopresentations module
sortMediaBy	By default, how should media in the gallery be sorted?
kpwid	What is the widget ID (uiConf ID) of the Kaltura Video-Presentation Widget used in Moodle?
kvpmDocUploadId	What is the uiConf ID of the Kaltura Document Upload widget? The Kaltura Document Upload widget is used by the Kaltura Video-Presentation widget.
kvpmCreationId	What is the uiConf ID of the Kaltura Video-Presentation widget? The Video-Presentation widget enables users to synchronize video with PowerPoint presentations.

YouTube

Moodle users can add YouTube video content and metadata into Moodle. Hosted content on YouTube is played back on the Kaltura V2 player from version 2.13 and above. To update the player to the latest player version, re-save the player settings in the KMC Studio > Universal Studio tab.

Field	Description
enabled	Enable the Youtube module
previewPlayer	The player uiconf to use for the YouTube entry preview when adding a new entry. Leave blank to use the default KAFplayer.
replaceYouTubeEntryMessage	The message to display when replacing a YouTube entry.

Channelplaylists

There are three admin modules used to configure the Channel Playlists: For reference, the Channelplaylists modules are used to create and modify course playlists.

- Channelplaylists
- [PlaylistPage](#)
- [Embedplaylist](#)

Field	Description
enabled	Enable the ChannelPlaylists module
channelPlaylistsTabName	The title of the tab which will be added to the channel (Media Gallery) and will be presented first.
entriesSource	Add media to the playlist from the cahnnel gallery itself, from My Media or from all entitled areas in the site.

From this page you can:

- [Enable the Course Playlists feature](#)
- [Rename the Course Playlists tab's name](#)

Enabling Course Playlists

Course Playlists (Channelplaylists) activated by default for the Moodle Video Package.

To enable Course Playlists

1. From the **Channelplaylists** page change the setting in the **enabled** field from **No** to **Yes**.
2. Click **Save** to apply the changes.

Renaming the Playlists Tab

Admin users can rename the Playlists tab that appears in Media Gallery page:

To rename the Playlists tab:

1. From the **Channelplaylists** page change the setting in the **CoursePlaylistsTabName** field from **Playlists** to any value you want.
2. Click **Save** to apply the changes.

PlaylistPage

The configuration page dedicated to generating a player ID is accessed from the **Configuration Management** page **Global** sub-category **PlaylistPage** You can generate a player ID or refer to the

playlist player ID in this module if you need to use the player ID number.

Field	Description
playerId	Enter the Playlist playerId. The playerId field is initially empty and the following message is displayed: "Create a Playlist player ID (uiConf ID) for playlists dedicated view page". Click Create to generate the player ID.

Embedplaylist

The configuration page dedicated to activating and configuring the Embed Feature is accessed from the **Configuration Management** page **Modules** sub-category **Embedplaylist**.

Clicking **Embedplaylist** opens the Embed configuration page:

From this page you can:

- Enable the Embed Feature
- Define who (what Role) will be able to use the Embed feature by choosing one of the options in the PlaylistEmbedAllowed.
- Direct users to the SSO Login page by setting the value of autoRedirect to Yes.
- Define if the redirect for authentication will be in the top of the browser window (for global authentication) or in an iFrame.
- Create your own redirect message in autoRedirectMessageHTML.
- Define the HTML text (may include links) to display inside the iFrame in case a user is only allowed to a subset of the playlist content due to entitlements with authorizedForSubsetHTML.
- Define the HTML text (may include links) to display inside the iFrame if autoRedirect is set to False with notAuthenticatedHTML.
- Define the HTML text (may include links) to display inside the iFrame in case Kaltura Entitlement authorization fails with notAuthorizedHTML.
- Specify the URL to an alternate CSS, to allow a customer to customize the iFrame design to fit corporate style guide with overrideCSSURL.
- View skin colors and positions, V2 player types and player sizes.

Field	Description
enabled	Enable the Embedplaylist module.
playlistEmbedAllowed	Select one or more roles that can use the Embedplaylist module. Use 'Ctrl' to select multiple roles.
embedSkins	Define skins that can be used for embedded playlists.
light_horizontal	
dark_horizontal	
light_vertical	
dark_vertical	
embedSizes	Define sizes that can be used for embedded playlists.
horizontal	
vertical	

Custom/Core Modules/KAF

Browseandembed

The Browseandembed KAF module is used to enable and configure the Browse, Search and Embed tool in Moodle. This tool is used in the following places:

- Kaltura Video Presentation
- Kaltura Video Resource
- Video submissions in a Kaltura Media Assignment
- Video embeds in TinyMCE elements across the site

Fields	Description
enable	Yes*
returnUrlMethod	POST*
allowEmbedFromMultipleCourses	When set to Yes, users will be able to embed videos from Media Galleries of all the courses they have access to. Set to No if you want to limit users to the Media Gallery of the current course only.
filterTypeAttribute	custom_filter_type* The LTI attribute the get the filter type from.
disableAddNewAttribute	custom_disable_add_new*. The LTI attribute the get the disable-add-new from.
enableNewBSEUI	Yes
BSEPlayerID	The default browse and embed player
minimalBSERole	Minimal KMS Role allowing browsing and embedding media
embedSizes	Define sizes that can be used for embedded players. Define the player size in the following format: {width}x{height}
enableAssignmentSubmission	This feature enables an additional pop up screen when selecting media in Browse, Search and Embed to verify if the user is submitting an assignment. If confirmed, the selected entry will be cloned under a different user name to prevent editing and deletion
assignmentSubmissionText	Determines the text that will appear on the pop up message when submitting an assignment. In case left empty, the default message will appear.
assignmentSubmissionMaxRole	This sets the highest role level which will see the pop up upon selecting an entry in Browse, Search and Embed.

Moodle

Field	Description
enabled	Enables the Moodle module. This setting is preconfigured and

Field	Description
	should not be changed

Hosted

Field	Description
enabled	Enables the Hosted module. This should not be changed
enableLike	Enable the 'Like' feature for entries.
allowEditPublished	Set to <i>No</i> if you want to prevent users from editing entries after they have been published to a course Media Gallery or embedded using the Browse, Search and Embed module.
allowDeletePublished	Set to <i>No</i> if you want to prevent users from deleting entries after they have been published to a course Media Gallery or embedded using the Browse, Search and Embed module.
AllowUnpublishPublished	Set to <i>No</i> if you want to prevent users from setting entries to private after they have been published to a course Media Gallery or embedded using the Browse, Search and Embed Module
enableEntryDelete	Set to <i>No</i> to completely prevent users from deleting entries
enableViews	Enable showing number of views per entry.
showPageTitles	Enable showing page titles
expandButton	Player expand button. Auto is on only if there are modules providing an entry sidebar.
manPublish	Yes. This should not be disabled.
authMethod	This should not be disabled
sharedRepositoryCategoryId	Shared repository category ID

Roles and Permissions



Related KAF modules: [Hosted](#)

See [Common Use Cases of Role Configuration](#) for recommendations for common role configurations in the Kaltura Video Package for Moodle.

Introduction to Role Mapping

The Kaltura Video Package for Moodle implements role mapping from Moodle roles to Kaltura roles via [LIS roles](#). Each role that is assigned to a user in Moodle is mapped to one of the roles defined in the [LIS standard](#). When a user is assigned with a role in a Moodle course – Student or Teacher for example – Moodle translates this role to an LIS role which is then sent to KAF. On KAF's side, a dedicated module provides flexible mapping between LIS roles and Kaltura roles, allowing a granular control over the behavior of the different Kaltura Video Package components in Moodle.

This process is described in the following workflow:



Workflow:

1. Users are [assigned a Moodle Course-level](#) role after being assigned to a course.
2. [Moodle sends the corresponding LIS role to Kaltura](#).
3. [KAF Grants Permissions](#) according to mapping.

Assign a Moodle Course-level Role

Users are assigned a Moodle role when added to courses via the Enrol Users dialog.

The screenshot displays the Moodle interface for enrolling users. On the left, a table lists enrolled users with columns for 'First name / Surname / Email address' and 'Last'. Two users are listed: Professor Jones (teacher@kaltura.com) and Komal Janga (komal@kaltura.com). The main area shows the 'Enrol users' dialog box. The 'Assign roles' dropdown is set to 'Student'. Below it, 'Enrolment options' is set to 'All'. A search bar at the bottom is labeled 'Finish enrolling users'. On the right, there are sections for 'Enrolment methods' with 'Manual enrolments from Wednesday, 16 July 2014, 12:00 AM' and buttons for 'Enrol users'.

Moodle Sends the Corresponding LIS Role to Kaltura

When a user accesses a Course-level Kaltura module, such as *Media Gallery* or the *Browse, Search and Embed*, Moodle sends the corresponding LIS role to Kaltura, according to the following mapping:

Moodle Course-level role	LIS role
Student	Learner
Teacher	Instructor



NOTE: Outside the context of a course, Moodle sends *Learner* for all logged-in users. Please refer to [Common Use Cases of Role Configuration](#) for instructions on how to send the *Instructor* role outside the context of a course to support different access control configurations.

KAF Grants Permissions According to the Mapping

On the KAF Admin Console side, each LIS role can be mapped back to Kaltura roles. KAF grants different permissions according to the mapping provided in the Hosted module in the KAF Admin Console:

The screenshot shows the 'ltiRolesMapping' interface with two entries. Each entry has a 'DELETE' button and a 'Map each LTI role to a MediaSpace role' instruction. The first entry maps the Moodle role 'Student' to the KMS role 'privateOnlyRole' and the KMS contextual role 'CONTRIBUTOR'. The second entry maps the Moodle role 'Member' to the KMS role 'privateOnlyRole' and the KMS contextual role 'CONTRIBUTOR'. Red boxes and arrows highlight the mapping logic and the roles assigned.

As displayed, each LIS role is mapped in Kaltura to two roles – an **Applicative Role** (`kmsRole`) and a **Contextual Role** (`kmsContextualRole`). These roles correspond to different cases/scenarios in the Kaltura Package for Moodle. Setting these roles changes the permissions a user has in the following scenarios:

- **Applicative role (KMSRole)** - Defines the user roles and permissions in Kaltura widgets that are out of course context (for example: My Media)
 - **anonymousRole** – Not relevant to the Kaltura Video Package for Moodle and should not be used.
 - **viewerRole** – The user will not have access to My Media, and will not be able to upload new content to either My Media, Media Gallery or using the Embed Kaltura Media text-editor button.

- **privateOnlyRole** – The user will have access to My Media and will have the ability to create new content.
- **adminRole, unmoderatedAdminRole** – Not relevant to the Kaltura Video Package for Moodle and should not be used.
- **Contextual role (KMScontextualrole)** - Defines the user roles and permission in Kaltura widgets when in a course context (for example: course Media Gallery)
 - **Member:** The user will be able to view content in Media Galleries of courses to which the user is enrolled, but will not be able to contribute (publish) to the galleries.
 - **Contributor:** The user has Member permissions with the ability to publish content to the Media Gallery.
 - **Moderator:** The user has Contributor permissions with the ability to moderate content added to the Media Gallery.
 - **Manager:** The user has Moderator permissions with the ability edit the Media Gallery settings, and view the course gallery analytics.

From the Kaltura module’s perspective, the permissions are as follows:

- **My Media**
 - **Applicative role:** If viewerRole, the user will not have access to My Media and will not be able to upload new content. If privateOnlyRole the user will be able to have its own My Media repository to where he can upload his own private content.
 - **Contextual role:** does not impact My Media.
- **Media Gallery**
 - **Applicative role:** If the user has a contextual role that allows publishing/adding content to the Media Gallery (see the following table), and the user has an Applicative role of **privateOnlyRole**, the user will be able to upload new content or contribute content from its own private My Media repository.
 - **Contextual role:** Determines the role of the user inside the Media Gallery (note – users can access a course Media Gallery after they have access to the course page in Moodle, regardless of their Kaltura role.

Role	Permissions
Member	If the user has Member contextual role, the user will be treated as a “viewer only” in the Media Gallery, and will only be able to view content, and will not be able to contribute content to the Gallery (regardless of the user’s Applicative role).
Contributor	Users with Contributor role can view Media Gallery entries and upload and contribute entries from My Media (if applicative role is privateOnlyRole). Students are usually assigned Member or Contributor contextual roles.
Moderator	Moderator role allows the users to moderate content published to a Media Gallery (and to contribute new content). Teaching Assistants usually have Moderator contextual roles.
Manager	A Manager role provides full access to the Media Gallery, including the ability to moderate content, edit the Media Gallery’s settings and metadata, and access the Media Gallery Analytics. Instructors usually have Manager contextual roles

- **Browse, Search and Embed** (rich-text editor button)
 - **Applicative role:** If **viewerRole**, the user will not have access to My Media and will not be able to create new content. If **privateOnlyRole** the user will be able to have their own My

Media repository to where they can upload their private content.

- **Contextual role:** does not impact Embed Kaltura Video.

Summary of Default Moodle -> LIS -> Kaltura Roles Mapping

Moodle role	LIS role	Default Kaltura applicative role (kmsRole)	Default Kaltura contextual role (kmsContextualRole)	Comment
Student	Learner	privateOnlyRole	CONTRIBUTOR	Applicable only inside course context
Teacher	Instructor	privateOnlyRole	MANAGER	
Administrator	Administrator	privateOnlyRole	MANAGER	Applicable across the entire site
Logged in user	Learner	privateOnlyRole	CONTRIBUTOR	Applicable outside the context of courses

Common Use Cases of Role Configuration

This section provides recommendations for common role configuration in the Kaltura Video Package for Moodle.

The following use cases are described:

- [Allowing Students to Upload Content](#)
- [Allowing Faculty Only to Upload and Create New Content](#)
- [Creating a Teachers Only Shared Repository](#)

Allowing Students to Upload Content

Description: Allow all Moodle users to author new content (upload, webcam recording, screencast recording, etc.) and publish to courses, Media Galleries, regardless of their contextual role.

Moodle Side Configuration

No special configuration is required on the Moodle side for this case. Assign all students to the Moodle Student role and teachers to the Moodle Teacher Role.

All course-level roles that have any course-level management privilege will be mapped to the LTI Learner role.

KAF Side Configuration

In your KAF instance, configure the following mapping under the Hosted module:

ItiRole	kmsRole	kmsContextualRole
Learner	privateOnlyRole	CONTRIBUTOR
Instructor	privateOnlyRole	MANAGER

Allowing Faculty Only to Upload and Create New Content

Description: Allow only faculty members to create and upload new media. Students should not have access to My Media and should not be able to contribute to any course Media Gallery.



NOTE: If students are prevented from uploading content, they will not be allowed to submit video assignments.


































Moodle-side Configuration

To accomplish this configuration, the My Media link should be hidden to all logged in users but Teachers by creating a System-level role designed only for showing the My Media link to Teachers.

It is important to hide the My Media link. If students are able to access the My Media link, an “Access Denied” message will be displayed as they are prevented from accessing My Media by the KAF-side configuration (see below).

To hide My Media for all logged in users

1. Log into Moodle as Administrator.
2. Go to Administration → Site Administration → Users → Permissions → Define Roles.
3. Click on Edit Authenticated User Role (the gear icon in the Authenticated user row)

Role 	Description	Short name	Edit
Manager	Managers can access course and modify them, they usually do not participate in courses.	manager	   
Course creator	Course creators can create new courses.	coursecreator	   
Teacher	Teachers can do anything within a course, including changing the activities and grading students.	editingteacher	   
Non-editing teacher	Non-editing teachers can teach in courses and grade students, but may not alter activities.	teacher	   
Student	Students generally have fewer privileges within a course.	student	   
Guest	Guests have minimal privileges and usually can not enter text anywhere.	guest	   
Authenticated user	All logged in users.	user	   
Authenticated user on frontpage	All logged in users in the frontpage course.	frontpage	   

The role edit page is displayed.

4. Uncheck ‘View My Media page’.

My Media

View My Media page Allow

local/mymedia:view

This hides the My Media link to all logged in users.



NOTE: An “Access Denied” message is displayed when opening My Media if you fail to hide the My Media page to Students.

To expose My Media to Teachers only

1. Log into Moodle as Administrator.
2. Go to Administration → Site Administration → Users → Permissions → Define Roles.
3. Click Add a new role.
4. Choose ‘Teacher’ in Use role or archetype and click Continue.
5. Click Edit Teacher User Role (the gear icon in the Authenticated user row).

6. In the 'Short name' box, provide the new role with a descriptive name, e.g., "Teacher – My Media Access".
7. In the 'Context types where this role me be assigned' check System.
8. Click 'Create this role'.
9. Click Edit to edit the new role.
10. Check "View My Media page."
11. Assign this new system role to all Teachers that require access to My Media.

KAF Side Configuration

In your KAF instance, configure the following mapping under the Hosted module:

ItiRole	kmsRole	kmsContextualRole
Learner	viewRole	MEMBER
Instructor	privateOnlyRole	MANAGER

Creating a Teachers Only Shared Repository

Description: Creating a cross-site, shared repository accessible to Teachers only. Only Teachers will have the capability to share common files among multiple courses.

Moodle-side Configuration

The Moodle configuration required is described in [Allowing Faculty Only to Upload Content](#) .

KAF-side Configuration

Turn off the shared repository for the *Learner* LTI role:

The screenshot shows a configuration form for the 'Learner' role. It includes a 'DELETE' button at the top left. The form fields are:

- ItiRole:** Text input field containing 'Learner'.
- kmsRole:** Dropdown menu with 'viewerRole' selected.
- kmsContextualRole:** Dropdown menu with 'CONTRIBUTOR' selected.
- allowedSharedRepository:** Dropdown menu with 'No' selected.